

# 測定月報

測定日: 2016/11

(1/10)

日	モニタ									
	B001	B002	B003	B004	B005	B006	B007	B008	B009	B010
	入退域管理棟周辺	正門警備所周辺	環境管理棟周辺	車両スクリーニング場周辺	厚生棟休憩所周辺	登録センター休憩所周辺	5/6号サービス棟休憩所周辺	シールド中央制御室周辺	免震重要棟周辺	5/6号防護本部周辺
	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )
1	0.304	0.664	2.947	0.562	0.752	1.796	1.428	3.274	7.423	1.264
2	0.299	0.646	2.967	0.554	0.750	1.783	1.421	3.209	7.366	1.246
3	0.309	0.654	2.985	0.560	0.757	1.790	1.438	3.247	7.419	1.268
4	0.305	0.653	2.988	0.559	0.758	1.836	1.437	3.237	7.398	1.273
5	0.312	0.664	3.000	0.564	0.762	1.991	1.455	3.279	7.481	1.296
6	0.310	0.658	2.997	0.564	0.763	1.988	1.445	3.263	7.420	1.281
7	0.302	0.635	2.985	0.555	0.753	1.975	1.432	3.216	7.298	1.251
8	0.303	0.657	2.977	0.559	0.760	1.982	1.445	3.272	7.384	1.274
9	0.301	0.654	2.954	0.557	0.757	1.986	1.445	3.245	7.341	1.266
10	0.299	0.658	2.954	0.549	0.758	1.963	1.424	3.210	7.302	1.253
11	0.297	0.647	2.875	0.547	0.737	1.920	1.382	3.141	7.231	1.223
12	0.305	0.660	2.937	0.553	0.754	1.921	1.402	3.204	7.349	1.245
13	0.303	0.677	2.951	0.555	0.758	1.940	1.416	3.220	7.396	1.255
14	0.303	0.678	2.938	0.558	0.756	1.963	1.423	3.224	7.392	1.260
15	0.308	0.684	2.921	0.561	0.761	1.985	1.426	3.242	7.448	1.280
16	0.300	0.671	2.897	0.559	0.751	1.961	1.411	3.204	7.327	1.243
17	0.298	0.663	2.911	0.552	0.752	1.954	1.422	3.204	7.311	1.246
18	0.301	0.719	2.925	0.551	0.752	1.960	1.423	3.201	7.302	1.247
19	0.303	0.765	2.918	0.551	0.747	1.957	1.407	3.189	7.305	1.245
20	0.307	0.769	2.940	0.557	0.754	1.965	1.416	3.222	7.397	1.261
21	0.300	0.708	2.918	0.554	0.745	1.960	1.410	3.201	7.297	1.240
22	0.301	0.668	2.928	0.551	0.741	1.949	1.401	3.178	7.346	1.242
23	0.295	0.656	2.900	0.543	0.737	1.949	1.385	3.157	7.232	1.218
24	0.288	0.643	2.869	0.539	0.727	1.924	1.355	3.108	7.129	1.187
25	0.291	0.642	2.891	0.541	0.735	1.931	1.371	3.138	7.182	1.207
26	0.295	0.646	2.911	0.546	0.738	1.955	1.387	3.162	7.218	1.217
27	0.300	0.647	2.889	0.550	0.740	1.958	1.394	3.178	7.266	1.231
28	0.292	0.641	2.874	0.543	0.731	1.962	1.379	3.128	7.215	1.214
29	0.292	0.650	2.906	0.543	0.735	1.960	1.380	3.153	7.211	1.215
30	0.286	0.639	2.909	0.542	0.736	1.954	1.384	3.136	7.181	1.208
31										
1ヶ月値	0.300	0.667	2.932	0.553	0.749	1.937	1.412	3.201	7.319	1.245
最大値	0.470	0.874	3.105	0.611	0.821	2.081	1.539	3.636	7.728	1.384
最大値日時	11/15 10:00	11/01 09:40	11/05 08:00	11/04 10:50	11/06 04:10	11/08 13:20	11/08 19:20	11/17 09:30	11/05 12:30	11/18 11:30
最小値	0.238	0.578	2.588	0.494	0.669	1.675	1.280	2.958	6.935	1.127
最小値日時	11/07 08:10	11/09 11:40	11/11 10:50	11/30 19:10	11/28 14:00	11/02 21:00	11/24 09:10	11/11 11:30	11/24 10:10	11/11 10:20

# 測定月報

測定日：2016/11

(2/10)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺	1/2号西側法面上周辺	3/4号西側法面上周辺	4号南側法面上周辺	一般焼却炉周辺	車両整備場周辺	多核種除去施設周辺	キャスク仮保管施設周辺	野鳥の森五差路周辺	5/6号機西側周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	59.803	49.703	14.318	2.185	25.629	1.002	0.821	0.414	3.502	7.268
2	59.103	48.978	13.983	2.144	25.669	1.027	0.807	0.406	3.339	7.237
3	59.952	49.670	14.306	2.195	25.858	0.955	0.819	0.415	3.465	7.287
4	59.850	49.558	14.225	2.187	25.764	0.966	0.818	0.413	3.427	7.297
5	60.663	50.434	14.599	2.242	25.951	0.964	0.829	0.425	3.578	7.318
6	60.299	49.882	14.338	2.210	26.002	0.963	0.822	0.418	3.466	7.334
7	59.046	48.674	13.786	2.127	25.821	0.950	0.811	0.415	3.245	7.289
8	59.856	49.608	14.089	2.193	25.823	0.978	0.827	0.418	3.420	7.337
9	59.744	49.275	13.955	2.161	25.818	1.005	0.827	0.413	3.329	7.327
10	58.987	48.608	13.281	2.126	25.771	1.064	0.819	0.405	3.197	7.305
11	57.747	47.887	12.896	2.061	25.026	1.107	0.798	0.411	3.186	7.063
12	59.036	48.981	13.265	2.145	25.366	1.116	0.816	0.417	3.313	7.142
13	59.460	49.253	13.328	2.161	25.484	1.122	0.827	0.420	3.355	7.181
14	59.736	49.311	13.755	2.176	25.424	1.119	0.816	0.420	3.366	7.216
15	60.453	50.182	14.204	2.225	25.452	1.131	0.824	0.423	3.508	7.223
16	59.353	49.045	13.757	2.135	25.436	1.041	0.813	0.384	3.268	7.201
17	59.089	48.775	13.645	2.122	25.428	0.978	0.809	0.382	3.221	7.207
18	59.141	48.709	13.646	2.122	25.531	1.047	0.810	0.382	3.222	7.193
19	58.942	48.796	13.788	2.125	25.239	1.073	0.808	0.391	3.289	7.093
20	59.752	49.669	14.097	2.184	25.367	1.074	0.813	0.395	3.414	7.145
21	59.004	48.915	13.719	2.137	25.351	1.066	0.805	0.384	3.256	7.142
22	58.966	48.945	13.870	2.135	25.115	1.067	0.807	0.389	3.360	7.050
23	57.928	48.027	13.383	2.075	25.160	1.060	0.785	0.375	3.150	7.056
24	56.666	46.886	12.848	2.006	24.762	1.053	0.787	0.367	2.979	6.955
25	57.161	47.327	12.931	2.031	24.958	1.080	0.802	0.370	3.025	7.021
26	57.950	47.775	13.048	2.056	25.202	1.072	0.817	0.374	3.080	7.072
27	58.379	48.386	13.388	2.100	25.102	1.078	0.820	0.383	3.219	7.070
28	57.769	47.827	13.116	2.060	24.857	1.066	0.808	0.377	3.141	6.995
29	57.823	47.786	12.991	2.043	25.042	1.091	0.798	0.371	3.063	7.055
30	57.733	47.600	12.869	2.031	25.154	1.075	0.797	0.370	2.997	7.084
31										
1ヶ月値	58.980	48.816	13.647	2.130	25.421	1.046	0.812	0.398	3.279	7.172
最大値	62.187	51.632	15.109	2.350	26.399	1.319	1.187	0.509	3.813	7.615
最大値日時	11/15 13:50	11/05 11:50	11/05 12:00	11/06 00:30	11/06 15:30	11/29 10:40	11/01 14:00	11/15 11:00	11/05 14:40	11/08 12:40
最小値	55.399	45.461	11.776	1.911	23.712	0.881	0.718	0.330	2.769	6.689
最小値日時	11/24 12:50	11/10 05:50	11/15 11:20	11/25 07:50	11/24 10:30	11/04 12:30	11/29 20:10	11/16 11:10	11/12 11:40	11/24 10:00

# 測定月報

測定日：2016/11

(3/10)

日	モニタ									
	B021 研修棟周辺	B022 企業棟休憩所A棟周辺	B023 増設多核種除去設備西側周辺	B024 Hタンクエリア周辺(通風ダクトモーター小屋)	B025 1・2号機海側(4m盤)	B026 3・4号機海側(4m盤)	B027 固体廃棄物貯蔵庫管理棟周辺	B028 高性能多核種除去設備周辺	B029 サブドレン浄化設備周辺	B030 給油所周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.947	0.818	0.362	7.643	18.352	27.717	9.544	2.542	0.340	0.596
2	1.945	0.811	0.315	7.614	17.962	27.159	9.423	2.530	0.333	0.591
3	1.952	0.817	0.326	7.652	18.368	27.566	9.218	2.542	0.343	0.601
4	1.953	0.816	0.326	7.654	18.284	27.464	9.191	2.544	0.339	0.599
5	1.968	0.809	0.333	7.699	18.758	27.993	9.312	2.558	0.345	0.607
6	1.971	0.830	0.328	7.689	18.443	27.671	9.207	2.551	0.342	0.606
7	1.951	0.815	0.317	7.636	17.787	26.887	9.126	2.528	0.334	0.594
8	1.953	0.816	0.324	7.672	18.291	27.441	9.180	2.549	0.356	0.600
9	1.955	0.812	0.321	7.672	18.035	27.243	9.190	2.535	0.356	0.600
10	1.946	0.810	0.316	7.657	17.711	26.848	9.056	2.527	0.419	0.594
11	1.909	0.796	0.316	7.507	17.463	26.261	8.963	2.465	0.363	0.585
12	1.917	0.815	0.323	7.575	17.950	26.958	9.248	2.504	0.355	0.591
13	1.929	0.821	0.324	7.596	18.092	27.143	9.342	2.527	0.358	0.595
14	1.930	0.815	0.326	7.618	18.180	27.252	9.328	2.533	0.374	0.596
15	1.937	0.819	0.329	7.639	18.562	27.630	9.545	2.543	0.463	0.603
16	1.930	0.814	0.317	7.584	17.826	26.891	9.412	2.524	0.368	0.592
17	1.922	0.815	0.317	7.572	17.679	26.748	9.364	2.517	0.354	0.589
18	1.924	0.815	0.315	7.585	17.692	26.743	9.376	2.514	0.351	0.588
19	1.916	0.804	0.323	7.522	17.838	26.734	9.307	2.479	0.358	0.590
20	1.912	0.821	0.323	7.573	18.244	27.253	9.449	2.499	0.356	0.591
21	1.912	0.811	0.319	7.537	17.771	26.741	9.241	2.483	0.362	0.589
22	1.896	0.812	0.325	7.499	17.981	26.799	9.188	2.471	0.357	0.583
23	1.895	0.802	0.312	7.488	17.295	26.141	9.995	2.454	0.345	0.570
24	1.860	0.793	0.303	7.400	16.698	25.231	10.006	2.418	0.342	0.557
25	1.874	0.798	0.305	7.433	16.908	25.544	9.104	2.435	0.344	0.562
26	1.891	0.804	0.306	7.466	17.176	25.944	8.964	2.464	0.353	0.564
27	1.894	0.808	0.316	7.465	17.610	26.311	9.056	2.466	0.349	0.571
28	1.889	0.797	0.311	7.410	17.263	25.848	8.936	2.443	0.341	0.564
29	1.891	0.795	0.307	7.440	17.081	25.821	8.963	2.458	0.411	0.564
30	1.895	0.801	0.306	7.442	16.921	25.733	8.980	2.462	0.343	0.570
31										
1ヶ月値	1.922	0.810	0.320	7.565	17.807	26.791	9.274	2.502	0.358	0.587
最大値	2.055	0.883	0.422	7.919	19.391	28.752	11.080	2.745	0.999	0.661
最大値日時	11/02 13:10	11/05 15:40	11/01 00:50	11/03 10:10	11/05 12:50	11/05 10:10	11/23 12:40	11/01 12:50	11/29 12:50	11/02 10:00
最小値	1.783	0.658	0.265	7.048	16.189	24.536	8.037	2.290	0.266	0.512
最小値日時	11/24 12:00	11/24 09:50	11/30 05:50	11/28 10:50	11/25 07:40	11/24 12:20	11/10 10:30	11/24 11:10	11/02 10:20	11/27 21:40

# 測定月報

測定日：2016/11

(4/10)

日	モニタ									
	B031	B032	B033	B034	B035	B036	B037	B038	B039	B040
	HIC保管エリア周辺 線量率 ( $\mu$ Sv/h)	H8タンクエリア周辺 線量率 ( $\mu$ Sv/h)	H4タンクエリア周辺 線量率 ( $\mu$ Sv/h)	H5タンクエリア周辺 線量率 ( $\mu$ Sv/h)	J2タンクエリア周辺 線量率 ( $\mu$ Sv/h)	G6タンクエリア周辺 線量率 ( $\mu$ Sv/h)	セシウム吸着塔中間貯蔵施設周辺 線量率 ( $\mu$ Sv/h)	G4タンクエリア周辺 線量率 ( $\mu$ Sv/h)	MP-8周辺 線量率 ( $\mu$ Sv/h)	旧展望台周辺 線量率 ( $\mu$ Sv/h)
1	0.497	0.709	3.157	1.269	4.296	2.510	2.166	3.602	5.405	2.268
2	0.483	0.702	3.056	1.254	4.291	2.475	2.529	3.581	5.391	2.247
3	0.492	0.709	3.170	1.268	4.318	2.561	2.986	3.614	5.425	2.269
4	0.489	0.708	3.140	1.264	4.311	2.523	2.976	3.605	5.432	2.271
5	0.504	0.712	3.248	1.279	4.342	2.490	2.994	3.628	5.474	2.301
6	0.494	0.709	3.174	1.265	4.330	2.524	2.972	3.616	5.474	2.287
7	0.478	0.698	3.050	1.246	4.305	2.551	2.926	3.579	5.437	2.256
8	0.484	0.701	3.157	1.257	4.323	2.554	1.945	3.596	5.458	2.280
9	0.471	0.702	3.103	1.254	4.295	2.458	1.510	3.588	5.461	2.275
10	0.461	0.706	3.043	1.241	4.290	2.492	1.496	3.564	5.435	2.253
11	0.459	0.692	2.988	1.234	4.207	2.437	1.472	3.537	5.278	2.201
12	0.469	0.700	3.086	1.244	4.263	2.499	1.495	3.573	5.314	2.230
13	0.476	0.707	3.108	1.249	4.298	2.508	1.495	3.584	5.350	2.246
14	0.488	0.715	3.117	1.248	4.265	2.474	1.563	3.588	5.374	2.257
15	0.504	0.722	3.183	1.257	4.263	2.519	1.655	3.600	5.401	2.280
16	0.485	0.715	3.045	1.235	4.223	2.500	1.635	3.571	5.360	2.241
17	0.486	0.712	3.020	1.230	4.237	2.519	2.180	3.554	5.370	2.235
18	0.485	0.710	3.022	1.228	4.247	2.530	2.545	3.553	5.377	2.246
19	0.492	0.707	3.061	1.227	4.213	2.474	2.550	3.553	5.312	2.230
20	0.504	0.710	3.131	1.244	4.239	2.500	2.580	3.576	5.334	2.242
21	0.492	0.705	3.032	1.227	4.146	2.284	2.548	3.561	5.324	2.222
22	0.497	0.693	3.075	1.220	4.013	2.097	2.549	3.552	5.265	2.208
23	0.481	0.685	2.950	1.188	3.995	2.372	2.509	3.522	5.244	2.177
24	0.466	0.663	2.847	1.164	3.961	2.490	2.482	3.481	5.172	2.139
25	0.470	0.661	2.882	1.168	3.964	2.295	2.958	3.498	5.206	2.162
26	0.473	0.668	2.914	1.169	3.968	2.224	3.552	3.511	5.246	2.187
27	0.487	0.673	2.993	1.182	3.983	2.238	3.570	3.525	5.248	2.202
28	0.480	0.662	2.921	1.166	3.935	2.294	3.535	3.497	5.186	2.163
29	0.475	0.673	2.885	1.162	3.978	2.466	3.522	3.490	5.227	2.172
30	0.476	0.677	2.857	1.157	3.999	2.556	3.584	3.494	5.240	2.167
31										
1ヶ月値	0.483	0.697	3.047	1.227	4.183	2.447	2.483	3.560	5.341	2.231
最大値	0.553	0.927	3.422	1.346	4.483	2.797	6.431	3.746	5.635	2.412
最大値日時	11/06 02:50	11/10 10:30	11/05 12:10	11/04 14:10	11/05 10:40	11/07 12:40	11/25 07:00	11/05 08:40	11/09 05:50	11/05 11:20
最小値	0.419	0.603	2.712	1.099	3.698	1.916	1.143	3.368	5.033	2.048
最小値日時	11/25 06:50	11/25 02:00	11/29 23:50	11/29 10:40	11/16 09:10	11/21 12:50	11/30 07:30	11/25 00:40	11/25 02:30	11/24 11:20

# 測定月報

測定日: 2016/11

(5/10)

日	モニタ									
	B041	B042	B043	B044	B045	B046	B047	B048	B049	B050
	集中RW西側法面上	大型メンテナンス建屋 東側	大熊通り中央付近	1～4号機PPゲート前	1 2uS/B周辺	3.4uS/B周辺	集中RW東側	集中RW南側	共用プール西側	4uR/B西側
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	3.173	2.645	3.993	22.527	33.030	73.405	9.513	8.087	43.382	15.663
2	3.079	2.540	3.956	22.187	32.423	73.206	9.511	8.041	43.264	15.486
3	3.208	2.621	4.010	22.561	32.968	72.855	9.663	8.116	43.466	15.614
4	3.176	2.599	4.006	22.522	33.011	73.530	9.585	8.137	43.450	15.567
5	3.304	2.694	4.063	22.887	33.472	72.821	10.944	8.200	43.914	15.776
6	3.226	2.613	4.029	22.687	33.237	72.616	10.324	8.187	43.857	15.685
7	3.053	2.492	3.975	21.869	32.482	72.282	9.281	8.127	43.385	15.423
8	3.153	2.601	4.029	22.041	32.849	70.892	9.940	8.164	43.679	15.530
9	3.097	2.545	4.003	21.817	32.845	72.251	9.590	8.153	43.520	15.405
10	3.030	2.495	3.975	21.504	32.412	71.026	10.238	8.116	43.309	15.196
11	2.986	2.455	3.881	21.013	31.916	66.908	9.755	7.672	40.969	14.821
12	3.096	2.533	3.915	21.512	32.628	68.189	9.000	7.955	42.544	15.112
13	3.132	2.556	3.940	21.605	32.792	68.716	8.961	8.020	42.987	15.188
14	3.140	2.559	3.937	21.696	32.899	69.803	8.943	8.050	43.005	15.159
15	3.218	2.652	3.975	21.982	33.225	69.898	8.956	8.066	42.921	15.146
16	3.037	2.511	3.912	21.305	32.572	69.755	9.215	8.048	42.849	14.869
17	3.010	2.499	3.911	21.222	32.385	71.170	9.738	8.049	42.816	14.810
18	3.013	2.498	3.917	21.302	32.416	71.199	9.388	8.067	42.821	14.771
19	3.049	2.533	3.893	21.347	32.350	69.864	10.719	7.848	41.805	14.657
20	3.140	2.597	3.913	21.727	32.911	70.779	10.742	7.981	42.699	14.840
21	3.018	2.486	3.884	21.304	32.538	70.885	9.324	7.940	42.230	14.618
22	3.077	2.549	3.861	21.418	32.523	70.161	9.348	7.793	41.666	14.566
23	2.934	2.430	3.811	21.062	31.993	70.530	11.381	7.785	41.587	14.384
24	2.817	2.358	3.747	20.819	31.230	70.329	12.912	7.624	40.691	14.023
25	2.867	2.400	3.773	21.181	31.583	70.479	11.254	7.819	41.528	14.045
26	2.895	2.393	3.808	21.408	31.926	71.137	11.674	7.891	41.923	14.124
27	3.004	2.470	3.837	21.766	32.247	70.953	11.743	7.858	41.865	14.195
28	2.919	2.422	3.791	21.388	31.746	69.980	10.482	7.680	40.786	14.023
29	2.881	2.361	3.797	21.266	31.636	70.277	10.120	7.850	41.751	14.233
30	2.843	2.320	3.792	21.205	31.751	70.801	11.892	7.876	41.909	14.411
31										
1ヶ月値	3.052	2.514	3.911	21.671	32.467	70.890	10.138	7.973	42.553	14.911
最大値	3.490	2.818	4.233	25.307	34.918	74.838	13.814	8.381	44.647	16.161
最大値日時	11/05 17:00	11/05 12:50	11/05 12:00	11/10 22:30	11/10 22:30	11/01 13:00	11/25 06:30	11/07 14:50	11/05 16:30	11/05 15:30
最小値	2.665	2.214	3.643	19.102	28.661	62.272	8.524	7.126	36.820	13.171
最小値日時	11/01 09:30	11/30 05:40	11/24 09:40	11/24 10:00	11/11 09:10	11/25 21:20	11/15 10:20	11/11 10:30	11/11 10:50	11/29 10:00

# 測定月報

測定日: 2016/11

(6/10)

日	モニタ									
	B051	B052	B053	B054	B055	B056	B057	B058	B059	B060
	3uR/B西側 線量率 ( $\mu$ Sv/h)	2uR/B西側 線量率 ( $\mu$ Sv/h)	1uR/B西側 線量率 ( $\mu$ Sv/h)	1uR/B北側 線量率 ( $\mu$ Sv/h)	物揚場周辺 線量率 ( $\mu$ Sv/h)	固体庫1, 2棟周辺 線量率 ( $\mu$ Sv/h)	旧事務本館北側 線量率 ( $\mu$ Sv/h)	固体庫第9棟建設地周辺 線量率 ( $\mu$ Sv/h)	危険物屋外貯蔵所周辺 線量率 ( $\mu$ Sv/h)	6号機D/G建屋周辺 線量率 ( $\mu$ Sv/h)
1	149.986	113.530	79.142	66.207	10.335	6.791	14.182	0.599	1.505	2.372
2	149.520	112.072	73.556	65.526	10.197	6.711	13.981	0.548	1.496	2.368
3	151.018	113.301	68.959	66.320	10.361	6.833	14.192	0.567	1.509	2.378
4	151.252	113.540	69.852	66.390	10.338	6.826	14.168	0.591	1.512	2.381
5	151.314	114.644	70.431	67.286	10.525	6.922	14.426	0.569	1.527	2.403
6	151.098	114.335	70.119	66.939	10.423	6.886	14.274	0.509	1.529	2.403
7	148.945	112.039	76.093	65.897	10.156	6.721	13.965	0.496	1.514	2.386
8	149.340	112.981	80.786	66.510	10.329	6.850	14.221	0.507	1.525	2.404
9	148.651	112.670	80.775	66.291	10.286	6.837	14.113	0.535	1.528	2.404
10	151.118	111.566	79.864	65.745	10.135	6.768	13.963	0.547	1.514	2.401
11	140.939	109.796	78.837	63.833	9.932	6.517	13.692	0.558	1.445	2.228
12	143.482	111.601	79.533	64.608	10.135	6.649	14.001	0.540	1.468	2.299
13	144.057	112.055	79.775	65.115	10.239	6.714	14.092	0.505	1.490	2.328
14	144.680	111.757	80.197	65.573	10.244	6.755	14.159	0.548	1.499	2.339
15	150.826	113.485	91.016	66.130	10.265	6.828	14.329	0.580	1.507	2.353
16	146.158	111.213	93.847	65.218	9.999	6.697	13.941	0.539	1.496	2.339
17	146.475	110.038	89.023	65.024	9.918	6.674	13.832	0.520	1.483	2.340
18	146.794	109.707	92.577	65.068	9.897	6.665	13.883	0.510	1.491	2.341
19	146.461	110.226	94.917	64.661	9.854	6.628	13.922	0.475	1.466	2.258
20	147.466	111.362	96.052	65.251	9.992	6.704	14.174	0.478	1.475	2.291
21	146.551	109.630	95.008	64.656	9.839	6.617	13.911	0.549	1.464	2.300
22	145.304	109.985	95.649	64.303	9.896	6.589	13.904	0.589	1.440	2.215
23	143.950	108.370	93.966	63.376	9.639	6.473	13.625	0.534	1.440	2.271
24	141.506	105.861	91.745	62.027	9.499	6.318	13.358	0.526	1.410	2.194
25	141.542	105.997	92.359	62.230	9.601	6.411	13.526	0.547	1.425	2.251
26	142.203	106.660	93.828	62.796	9.715	6.495	13.639	0.561	1.445	2.282
27	141.849	107.708	96.350	63.275	9.832	6.545	13.828	0.582	1.454	2.291
28	140.799	107.070	96.023	62.418	9.686	6.416	13.627	0.561	1.427	2.209
29	141.654	106.978	92.273	62.487	9.672	6.416	13.603	0.561	1.442	2.272
30	141.612	106.383	90.037	62.555	9.585	6.417	13.584	0.559	1.451	2.271
31										
1ヶ月値	146.218	110.552	85.418	64.790	10.017	6.656	13.937	0.543	1.479	2.319
最大値	159.813	182.404	103.056	68.708	10.806	7.174	14.842	0.660	1.608	2.508
最大値日時	11/10 22:10	11/15 21:30	11/15 14:00	11/05 12:40	11/05 13:00	11/05 10:10	11/05 10:20	11/05 12:10	11/08 12:40	11/08 13:20
最小値	128.621	90.508	63.688	60.360	9.177	6.084	12.978	0.426	1.322	2.025
最小値日時	11/18 11:50	11/21 11:00	11/29 11:50	11/24 12:50	11/23 06:30	11/24 10:10	11/24 09:50	11/20 05:00	11/24 11:10	11/24 11:10

# 測定月報

測定日: 2016/11

(7/10)

日	モニタ									
	B061	B062	B063	B064	B065	B066	B067	B068	B069	B070
	5・6号機放水口周辺	焼却設備建屋周辺	Fタンクエリア周辺	五洋ヤード P1東側周辺	焼却設備建屋前道路カーブミラー脇	鹿島建設資材置場	一時保管エリアC周辺	一時保管エリアI周辺	一時保管エリアH1周辺	土捨場資材置場
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.756	2.204	12.010	13.805	4.839	3.988	2.297	15.902	4.559	0.975
2	1.748	2.189	11.970	13.692	4.814	4.094	2.271	15.860	4.550	0.966
3	1.762	2.209	11.996	13.620	4.843	4.203	2.287	15.975	4.574	0.984
4	1.764	2.205	11.948	17.578	4.847	4.209	2.302	16.014	4.588	0.984
5	1.777	2.226	11.959	20.208	4.869	4.263	2.311	16.126	4.620	0.999
6	1.777	2.225	11.985	20.223	4.876	4.250	2.304	16.152	4.637	0.991
7	1.767	2.181	11.851	20.175	4.822	4.178	2.264	16.096	4.609	0.976
8	1.797	2.194	11.755	20.217	4.820	4.256	2.296	16.127	4.611	0.995
9	1.794	2.189	11.797	20.219	4.821	4.353	2.285	16.175	4.632	0.988
10	1.794	2.171	11.740	20.307	4.796	4.366	2.253	16.138	4.626	0.977
11	1.727	2.115	11.633	20.700	4.699	4.309	2.212	15.379	4.423	0.946
12	1.743	2.138	11.700	21.196	4.731	4.373	2.228	15.527	4.461	0.956
13	1.757	2.152	11.698	21.264	4.741	4.396	2.238	15.728	4.504	0.973
14	1.763	2.163	11.723	20.713	4.763	4.417	2.252	15.799	4.518	0.975
15	1.768	2.173	11.750	20.450	4.776	4.432	2.271	15.820	4.536	0.988
16	1.755	2.117	11.664	20.361	4.642	4.324	2.232	15.802	4.517	0.965
17	1.754	2.092	11.629	20.442	4.571	4.342	2.232	15.836	4.533	0.960
18	1.757	2.098	11.632	23.402	4.563	4.367	2.221	15.879	4.547	0.956
19	1.739	2.082	11.582	27.114	4.515	4.344	2.206	15.532	4.465	0.947
20	1.747	2.102	11.648	27.235	4.542	4.379	2.229	15.527	4.463	0.942
21	1.740	2.092	11.622	27.569	4.522	4.368	2.217	15.593	4.475	0.943
22	1.734	2.074	11.576	27.885	4.495	4.370	2.202	15.233	4.399	0.942
23	1.726	2.056	11.523	27.795	4.481	4.340	2.178	15.367	4.411	0.927
24	1.701	2.014	11.422	27.663	4.424	4.252	2.173	15.122	4.346	0.906
25	1.719	2.029	11.460	25.133	4.440	4.222	2.186	15.239	4.375	0.917
26	1.730	2.055	11.500	22.809	4.467	4.191	2.185	15.444	4.427	0.929
27	1.727	2.066	11.509	22.759	4.485	4.198	2.205	15.390	4.432	0.941
28	1.712	2.036	11.458	22.639	4.443	4.190	2.174	15.149	4.355	0.925
29	1.720	2.026	11.444	21.822	4.461	4.214	2.165	15.367	4.405	0.924
30	1.726	2.040	11.464	21.555	4.471	4.232	2.161	15.444	4.429	0.924
31										
1ヶ月値	1.749	2.124	11.688	21.684	4.653	4.281	2.235	15.691	4.501	0.957
最大値	1.895	2.370	12.261	29.063	5.014	4.589	4.292	16.506	4.752	1.060
最大値日時	11/08 16:40	11/18 13:00	11/01 00:20	11/25 11:00	11/06 12:50	11/21 09:00	11/01 10:30	11/09 11:30	11/10 15:50	11/05 10:20
最小値	1.625	1.728	9.627	13.387	4.256	3.818	1.992	14.474	4.137	0.843
最小値日時	11/24 13:20	11/29 11:00	11/08 11:10	11/03 21:20	11/24 10:00	11/02 08:00	11/24 09:20	11/22 01:10	11/22 01:30	11/25 07:40

# 測定月報

測定日: 2016/11

(8/10)

日	モニタ									
	B071	B072	B073	B074	B075	B076	B077	B078	B079	B080
	土捨場東側資材置場	瓦礫保管Aテント周辺	覆土式瓦礫保管エリアL北側	覆土式瓦礫保管エリアL南側	一時保管エリアG2周辺	一時保管エリアG1周辺	5・6号機迂回道路付近	一時保管エリアM周辺	旧研修棟正面玄関前	3・4号機北面ダストモニタ周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	2.056	35.830	6.152	1.346	0.614	1.588	6.208	3.321	68.837	14.819
2	2.033	35.492	6.106	1.319	0.599	1.572	6.171	3.300	68.671	14.379
3	2.057	35.249	6.129	1.326	0.612	1.588	6.234	3.336	69.007	14.858
4	2.065	35.557	6.143	1.312	0.611	1.589	6.252	3.351	69.064	14.728
5	2.091	35.937	6.192	1.349	0.625	1.619	6.302	3.366	69.450	15.174
6	2.076	35.970	6.201	1.348	0.618	1.617	6.343	3.385	69.299	14.875
7	2.057	35.785	6.147	1.335	0.601	1.596	6.272	3.357	68.744	14.205
8	2.076	35.385	6.182	1.387	0.614	1.616	6.315	3.378	69.074	14.698
9	2.067	35.157	6.171	1.375	0.609	1.604	6.321	3.395	68.970	14.460
10	2.056	35.333	6.152	1.364	0.602	1.602	6.301	3.377	68.714	14.035
11	2.008	34.100	5.934	1.360	0.593	1.549	6.001	3.220	67.505	13.789
12	2.045	34.486	6.008	1.398	0.604	1.560	6.039	3.235	68.387	14.216
13	2.058	34.741	6.057	1.417	0.606	1.572	6.103	3.262	68.689	14.318
14	2.056	34.792	6.091	1.445	0.613	1.577	6.101	3.288	68.833	14.383
15	2.068	34.586	6.124	1.475	0.623	1.590	6.082	3.300	68.961	14.671
16	2.047	34.455	6.061	1.440	0.599	1.569	6.024	3.286	68.480	13.865
17	2.045	34.822	6.067	1.423	0.598	1.563	6.081	3.292	68.394	13.738
18	2.032	34.774	6.057	1.409	0.596	1.563	6.088	3.296	68.392	13.721
19	2.009	34.304	5.976	1.407	0.602	1.558	5.986	3.241	67.927	13.913
20	2.024	34.360	6.012	1.428	0.608	1.561	6.014	3.238	68.546	14.292
21	2.011	34.409	6.001	1.420	0.597	1.545	6.037	3.226	68.172	13.804
22	2.006	33.941	5.916	1.418	0.600	1.540	5.978	3.184	67.958	14.019
23	1.981	34.056	5.919	1.399	0.582	1.528	5.963	3.185	67.514	13.421
24	1.948	33.875	5.830	1.384	0.569	1.493	5.865	3.116	66.666	12.806
25	1.966	34.147	5.872	1.408	0.575	1.508	5.900	3.124	67.092	12.924
26	1.983	34.501	5.925	1.417	0.577	1.527	5.966	3.181	67.544	13.078
27	1.992	34.443	5.947	1.442	0.593	1.531	5.973	3.188	67.541	13.487
28	1.975	34.059	5.870	1.420	0.586	1.509	5.872	3.129	67.141	13.214
29	1.976	34.347	5.897	1.411	0.575	1.515	5.959	3.157	67.320	13.035
30	1.975	34.369	5.910	1.394	0.574	1.516	6.036	3.177	67.356	12.864
31										
1ヶ月値	2.028	34.752	6.035	1.393	0.599	1.562	6.094	3.263	68.275	13.993
最大値	2.394	36.519	6.368	1.620	0.687	1.705	6.518	3.510	70.403	15.799
最大値日時	11/07 09:50	11/05 12:00	11/08 11:00	11/14 11:30	11/15 13:10	11/05 10:50	11/05 12:20	11/10 11:20	11/05 09:40	11/05 11:40
最小値	1.863	32.505	5.651	1.235	0.525	1.410	5.002	2.657	62.811	12.375
最小値日時	11/24 10:50	11/23 20:40	11/11 10:50	11/07 06:00	11/30 03:40	11/24 09:30	11/24 11:30	11/24 11:40	11/30 11:40	11/25 04:30



# 測定月報

測定日: 2016/11

(9/10)

日	モニタ									
	B081	B082	B083	B084	B085	B086	B087	B088	B089	B090
	Bタンクエリア周辺	大型メンテナンス建屋周辺	2, 3号機間道路西側(10m壁)	2号機海側(4m壁)	中央交差点	No.4倉庫周辺	1, 2u排気筒西側	線量表示器88	線量表示器89	線量表示器90
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.068	1.828	128.389	29.618	1.153	14.797	1594.747			
2	1.072	1.809	126.496	29.012	1.147	14.741	1589.356			
3	1.104	1.832	127.383	29.429	1.159	14.843	1592.493			
4	1.103	1.831	126.887	29.374	1.164	14.881	1591.133			
5	1.116	1.857	127.926	30.046	1.168	14.931	1596.525			
6	1.107	1.832	127.684	29.657	1.171	14.971	1594.373			
7	1.085	1.764	125.032	28.739	1.160	14.875	1584.645			
8	1.242	1.811	126.123	29.384	1.167	14.905	1588.998			
9	1.335	1.798	125.896	29.133	1.176	14.942	1586.211			
10	1.326	1.772	125.335	28.689	1.174	14.890	1581.578			
11	1.299	1.748	123.125	28.069	1.132	14.370	1574.813			
12	1.322	1.794	124.888	28.736	1.147	14.544	1582.110			
13	1.326	1.811	125.309	28.924	1.156	14.658	1581.445			
14	1.349	1.812	125.611	29.106	1.157	14.725	1584.336			
15	1.380	1.858	126.766	29.581	1.169	14.767	1589.003			
16	1.260	1.772	124.649	28.748	1.156	14.701	1578.571			
17	1.193	1.760	123.858	28.706	1.155	14.688	1576.501			
18	1.168	1.771	123.778	28.851	1.158	14.706	1575.164			
19	1.166	1.790	124.322	28.852	1.149	14.487	1574.074			
20	1.182	1.826	125.696	29.477	1.150	14.598	1581.715			
21	1.164	1.786	124.026	28.781	1.150	14.585	1577.014			
22	1.158	1.800	124.483	28.933	1.136	14.420	1574.476			
23	1.141	1.746	119.826	28.171	1.130	14.409	1567.870			
24	1.114	1.651	118.486	27.242	1.113	14.187	1557.543			
25	1.108	1.635	119.898	27.563	1.119	14.282	1560.946			
26	1.133	1.650	121.028	27.896	1.133	14.442	1562.878			
27	1.142	1.684	122.141	28.389	1.136	14.403	1568.050			
28	1.132	1.661	120.430	27.822	1.119	14.246	1562.373			
29	1.124	1.648	120.183	27.756	1.128	14.379	1560.217			
30	1.146	1.636	120.523	27.611	1.131	14.435	1558.083			
31										
1ヶ月値	1.186	1.766	124.206	28.743	1.149	14.627	1578.241			
最大値	1.478	2.045	132.621	30.962	1.262	15.258	1610.516			
最大値日時	11/15 18:00	11/04 12:00	11/10 22:20	11/05 12:50	11/09 11:30	11/05 16:10	11/05 12:10			
最小値	0.917	1.552	66.813	21.713	1.039	13.778	1548.778			
最小値日時	11/30 08:00	11/25 03:50	11/23 14:50	11/24 08:40	11/23 20:10	11/24 09:30	11/25 06:40			