

# 測定月報

測定日: 2017/09

(1/11)

日	モニタ									
	B001	B002	B003	B004	B005	B006	B007	B008	B009	B010
	入退域管理棟周辺 線量率 ( $\mu\text{Sv/h}$ )	正門警備所周辺 線量率 ( $\mu\text{Sv/h}$ )	環境管理棟周辺 線量率 ( $\mu\text{Sv/h}$ )	車両スクリーニング場周辺 線量率 ( $\mu\text{Sv/h}$ )	厚生棟休憩所周辺 線量率 ( $\mu\text{Sv/h}$ )	登録センター休憩所周辺 線量率 ( $\mu\text{Sv/h}$ )	5/6号サービス建屋休憩所周辺 線量率 ( $\mu\text{Sv/h}$ )	シールド中央制御室周辺 線量率 ( $\mu\text{Sv/h}$ )	免震重要棟周辺 線量率 ( $\mu\text{Sv/h}$ )	5/6号防護本部周辺 線量率 ( $\mu\text{Sv/h}$ )
1	0.245	0.574	2.326	0.521	0.648	1.846	1.266	2.887	6.890	1.138
2	0.245	0.575	2.299	0.513	0.647	1.815	1.256	2.850	6.840	1.119
3	0.246	0.575	2.323	0.521	0.654	1.833	1.274	2.900	6.897	1.140
4	0.245	0.574	2.334	0.523	0.652	1.698	1.285	2.909	6.898	1.143
5	0.246	0.580	2.346	0.522	0.648	1.581	1.293	2.932	6.874	1.149
6	0.246	0.577	2.326	0.524	0.645	1.579	1.280	2.907	6.855	1.140
7	0.248	0.579	2.333	0.527	0.647	1.578	1.284	2.909	6.875	1.142
8	0.247	0.572	2.318	0.522	0.642	1.571	1.264	2.897	6.854	1.133
9	0.250	0.582	2.344	0.526	0.651	1.587	1.283	2.921	6.887	1.134
10	0.250	0.585	2.349	0.525	0.654	1.591	1.293	2.939	6.895	1.148
11	0.249	0.588	2.333	0.528	0.650	1.592	1.295	2.927	6.893	1.149
12	0.248	0.582	2.308	0.519	0.643	1.581	1.269	2.904	6.866	1.135
13	0.247	0.584	2.313	0.526	0.649	1.590	1.284	2.918	6.902	1.141
14	0.244	0.586	2.319	0.526	0.646	1.584	1.287	2.915	6.913	1.136
15	0.246	0.585	2.329	0.526	0.648	1.591	1.286	2.938	6.913	1.139
16	0.247	0.580	2.326	0.524	0.649	1.597	1.285	2.927	6.860	1.131
17	0.248	0.576	2.284	0.516	0.642	1.584	1.255	2.854	6.818	1.112
18	0.247	0.578	2.292	0.517	0.642	1.583	1.262	2.875	6.906	1.132
19	0.247	0.574	2.317	0.526	0.647	1.582	1.269	2.905	6.875	1.133
20	0.248	0.577	2.320	0.528	0.648	1.587	1.281	2.908	6.884	1.139
21	0.247	0.582	2.319	0.524	0.648	1.583	1.285	2.920	6.881	1.141
22	0.247	0.590	2.311	0.522	0.647	1.583	1.280	2.912	6.832	1.127
23	0.245	0.575	2.295	0.515	0.640	1.573	1.259	2.877	6.803	1.107
24	0.247	0.572	2.313	0.517	0.644	1.577	1.266	2.907	6.830	1.121
25	0.245	0.576	2.310	0.521	0.645	1.581	1.293	2.895	6.833	1.129
26	0.245	0.568	2.311	0.521	0.646	1.584	1.294	2.898	6.832	1.132
27	0.245	0.570	2.313	0.524	0.645	1.581	1.293	2.912	6.865	1.144
28	0.240	0.572	2.275	0.512	0.633	1.557	1.243	2.837	6.771	1.101
29	0.240	0.568	2.298	0.515	0.633	1.559	1.246	2.866	6.788	1.096
30	0.243	0.572	2.303	0.517	0.642	1.564	1.258	2.898	6.819	1.109
31										
1ヶ月値	0.246	0.578	2.316	0.522	0.646	1.610	1.276	2.901	6.862	1.131
最大値	0.295	0.663	2.455	0.597	0.768	1.949	1.371	3.228	7.087	1.220
最大値日時	09/07 22:10	09/27 10:50	09/05 21:00	09/14 14:10	09/21 08:40	09/01 20:40	09/25 20:00	09/04 07:30	09/14 15:50	09/11 19:50
最小値	0.201	0.512	2.066	0.464	0.575	1.478	1.164	2.570	6.298	1.023
最小値日時	09/29 06:00	09/27 03:10	09/22 11:30	09/28 09:20	09/28 11:20	09/24 01:00	09/17 19:10	09/17 21:50	09/12 14:30	09/29 05:10

# 測定月報

測定日: 2017/09

(2/11)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺 線量率 ( $\mu\text{Sv/h}$ )	1/2号西側法面上周辺 線量率 ( $\mu\text{Sv/h}$ )	3/4号西側法面上周辺 線量率 ( $\mu\text{Sv/h}$ )	4号南側法面上周辺 線量率 ( $\mu\text{Sv/h}$ )	一般焼却炉周辺 線量率 ( $\mu\text{Sv/h}$ )	車両整備場周辺 線量率 ( $\mu\text{Sv/h}$ )	多核種除去施設周辺 線量率 ( $\mu\text{Sv/h}$ )	キャスク保管施設周辺 線量率 ( $\mu\text{Sv/h}$ )	野島の森五差路周辺 線量率 ( $\mu\text{Sv/h}$ )	5/6号機西側周辺 線量率 ( $\mu\text{Sv/h}$ )
1	58.741	49.903	11.936	1.974	21.221	1.344	0.726	0.355	3.131	6.433
2	58.112	49.400	11.809	1.945	21.021	1.316	0.713	0.350	3.090	6.360
3	58.939	50.022	11.956	1.982	21.289	1.325	0.728	0.352	3.145	6.469
4	59.064	50.051	11.892	1.964	21.345	1.099	0.732	0.353	3.112	6.522
5	59.381	50.191	11.890	1.978	21.438	0.985	0.767	0.354	3.135	6.559
6	59.103	50.128	12.002	1.975	21.256	0.990	0.770	0.355	3.171	6.489
7	59.203	50.273	12.075	1.986	21.218	1.043	0.790	0.362	3.189	6.488
8	58.768	49.835	11.957	1.966	21.007	1.048	0.774	0.356	3.147	6.391
9	59.185	50.170	12.006	1.981	21.313	1.032	0.805	0.356	3.162	6.485
10	59.478	50.352	12.051	1.995	21.458	1.038	0.813	0.358	3.185	6.545
11	59.497	50.317	12.068	1.997	21.426	1.244	0.784	0.360	3.187	6.563
12	58.836	50.087	12.109	1.992	21.026	1.051	0.778	0.357	3.237	6.419
13	59.173	50.414	12.075	1.987	21.260	1.003	0.758	0.356	3.191	6.512
14	59.108	50.254	12.006	1.977	21.368	0.961	0.783	0.353	3.147	6.544
15	59.236	50.219	11.987	1.966	21.451	0.964	0.792	0.351	3.134	6.601
16	58.602	50.080	11.970	1.954	21.563	0.938	0.794	0.343	3.101	6.597
17	57.486	49.471	11.918	1.905	20.962	0.926	0.773	0.340	3.114	6.416
18	57.889	50.253	12.261	1.947	20.906	0.916	0.780	0.344	3.295	6.375
19	58.494	50.162	12.070	1.958	21.239	0.884	0.786	0.346	3.185	6.480
20	59.039	50.317	12.104	1.974	21.343	0.917	0.783	0.375	3.218	6.517
21	59.282	50.404	12.112	1.986	21.391	0.984	0.793	0.371	3.199	6.555
22	58.903	49.951	11.886	1.959	21.440	0.948	0.787	0.359	3.095	6.552
23	58.226	49.407	11.769	1.931	21.101	0.908	0.764	0.340	3.060	6.419
24	58.591	49.706	11.850	1.951	21.243	0.912	0.771	0.347	3.101	6.477
25	58.876	49.860	11.911	1.958	21.263	0.918	0.776	0.338	3.106	6.514
26	58.920	49.870	11.904	1.948	21.336	0.891	0.786	0.346	3.112	6.540
27	59.232	50.193	12.042	1.976	21.369	0.855	0.790	0.359	3.173	6.563
28	57.595	48.916	11.718	1.879	20.732	0.844	0.751	0.357	3.058	6.312
29	57.705	48.900	11.638	1.896	20.835	0.825	0.755	0.375	2.996	6.379
30	58.213	49.312	11.722	1.916	*	0.804	0.767	0.473	3.033	6.453
31										
1ヶ月値	58.761	49.947	11.956	1.960	21.240	0.996	0.772	0.358	3.140	6.484
最大値	60.284	51.272	12.623	2.093	21.869	3.812	0.870	0.894	3.451	6.781
最大値日時	09/11 13:20	09/18 13:40	09/18 10:30	09/12 16:50	09/10 18:40	09/11 07:40	09/10 02:40	09/30 08:50	09/18 09:50	09/22 20:10
最小値	55.544	47.475	11.263	1.718	19.178	0.724	0.647	0.286	2.819	5.944
最小値日時	09/17 22:10	09/28 09:40	09/29 06:10	09/28 10:40	09/17 21:50	09/28 10:50	09/06 10:00	09/25 09:00	09/29 06:00	09/17 21:10

\*1: 通信エラーに伴う欠測

# 測定月報

測定日: 2017/09

(3/11)

日	モニタ									
	B021 西門周辺	B022 さくら通り正門側	B023 増設多核種除去設備西側周辺	B024 トランクエリア周辺(建設ダストモニタ小笠原)	B025 1・2号機海側(4m盤)	B026 3・4号機海側(4m盤)	B027 固体廃棄物貯蔵庫管理棟周辺	B028 高性能多核種除去設備周辺	B029 サブドレン浄化設備周辺	B030 給油所周辺
	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )
1	1.678	0.987	0.372	6.378	13.934	21.444	9.178	1.323	0.318	0.521
2	1.663	0.975	0.370	6.326	13.921	21.128	9.057	1.315	0.322	0.515
3	1.681	0.988	0.373	6.391	14.193	21.492	9.189	1.324	0.318	0.524
4	1.688	1.009	0.370	6.415	14.149	21.492	9.243	1.320	0.318	0.531
5	1.690	1.013	0.371	6.434	14.277	21.626	9.299	1.329	0.321	0.524
6	1.678	1.004	0.373	6.386	14.258	21.522	9.200	1.323	0.316	0.527
7	1.684	0.997	0.379	6.390	14.273	21.575	9.188	1.328	0.320	0.528
8	1.671	0.990	0.377	6.332	14.090	21.258	9.080	1.325	0.326	0.519
9	1.685	1.017	0.376	6.389	14.144	21.461	9.198	1.331	0.323	0.526
10	1.695	1.022	0.378	6.424	14.282	21.637	9.266	1.333	0.327	0.529
11	1.694	1.001	0.377	6.421	14.269	21.576	9.296	1.332	0.324	0.532
12	1.679	0.957	0.383	6.354	14.216	21.367	8.966	1.331	0.326	0.526
13	1.691	0.977	0.379	6.399	14.229	21.360	9.078	1.332	0.319	0.523
14	1.691	0.993	0.373	6.417	14.143	21.424	9.284	1.328	0.312	0.527
15	1.705	1.007	0.373	6.439	14.030	21.535	9.334	1.325	0.312	0.529
16	1.709	1.014	0.366	6.435	14.081	21.423	9.324	1.323	0.314	0.536
17	1.673	0.989	0.370	6.305	13.970	21.096	9.116	1.308	0.326	0.533
18	1.663	0.988	0.386	6.291	14.203	21.373	9.116	1.320	0.332	0.530
19	1.679	1.042	0.377	6.362	14.039	21.396	9.174	1.323	0.325	0.523
20	1.678	1.028	0.377	6.386	14.205	21.498	9.207	1.328	0.325	0.523
21	1.690	0.981	0.376	6.406	14.310	21.610	9.275	1.330	0.324	0.527
22	1.686	0.985	0.367	6.400	14.122	21.375	9.274	1.319	0.327	0.523
23	1.664	0.964	0.366	6.315	14.011	21.059	9.113	1.307	0.329	0.517
24	1.677	0.969	0.369	6.352	*1	21.268	9.191	1.318	0.327	0.519
25	1.683	0.981	0.365	6.365	13.987	21.334	9.226	1.320	0.326	0.521
26	1.685	0.981	0.370	6.390	14.087	21.383	9.248	1.317	0.330	0.523
27	1.703	0.978	0.374	6.413	14.165	21.509	9.288	1.324	0.325	0.527
28	1.655	0.957	0.369	6.236	*1	20.749	8.975	1.302	0.330	0.514
29	1.659	0.971	0.361	6.299		20.769	9.021	1.297	0.326	0.514
30	1.677	0.990	0.365	6.335		21.026	9.127	1.307	0.332	0.518
31										
1ヶ月値	1.682	0.992	0.373	6.373	14.159	21.358	9.184	1.321	0.323	0.524
最大値	1.940	1.140	0.421	6.597	14.670	22.139	9.847	1.427	0.564	0.959
最大値日時	09/28 10:50	09/20 02:20	09/18 03:40	09/10 02:50	09/21 14:10	09/06 01:50	09/11 14:00	09/13 17:10	09/26 14:00	09/04 07:30
最小値	1.556	0.884	0.323	5.849	13.379	19.338	8.314	1.207	0.239	0.474
最小値日時	09/17 21:30	09/24 02:50	09/29 07:20	09/17 22:10	09/17 21:30	09/28 11:20	09/12 09:40	09/28 19:40	09/12 08:40	09/02 13:40

\*1: 通信エラーに伴う欠測

# 測定月報

測定日: 2017/09

(4/11)

日	モニタ									
	B031	B032	B033	B034	B035	B036	B037	B038	B039	B040
	HIC保管エリア周辺	H8タンクエリア周辺	H4タンクエリア周辺	H5タンクエリア周辺	J2タンクエリア周辺	G6タンクエリア周辺	セシウム吸着塔中間貯蔵施設周辺	2uR/B西側	1uR/B西側	1uR/B北側
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	0.672	0.571	2.679	1.109	1.965	1.975	1.299	92.853	97.703	58.882
2	0.666	0.569	2.643	1.118	1.946	1.955	1.286	92.279	94.616	58.073
3	0.677	0.577	2.690	1.140	1.981	1.992	1.306	93.114	95.282	58.994
4	0.674	0.581	2.650	1.146	1.979	1.997	1.308	92.890	95.958	59.459
5	0.674	0.580	2.666	1.133	1.986	2.000	1.322	93.197	95.875	59.935
6	0.674	0.578	2.657	1.101	1.967	1.986	1.317	92.886	94.416	59.523
7	0.678	0.573	2.692	1.088	1.974	1.991	1.327	93.101	95.296	59.456
8	0.676	0.568	2.647	1.084	1.949	1.957	1.305	92.749	95.451	58.974
9	0.676	0.570	2.700	1.101	1.964	1.999	1.325	93.212	95.833	59.668
10	0.682	0.577	2.721	1.112	1.976	2.020	1.343	93.491	96.085	60.176
11	0.684	0.578	2.686	1.105	1.990	2.010	1.331	93.591	88.885	60.319
12	0.682	0.569	2.710	1.088	1.960	1.983	1.341	93.253	87.583	59.216
13	0.680	0.575	2.697	1.090	1.977	2.008	1.333	93.482	92.395	59.865
14	0.676	0.577	2.683	1.088	1.978	2.017	1.326	93.212	92.413	60.010
15	0.675	0.579	2.677	1.099	1.993	2.028	1.328	93.264	92.448	60.391
16	0.668	0.580	2.683	1.100	1.990	2.040	1.320	70.570	66.813	60.369
17	0.665	0.572	2.653	1.098	1.946	1.985	1.307	54.300	52.943	59.227
18	0.683	0.568	2.724	1.113	1.941	1.961	1.326	54.792	53.372	59.365
19	0.676	0.573	2.698	1.105	1.966	1.947	1.324	76.424	82.319	59.890
20	0.681	0.580	2.711	1.085	1.962	1.980	1.330	92.931	95.962	60.256
21	0.681	0.579	2.717	1.077	1.971	1.993	1.336	92.427	94.019	60.596
22	0.670	0.578	2.660	1.072	1.969	1.980	1.321	92.401	94.577	60.396
23	0.663	0.568	2.643	1.062	1.945	1.977	1.320	91.614	94.702	58.957
24	0.669	0.572	2.665	1.075	1.958	1.994	1.326	92.078	95.123	59.438
25	0.667	0.574	2.639	1.077	1.963	2.005	1.317	92.216	94.684	59.804
26	0.668	0.578	2.643	1.083	1.968	2.004	1.313	92.083	95.589	60.052
27	0.677	0.585	2.687	1.087	1.980	2.017	1.328	92.764	96.402	60.393
28	0.661	0.577	2.623	1.064	1.921	1.941	1.305	91.102	94.387	58.285
29	0.660	0.585	2.585	1.071	1.934	1.945	1.301	90.694	94.037	58.411
30	0.661	0.589	2.629	1.071	1.959	1.971	1.310	91.299	95.317	59.172
31										
1ヶ月値	0.673	0.576	2.672	1.095	1.965	1.989	1.319	88.799	90.334	59.583
最大値	0.747	0.890	2.915	1.211	2.082	2.130	2.559	97.467	104.280	61.380
最大値日時	09/14 09:50	09/29 10:10	09/18 10:50	09/04 14:30	09/11 09:10	09/15 18:20	09/12 05:50	09/16 09:10	09/19 07:40	09/21 14:50
最小値	0.615	0.516	2.305	1.000	1.782	1.505	1.066	53.131	43.609	56.612
最小値日時	09/29 06:10	09/17 03:50	09/06 07:30	09/28 08:00	09/17 21:40	09/22 08:10	09/07 22:10	09/17 22:00	09/16 09:00	09/28 09:30

# 測定月報

測定日: 2017/09

(5/11)

日	モニタ									
	B041	B042	B043	B044	B045	B046	B047	B048	B049	B050
	集中RW西側法面上	大型メンテナンス建屋 東側	大熊通り中央付近	1～4号機PPゲート前	12uS/B周辺	3.4uS/B周辺	集中RW東側	集中RW南側	共用プール西側	4uR/B西側
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	2.851	3.963	3.676	23.369	33.181	58.523	8.227	7.765	35.804	10.247
2	2.806	3.934	3.633	23.110	32.859	57.874	7.490	7.633	35.151	10.467
3	2.858	3.968	3.692	23.489	33.308	58.959	8.372	7.794	35.986	10.589
4	2.855	3.957	3.722	23.503	33.376	58.748	7.518	7.847	36.208	10.630
5	2.866	3.967	3.746	23.694	33.536	59.419	7.473	7.901	36.425	10.617
6	2.880	3.979	3.723	23.659	33.475	58.071	8.566	7.802	35.956	10.527
7	2.891	4.001	3.735	23.665	33.574	59.249	8.802	7.805	35.960	10.563
8	2.840	3.970	3.677	23.436	33.157	58.533	8.176	7.671	35.245	10.494
9	2.871	3.999	3.723	23.532	33.334	59.498	8.309	7.823	36.100	10.565
10	2.895	4.009	3.753	23.662	33.492	60.198	9.047	7.895	36.447	10.620
11	2.881	4.011	3.764	23.740	33.498	59.594	8.206	7.905	36.562	10.598
12	2.894	4.045	3.700	23.729	32.926	58.525	8.734	7.727	35.463	10.462
13	2.893	4.020	3.719	23.970	33.767	59.501	8.893	7.836	36.219	10.541
14	2.860	3.981	3.735	23.943	33.673	59.638	10.337	7.882	36.408	10.522
15	2.880	3.976	3.743	23.965	34.010	59.348	12.173	7.899	36.713	10.466
16	2.852	3.944	3.736	23.802	34.082	60.511	11.542	*1	36.850	10.458
17	2.826	3.942	3.670	23.501	33.445	58.733	11.880		34.722	10.305
18	2.930	4.055	3.689	23.735	33.327	58.280	11.303	7.702	34.721	10.404
19	2.895	3.992	3.703	23.733	33.553	58.971	11.584	7.805	36.210	10.406
20	2.929	4.020	3.739	23.785	33.157	58.946	11.932	7.828	36.353	10.481
21	2.932	4.002	3.754	23.912	33.299	58.988	11.343	7.907	36.596	10.596
22	2.853	3.938	3.731	23.632	33.212	58.787	13.272	7.902	36.601	10.485
23	2.825	3.922	3.650	23.252	32.584	59.062	14.580	7.712	35.685	10.362
24	2.849	3.939	3.684	23.399	32.727	59.381	15.638	7.805	36.045	10.436
25	2.839	3.944	3.713	23.417	32.966	58.384	14.773	7.853	36.229	10.479
26	2.837	3.946	3.727	23.182	32.851	58.394	14.541	7.886	36.373	10.467
27	2.861	3.984	3.756	23.313	33.008	58.470	14.926	7.897	36.500	10.489
28	2.755	3.910	3.616	22.608	31.916	57.702	14.741	7.510	34.499	10.209
29	2.788	3.868	3.613	22.622	32.865	68.251	14.322	7.703	35.548	10.132
30	2.809	3.880	3.655	22.860	33.159	88.438	15.255	7.778	35.969	9.917
31										
1ヶ月値	2.860	3.969	3.706	23.508	33.249	60.237	11.055	7.801	35.984	10.451
最大値	3.131	4.211	3.904	24.687	34.818	89.486	17.431	8.090	37.310	10.905
最大値日時	09/21 10:40	09/12 16:40	09/27 13:00	09/21 16:40	09/15 16:10	09/30 12:30	09/24 11:40	09/21 23:20	09/15 16:30	09/11 14:30
最小値	2.396	3.740	3.461	20.140	28.658	48.088	6.903	6.950	30.735	9.725
最小値日時	09/25 07:30	09/30 05:00	09/28 18:50	09/02 06:20	09/12 16:10	09/19 17:00	09/05 08:50	09/28 08:20	09/28 09:30	09/30 06:50

\*1: 通信エラーに伴う欠測

# 測定月報

測定日：2017/09

(6/11)

日	モニタ									
	B051	B052	B053	B054	B055	B056	B057	B058	B059	B060
	3uR/B西側 線量率 ( $\mu$ Sv/h)	2uR/B西側 線量率 ( $\mu$ Sv/h)	1uR/B西側 線量率 ( $\mu$ Sv/h)	1uR/B北側 線量率 ( $\mu$ Sv/h)	物揚場周辺 線量率 ( $\mu$ Sv/h)	固体庫1, 2棟周辺 線量率 ( $\mu$ Sv/h)	旧事務本館北側 線量率 ( $\mu$ Sv/h)	固体庫第9棟建設地周辺 線量率 ( $\mu$ Sv/h)	危険物屋外貯蔵所周辺 線量率 ( $\mu$ Sv/h)	6号機D/G建屋周辺 線量率 ( $\mu$ Sv/h)
1	128.107	96.539	99.949	61.970	6.765	5.511	14.087	0.401	1.301	2.250
2	126.565	97.627	96.161	61.142	6.680	5.412	13.853	0.397	1.286	2.179
3	127.437	98.814	96.678	62.060	6.815	5.498	14.068	0.404	1.311	2.271
4	128.309	96.434	98.069	62.439	6.807	5.521	14.036	0.395	1.327	2.309
5	128.372	98.192	98.653	62.976	6.756	5.555	14.093	0.394	1.335	2.325
6	127.570	97.404	96.925	62.592	6.750	5.501	14.032	0.393	1.326	2.307
7	128.541	97.937	97.971	62.551	6.731	5.510	14.054	0.396	1.322	2.307
8	127.961	96.562	98.264	62.093	6.684	5.400	13.916	0.390	1.298	2.176
9	127.232	97.848	98.711	62.766	6.817	5.465	14.061	0.345	1.317	2.284
10	127.142	98.213	98.941	63.259	6.862	5.516	14.132	0.329	1.343	2.317
11	127.424	98.537	96.297	63.355	6.856	5.536	14.140	0.322	1.348	2.275
12	126.354	97.202	91.262	62.363	6.884	5.470	14.014	0.363	1.310	2.185
13	128.448	98.298	92.896	62.939	6.960	5.547	14.170	0.401	1.331	2.290
14	129.847	98.055	94.336	63.097	6.954	5.498	14.112	0.405	1.343	2.306
15	130.264	98.087	94.414	63.431	6.843	5.506	14.074	0.405	1.351	2.321
16	125.246	88.838	59.286	63.433	6.901	5.477	14.088	0.404	1.355	2.326
17	120.561	81.685	39.603	62.368	6.822	5.369	13.836	0.403	1.299	2.195
18	121.025	82.082	39.881	62.578	6.992	5.423	14.128	0.395	1.286	2.081
19	125.811	90.453	79.970	62.954	6.966	5.429	14.057	0.402	1.319	2.254
20	128.669	97.994	98.550	63.387	7.065	5.452	14.143	0.400	1.333	2.292
21	129.299	98.268	95.825	63.698	6.923	5.472	14.113	0.405	1.343	2.313
22	128.686	98.033	95.865	63.419	6.843	5.437	13.952	0.403	1.350	2.325
23	127.207	97.100	95.624	62.113	6.711	5.316	13.745	0.396	1.313	2.215
24	128.176	97.504	96.014	62.579	6.789	5.377	13.890	0.400	1.323	2.269
25	128.504	97.680	95.608	62.881	6.834	5.367	13.936	0.400	1.336	2.294
26	125.955	97.775	96.437	63.119	6.871	5.366	13.973	0.401	1.346	2.306
27	128.631	98.250	97.397	63.458	6.993	5.460	14.084	0.371	1.348	2.325
28	126.064	96.596	95.606	61.310	6.699	5.177	13.598	0.349	1.277	2.117
29	123.716	96.528	95.620	61.474	6.702	5.131	13.692	0.346	1.285	2.118
30	124.003	97.105	96.944	62.230	6.816	5.197	13.818	0.374	1.306	2.246
31										
1ヶ月値	127.034	96.049	90.909	62.666	6.835	5.430	13.996	0.386	1.322	2.259
最大値	132.104	100.350	103.484	64.801	7.273	5.793	14.536	0.457	1.437	2.426
最大値日時	09/16 07:00	09/05 15:30	09/01 09:40	09/21 15:20	09/20 20:10	09/13 11:50	09/18 16:30	09/03 15:30	09/26 16:30	09/22 08:00
最小値	109.903	79.376	35.598	59.582	5.863	4.258	12.950	0.279	1.136	1.905
最小値日時	09/29 09:50	09/19 10:10	09/16 09:50	09/28 09:20	09/04 06:30	09/30 23:50	09/28 09:20	09/12 06:50	09/17 21:50	09/17 22:00

# 測定月報

測定日: 2017/09

(7/11)

日	モニタ									
	B061	B062	B063	B064	B065	B066	B067	B068	B069	B070
	5・6号機放水口周辺	焼却設備建屋周辺	Fタンクエリア周辺	ヤード P1東側周辺	焼却設備建屋前道路カーブエリア	資材置場	一時保管エリアC周辺	一時保管エリアI周辺	一時保管エリアH1周辺	土捨場資材置場
	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )
1	1.453	1.962	10.818	12.695	2.819	3.534	1.524	13.147	3.786	0.718
2	1.435	1.943	10.499	12.670	2.794	3.520	1.518	12.972	3.744	0.707
3	1.458	1.974	10.548	12.746	2.837	3.557	1.532	13.217	3.809	0.720
4	1.469	1.982	9.457	12.726	2.842	3.569	1.550	13.371	3.855	0.722
5	1.479	1.984	6.622	12.727	2.862	3.577	1.543	13.485	3.872	0.729
6	1.462	1.971	5.666	12.671	2.834	3.569	1.532	13.364	3.839	0.726
7	1.468	1.971	5.671	12.665	2.834	3.597	1.534	13.330	3.849	0.724
8	1.441	1.956	4.686	12.609	2.806	3.559	1.519	13.064	3.766	0.713
9	1.464	1.972	4.273	12.668	2.836	3.596	1.533	13.312	3.841	0.721
10	1.474	1.984	4.288	12.704	2.851	3.605	1.538	13.475	3.883	0.729
11	1.480	1.993	5.377	12.757	2.867	3.613	1.547	13.552	3.897	0.730
12	1.448	1.969	5.808	12.643	2.817	3.556	1.546	13.184	3.796	0.719
13	1.465	1.981	5.880	12.667	2.845	3.570	1.545	13.414	3.860	0.724
14	1.474	1.984	5.877	12.696	2.859	3.591	1.553	13.542	3.890	0.726
15	1.484	1.992	5.857	12.733	2.879	3.586	1.553	13.689	3.922	0.731
16	1.487	1.992	5.828	12.715	2.877	3.586	1.542	13.778	3.929	0.730
17	1.444	1.954	5.750	12.584	2.815	3.520	1.521	13.245	3.810	0.717
18	1.444	1.949	5.705	12.535	2.813	3.515	1.521	12.875	3.738	0.709
19	1.457	1.973	5.836	12.643	2.847	3.564	1.529	13.282	3.826	0.721
20	1.473	1.980	5.868	12.675	2.851	3.580	1.537	13.387	3.844	0.731
21	1.482	1.987	6.110	12.729	2.867	3.592	1.676	13.556	3.885	0.738
22	1.483	1.980	6.250	12.742	2.867	3.574	1.748	13.643	3.900	0.735
23	1.450	1.963	6.212	12.648	2.826	3.536	1.737	13.357	3.824	0.723
24	1.456	1.976	6.237	12.682	2.838	3.548	1.740	13.473	3.848	0.729
25	1.467	1.978	6.246	12.728	2.850	3.565	1.858	13.595	3.876	0.733
26	1.474	1.981	6.255	12.771	2.862	3.564	1.748	13.682	3.894	0.733
27	1.485	1.990	6.219	12.775	2.859	3.571	1.755	13.786	3.910	0.733
28	1.426	1.932	6.018	12.595	2.784	3.470	1.686	12.957	3.730	0.704
29	1.439	1.938	5.985	12.627	2.801	3.494	1.703	13.078	3.761	0.700
30	1.451	1.956	6.012	12.677	2.828	3.529	1.707	13.331	3.823	0.711
31										
1ヶ月値	1.462	1.972	6.397	12.683	2.839	3.560	1.600	13.370	3.840	0.723
最大値	1.572	2.089	11.242	12.980	3.727	3.756	10.815	14.010	4.058	0.813
最大値日時	09/15 17:20	09/05 15:20	09/01 10:30	09/27 18:20	09/05 11:20	09/14 09:30	09/25 08:10	09/27 19:40	09/15 19:10	09/27 21:00
最小値	1.345	1.836	3.903	12.262	2.664	3.321	1.411	11.907	3.414	0.636
最小値日時	09/17 22:10	09/29 04:30	09/11 07:10	09/17 23:40	09/29 04:50	09/28 09:00	09/17 21:10	09/17 21:30	09/17 21:30	09/17 21:40

# 測定月報

測定日: 2017/09

(8/11)

日	モニタ									
	B071	B072	B073	B074	B075	B076	B077	B078	B079	B080
	土捨場東側資材置場	瓦礫保管Aテント周辺	覆土式瓦礫保管エリア北側	覆土式瓦礫保管エリア南側	一時保管エリアG2周辺	一時保管エリアG1周辺	5・6号機迂回道路付近	一時保管エリアM周辺	旧研修棟正面玄関前	3・4号機北面ダストモニタ周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	2.127	26.048	4.749	0.727	0.462	1.198	3.653	1.918	68.357	12.750
2	2.113	25.772	4.696	0.721	0.455	1.181	3.619	1.894	67.809	12.584
3	2.136	26.149	4.764	0.730	0.461	1.202	3.684	1.928	68.547	12.795
4	2.134	26.341	4.808	0.730	0.463	1.213	3.710	1.946	58.190	12.713
5	2.153	26.270	4.821	0.735	0.466	1.224	3.742	1.966	53.654	12.792
6	2.138	25.967	4.780	0.734	0.462	1.215	3.718	1.952	52.958	12.830
7	2.139	25.972	4.783	0.740	0.468	1.213	3.707	1.954	52.917	12.905
8	2.128	25.660	4.715	0.734	0.463	1.196	3.636	1.910	52.619	12.795
9	2.139	26.201	4.773	0.735	0.464	1.205	3.706	1.941	53.252	12.827
10	2.150	26.346	4.810	0.738	0.467	1.221	3.753	1.969	53.518	12.885
11	2.157	26.376	4.823	0.741	0.468	1.224	3.758	1.985	52.491	12.932
12	2.131	25.671	4.720	0.740	0.465	1.196	3.648	1.927	51.236	13.020
13	2.146	26.162	4.779	0.740	0.467	1.207	3.705	1.953	51.771	12.975
14	2.149	26.253	4.812	0.737	0.463	1.220	3.728	1.973	51.791	12.864
15	2.157	26.417	4.840	0.738	0.465	1.229	3.771	1.997	51.806	12.864
16	2.162	26.551	4.863	0.734	0.464	1.233	3.799	2.006	51.879	12.838
17	2.123	25.819	4.678	0.729	0.462	1.182	3.686	1.942	50.709	12.825
18	2.122	25.566	4.619	0.738	0.468	1.187	3.625	1.888	51.319	13.358
19	2.127	25.918	4.754	0.734	0.466	1.202	3.675	1.930	50.980	13.012
20	2.146	25.937	4.776	0.740	0.470	1.217	3.696	1.954	49.222	13.015
21	2.150	26.205	4.803	0.739	0.468	1.233	3.743	1.976	49.915	13.031
22	2.147	26.268	4.797	0.735	0.462	1.226	3.748	1.979	51.261	12.730
23	2.126	25.700	4.721	0.722	0.457	1.200	3.686	1.942	50.586	12.586
24	2.140	25.917	4.750	0.729	0.457	1.206	3.715	1.950	50.960	12.687
25	2.142	26.008	4.773	0.731	0.461	1.217	3.718	1.969	51.129	12.763
26	2.148	26.062	4.785	0.729	0.461	1.220	3.750	1.983	51.971	12.768
27	2.155	26.113	4.796	0.736	0.465	1.231	3.782	2.000	54.876	12.968
28	2.101	25.121	4.544	0.713	0.452	1.165	3.614	1.894	53.735	12.553
29	2.101	25.480	4.625	0.709	0.446	1.182	3.605	1.898	54.103	12.426
30	2.117	25.790	4.699	0.713	0.453	1.200	3.676	1.929	54.087	12.533
31										
1ヶ月値	2.137	26.002	4.755	0.732	0.462	1.208	3.702	1.948	53.919	12.820
最大値	2.287	29.566	4.972	0.802	0.521	1.301	3.925	2.096	69.454	13.820
最大値日時	09/16 21:40	09/25 18:20	09/15 16:40	09/07 14:20	09/03 11:20	09/26 12:10	09/15 15:10	09/16 13:10	09/03 13:30	09/18 10:50
最小値	1.942	23.807	4.234	0.659	0.412	0.976	3.321	1.763	41.595	11.974
最小値日時	09/28 14:10	09/28 18:40	09/17 21:30	09/29 06:00	09/29 20:20	09/17 21:50	09/07 10:20	09/17 21:00	09/11 20:30	09/29 06:10



# 測定月報

測定日: 2017/09

(9/11)

日	モニタ									
	B081 事務本館南	B082 大型メンテナンス建屋周辺	B083 2, 3号機間道路西側(10m壁)	B084 2号機海側 (4m壁)	B085 中央交差点	B086 No.4倉庫周辺	B087 1, 2u排気筒西側	B088 1・2号機海側(4m壁)	B089 線量表示器89	B090 線量表示器90
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	13.883	1.433	100.287	25.990	1.055	13.219	1313.492			
2	13.699	1.417	98.670	25.762	1.038	13.042	1308.602			
3	13.906	1.434	99.278	26.191	1.058	13.278	1314.166			
4	13.826	1.435	70.887	26.014	1.058	13.413	1314.091			
5	13.895	1.439	90.149	26.371	1.060	13.492	1314.964			
6	13.989	1.381	100.543	26.287	1.053	13.313	1311.913			
7	14.080	1.220	101.035	26.344	1.057	13.308	1312.304			
8	13.963	1.290	100.480	25.994	1.039	13.116	1310.663			
9	14.010	1.334	101.028	26.206	1.054	13.327	1313.332			
10	14.076	1.343	101.548	26.511	1.066	13.463	1314.637			
11	14.114	1.342	101.593	26.381	1.074	13.500	1314.382			
12	14.210	1.342	100.971	26.181	1.046	13.171	1310.498			
13	14.147	1.341	101.466	26.383	1.059	13.281	1313.545			
14	14.001	1.333	101.101	26.327	1.065	13.471	1312.850			
15	13.991	1.329	101.122	26.563	1.070	13.574	1313.063			
16	13.825	1.314	69.443	26.408	1.068	13.587	1311.225			
17	13.804	1.308	55.531	26.152	1.045	13.159	1305.182			
18	14.324	1.341	55.822	26.476	1.031	13.105	1309.105			
19	14.093	1.329	80.332	26.200	1.051	13.350	1310.089			
20	14.172	1.338	101.276	26.343	1.053	13.424	1310.511			
21	14.150	1.335	101.530	26.439	1.065	13.515	1311.617			
22	13.839	1.315	100.995	26.145	1.067	13.493	1309.857			
23	13.708	1.301	100.235	25.842	1.045	13.198	1304.587			
24	13.836	1.312	100.717	26.115	1.055	13.341	1306.292			
25	13.877	1.319	100.926	25.998	1.062	13.432	1307.427			
26	13.908	1.321	100.953	26.217	1.065	13.456	1307.612			
27	14.177	1.334	101.582	26.343	1.069	13.527	1308.016			
28	13.766	1.302	99.289	25.487	1.026	12.949	1299.250			
29	13.578	1.290	99.502	25.419	1.038	13.115	1299.414			
30	13.656	1.298	100.366	25.537	1.050	13.292	1302.088			
31										
1ヶ月値	13.950	1.339	94.604	26.147	1.055	13.330	1309.830			
最大値	14.759	1.529	102.886	27.179	1.146	13.872	1321.737			
最大値日時	09/18 11:20	09/05 14:20	09/21 15:40	09/18 16:50	09/11 15:10	09/16 14:20	09/09 10:00			
最小値	12.910	1.156	53.909	22.184	0.945	12.010	1290.859			
最小値日時	09/05 10:00	09/07 21:00	09/17 22:00	09/27 07:20	09/17 21:00	09/17 22:10	09/29 07:00			