

測定月報

測定日: 2017/11

(1/11)

| 日 | モニタ | | | | | | | | | |
|-------|---|--|--|---|---|--|---|--|--|---|
| | B001 | B002 | B003 | B004 | B005 | B006 | B007 | B008 | B009 | B010 |
| | 入退域管理棟周辺 線量率 ($\mu\text{Sv/h}$) | 正門警備所周辺 線量率 ($\mu\text{Sv/h}$) | 環境管理棟周辺 線量率 ($\mu\text{Sv/h}$) | 車両スクリーニング場周辺 線量率 ($\mu\text{Sv/h}$) | 厚生棟休憩所周辺 線量率 ($\mu\text{Sv/h}$) | 登録センター休憩所周辺 線量率 ($\mu\text{Sv/h}$) | 5/6号サードビル休憩所周辺 線量率 ($\mu\text{Sv/h}$) | シールド中央制御室周辺 線量率 ($\mu\text{Sv/h}$) | 免震重要棟周辺 線量率 ($\mu\text{Sv/h}$) | 5/6号防護本部周辺 線量率 ($\mu\text{Sv/h}$) |
| 1 | 0.230 | 0.562 | 2.229 | 0.533 | 0.620 | 1.537 | 1.213 | 2.683 | 6.581 | 1.060 |
| 2 | 0.232 | 0.566 | 2.237 | 0.550 | 0.624 | 1.541 | 1.226 | 2.688 | 6.645 | 1.072 |
| 3 | 0.232 | 0.570 | 2.248 | 0.538 | 0.625 | 1.550 | 1.231 | 2.695 | 6.658 | 1.073 |
| 4 | 0.233 | 0.566 | 2.238 | 0.537 | 0.625 | 1.544 | 1.223 | 2.681 | 6.630 | 1.068 |
| 5 | 0.229 | 0.559 | 2.228 | 0.530 | 0.622 | 1.537 | 1.207 | 2.647 | 6.536 | 1.036 |
| 6 | 0.231 | 0.560 | 2.238 | 0.566 | 0.624 | 1.537 | 1.223 | 2.685 | 6.571 | 1.058 |
| 7 | 0.231 | 0.556 | 2.240 | 0.597 | 0.623 | 1.542 | 1.229 | 2.687 | 6.597 | 1.067 |
| 8 | 0.234 | 0.566 | 2.232 | 0.601 | 0.627 | 1.542 | 1.230 | 2.694 | 6.640 | 1.083 |
| 9 | 0.231 | 0.569 | 2.237 | 0.574 | 0.622 | 1.531 | 1.227 | 2.693 | 6.595 | 1.070 |
| 10 | 0.228 | 0.564 | 2.225 | 0.548 | 0.622 | 1.536 | 1.227 | 2.683 | 6.558 | 1.060 |
| 11 | 0.235 | 0.570 | 2.239 | 0.552 | 0.625 | 1.543 | 1.238 | 2.713 | 6.605 | 1.081 |
| 12 | 0.229 | 0.560 | 2.229 | 0.546 | 0.618 | 1.534 | 1.225 | 2.675 | 6.516 | 1.061 |
| 13 | 0.228 | 0.560 | 2.231 | 0.515 | 0.619 | 1.535 | 1.223 | 2.663 | 6.520 | 1.058 |
| 14 | 0.231 | 0.567 | 2.220 | 0.488 | 0.622 | 1.534 | 1.243 | 2.688 | 6.592 | 1.076 |
| 15 | 0.231 | 0.560 | 2.222 | 0.484 | 0.616 | 1.527 | 1.223 | 2.677 | 6.572 | 1.068 |
| 16 | 0.228 | 0.557 | 2.225 | 0.477 | 0.616 | 1.526 | 1.215 | 2.647 | 6.513 | 1.054 |
| 17 | 0.227 | 0.541 | 2.210 | 0.477 | 0.617 | 1.525 | 1.212 | 2.644 | 6.482 | 1.050 |
| 18 | 0.232 | 0.555 | 2.225 | 0.484 | 0.621 | 1.531 | 1.226 | 2.686 | 6.544 | 1.070 |
| 19 | 0.231 | 0.551 | 2.218 | 0.479 | 0.616 | 1.531 | 1.210 | 2.655 | 6.452 | 1.045 |
| 20 | 0.227 | 0.547 | 2.209 | 0.476 | 0.612 | 1.522 | 1.211 | 2.635 | 6.450 | 1.039 |
| 21 | 0.226 | 0.551 | 2.200 | 0.474 | 0.613 | 1.520 | 1.215 | 2.630 | 6.436 | 1.038 |
| 22 | 0.230 | 0.548 | 2.211 | 0.475 | 0.614 | 1.518 | 1.217 | 2.650 | 6.479 | 1.048 |
| 23 | 0.231 | 0.556 | 2.182 | 0.475 | 0.607 | 1.510 | 1.188 | 2.626 | 6.479 | 1.037 |
| 24 | 0.227 | 0.550 | 2.197 | 0.474 | 0.604 | 1.511 | 1.180 | 2.612 | 6.461 | 1.028 |
| 25 | 0.228 | 0.557 | 2.206 | 0.472 | 0.608 | 1.512 | 1.185 | 2.629 | 6.452 | 1.027 |
| 26 | 0.231 | 0.562 | 2.216 | 0.475 | 0.616 | 1.521 | 1.202 | 2.658 | 6.520 | 1.045 |
| 27 | 0.226 | 0.549 | 2.203 | 0.473 | 0.608 | 1.517 | 1.197 | 2.622 | 6.424 | 1.029 |
| 28 | 0.226 | 0.548 | 2.195 | 0.474 | 0.609 | 1.514 | 1.201 | 2.642 | 6.442 | 1.033 |
| 29 | 0.229 | 0.544 | 2.212 | 0.480 | 0.616 | 1.526 | 1.217 | 2.671 | 6.532 | 1.061 |
| 30 | 0.228 | 0.542 | 2.201 | 0.477 | 0.612 | 1.522 | 1.200 | 2.650 | 6.447 | 1.042 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 0.230 | 0.557 | 2.220 | 0.510 | 0.617 | 1.529 | 1.215 | 2.664 | 6.531 | 1.055 |
| 最大値 | 0.272 | 0.624 | 2.346 | 0.638 | 0.675 | 1.692 | 1.317 | 3.024 | 6.835 | 1.150 |
| 最大値日時 | 11/30 08:40 | 11/03 19:40 | 11/06 11:10 | 11/08 12:00 | 11/04 15:30 | 11/08 11:20 | 11/14 12:50 | 11/06 11:00 | 11/14 15:20 | 11/11 04:30 |
| 最小値 | 0.179 | 0.487 | 2.060 | 0.417 | 0.550 | 1.437 | 1.107 | 2.483 | 6.270 | 0.959 |
| 最小値日時 | 11/04 20:20 | 11/30 04:30 | 11/28 08:40 | 11/26 02:10 | 11/07 19:30 | 11/24 11:30 | 11/25 18:10 | 11/23 13:10 | 11/26 01:50 | 11/05 05:20 |

測定月報

測定日: 2017/11

(2/11)

| 日 | モニタ | | | | | | | | | |
|-------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | B011 | B012 | B013 | B014 | B015 | B016 | B017 | B018 | B019 | B020 |
| | 1号北側法面上周辺 | 1/2号西側法面上周辺 | 3/4号西側法面上周辺 | 4号南側法面上周辺 | 一般焼却炉周辺 | 車両整備場周辺 | 多核種除去施設周辺 | キャスク保管施設周辺 | 野鳥の森五差路周辺 | 5/6号機西側周辺 |
| | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) |
| 1 | 55.130 | 46.447 | 10.923 | 1.771 | 22.437 | 0.896 | 0.677 | 0.321 | 2.773 | 6.240 |
| 2 | 55.003 | 46.880 | 11.106 | 1.792 | 22.527 | 0.898 | 0.682 | 0.322 | 2.830 | 6.281 |
| 3 | 54.483 | 46.838 | 11.120 | 1.808 | 22.598 | 0.903 | 0.671 | 0.318 | 2.841 | 6.282 |
| 4 | 54.007 | 46.711 | 11.075 | 1.791 | 22.500 | 0.901 | 0.666 | 0.321 | 2.829 | 6.258 |
| 5 | 52.975 | 45.828 | 10.731 | 1.744 | 22.411 | 0.892 | 0.646 | 0.306 | 2.675 | 6.204 |
| 6 | 53.694 | 46.332 | 10.949 | 1.774 | 22.477 | 0.899 | 0.665 | 0.338 | 2.775 | 6.259 |
| 7 | 54.068 | 46.595 | 11.038 | 1.737 | 22.538 | 0.902 | 0.659 | 0.348 | 2.818 | 6.275 |
| 8 | 54.104 | 46.915 | 11.152 | 1.770 | 22.527 | 0.895 | 0.661 | 0.343 | 2.866 | 6.294 |
| 9 | 54.087 | 46.618 | 11.004 | 1.787 | 22.594 | 0.890 | 0.658 | 0.333 | 2.805 | 6.312 |
| 10 | 53.745 | 46.201 | 10.933 | 1.772 | 22.581 | 0.888 | 0.652 | 0.330 | 2.753 | 6.303 |
| 11 | 54.412 | 46.690 | 11.169 | 1.803 | 22.721 | 0.890 | 0.658 | 0.339 | 2.856 | 6.362 |
| 12 | 53.492 | 45.784 | 10.802 | 1.756 | 22.705 | 0.888 | 0.647 | 0.326 | 2.695 | 6.326 |
| 13 | 53.405 | 45.732 | 10.680 | 1.752 | 22.642 | 0.886 | 0.653 | 0.334 | 2.698 | 6.331 |
| 14 | 54.000 | 46.221 | 11.079 | 1.786 | 22.631 | 0.896 | 0.660 | 0.343 | 2.832 | 6.344 |
| 15 | 53.733 | 45.850 | 11.032 | 1.771 | 22.593 | 0.893 | 0.649 | 0.346 | 2.791 | 6.339 |
| 16 | 53.387 | 45.250 | 10.764 | 1.739 | 22.613 | 0.845 | 0.650 | 0.330 | 2.684 | 6.339 |
| 17 | 52.889 | 44.907 | 10.568 | 1.726 | 22.629 | 0.864 | 0.651 | 0.326 | 2.626 | 6.319 |
| 18 | 53.596 | 45.481 | 10.944 | 1.781 | 22.721 | 0.892 | 0.651 | 0.334 | 2.771 | 6.358 |
| 19 | 52.807 | 44.458 | 10.619 | 1.728 | 22.696 | 0.888 | 0.643 | 0.323 | 2.612 | 6.354 |
| 20 | 52.266 | 43.982 | 10.480 | 1.710 | 22.588 | 0.881 | 0.641 | 0.319 | 2.560 | 6.343 |
| 21 | 52.268 | 43.858 | 10.441 | 1.710 | 22.600 | 0.878 | 0.649 | 0.318 | 2.542 | 6.354 |
| 22 | 52.625 | 44.355 | 10.613 | 1.734 | 22.623 | 0.881 | 0.643 | 0.316 | 2.625 | 6.369 |
| 23 | 52.244 | 44.168 | 10.700 | 1.726 | 22.013 | 0.878 | 0.626 | 0.314 | 2.688 | 6.168 |
| 24 | 52.005 | 43.784 | 10.494 | 1.705 | 22.117 | 0.873 | 0.636 | 0.304 | 2.585 | 6.202 |
| 25 | 52.003 | 43.705 | 10.438 | 1.705 | 22.290 | 0.881 | 0.628 | 0.303 | 2.553 | 6.227 |
| 26 | 52.885 | 44.459 | 10.713 | 1.750 | 22.416 | 0.891 | 0.640 | 0.310 | 2.669 | 6.290 |
| 27 | 52.190 | 43.752 | 10.383 | 1.697 | 22.321 | 0.882 | 0.635 | 0.303 | 2.534 | 6.283 |
| 28 | 52.075 | 43.960 | 10.476 | 1.694 | 22.321 | 0.891 | 0.646 | 0.306 | 2.581 | 6.271 |
| 29 | 53.055 | 44.905 | 10.843 | 1.750 | 22.333 | 0.902 | 0.653 | 0.321 | 2.741 | 6.309 |
| 30 | 52.154 | 44.094 | 10.398 | 1.603 | 22.374 | 0.880 | 0.639 | 0.308 | 2.609 | 6.284 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 53.293 | 45.359 | 10.789 | 1.746 | 22.504 | 0.887 | 0.651 | 0.324 | 2.707 | 6.296 |
| 最大値 | 56.309 | 47.820 | 11.526 | 1.910 | 23.114 | 0.987 | 0.772 | 0.633 | 3.048 | 6.560 |
| 最大値日時 | 11/01 11:30 | 11/08 21:50 | 11/08 20:30 | 11/26 13:00 | 11/12 11:20 | 11/13 14:30 | 11/01 16:30 | 11/14 09:50 | 11/08 16:50 | 11/18 20:20 |
| 最小値 | 50.526 | 41.645 | 9.073 | 1.412 | 21.589 | 0.720 | 0.586 | 0.268 | 2.392 | 5.972 |
| 最小値日時 | 11/30 08:40 | 11/06 13:10 | 11/30 11:20 | 11/30 23:40 | 11/23 12:30 | 11/08 09:50 | 11/24 15:40 | 11/28 13:00 | 11/22 05:00 | 11/23 11:10 |

測定月報

測定日: 2017/11

(3/11)

| 日 | モニタ | | | | | | | | | |
|-------|----------------------|----------------------|-----------------------|-----------------------------|----------------------|----------------------|-----------------------|----------------------|----------------------|----------------------|
| | B021 西門周辺 | B022 さくら通り正門側 | B023 増設多核種除去設備西側周辺 | B024 Hシンクエリア周辺(濃縮ガスモニタ付) | B025 1・2号機海側(4m壁) | B026 3・4号機海側(4m壁) | B027 固体廃棄物貯蔵庫管理棟周辺 | B028 高性能多核種除去設備周辺 | B029 サブドレン浄化設備周辺 | B030 給油所周辺 |
| | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) |
| 1 | 1.647 | 0.940 | 0.343 | 6.162 | *1 | *1 | 8.756 | 1.300 | 0.323 | 0.526 |
| 2 | 1.645 | 0.934 | 0.348 | 6.203 | | | 8.823 | 1.300 | 0.328 | 0.526 |
| 3 | 1.625 | 0.936 | 0.348 | 6.205 | | | 8.834 | 1.301 | 0.322 | 0.522 |
| 4 | 1.621 | 0.934 | 0.346 | 6.178 | | | 8.790 | 1.292 | 0.320 | 0.521 |
| 5 | 1.608 | 0.926 | 0.331 | 6.139 | | | 8.702 | 1.277 | 0.315 | 0.511 |
| 6 | 1.624 | 0.942 | 0.341 | 6.193 | | | 8.779 | 1.285 | 0.316 | 0.516 |
| 7 | 1.628 | 0.953 | 0.346 | 6.205 | | | 8.837 | 1.284 | 0.324 | 0.517 |
| 8 | 1.636 | 0.946 | 0.348 | 6.212 | | | 8.858 | 1.288 | 0.319 | 0.517 |
| 9 | 1.628 | 0.943 | 0.342 | 6.217 | | | 8.844 | 1.283 | 0.324 | 0.518 |
| 10 | 1.629 | 0.959 | 0.338 | 6.207 | | | 8.833 | 1.274 | 0.319 | 0.513 |
| 11 | 1.647 | 0.963 | 0.346 | 6.232 | | | 8.919 | 1.286 | 0.320 | 0.519 |
| 12 | 1.637 | 0.960 | 0.335 | 6.198 | | | 8.852 | 1.272 | 0.321 | 0.513 |
| 13 | 1.628 | 0.936 | 0.334 | 6.203 | | | 8.842 | 1.278 | 0.309 | 0.510 |
| 14 | 1.631 | 0.936 | 0.347 | 6.211 | | | 8.883 | 1.284 | 0.314 | 0.517 |
| 15 | 1.630 | 0.933 | 0.342 | 6.207 | | | 8.845 | 1.277 | 0.315 | 0.516 |
| 16 | 1.630 | 0.940 | 0.329 | 6.198 | | | 8.809 | 1.266 | 0.316 | 0.512 |
| 17 | 1.625 | 0.930 | 0.323 | 6.193 | | | 8.804 | 1.259 | 0.321 | 0.510 |
| 18 | 1.630 | 0.911 | 0.337 | 6.207 | | | 8.869 | 1.272 | 0.322 | 0.516 |
| 19 | 1.624 | 0.909 | 0.325 | 6.189 | | | 8.809 | 1.258 | 0.314 | 0.513 |
| 20 | 1.618 | 0.921 | 0.319 | 6.170 | | | 8.778 | 1.251 | 0.303 | 0.507 |
| 21 | 1.624 | 0.922 | 0.317 | 6.181 | | | 8.818 | 1.248 | 0.307 | 0.509 |
| 22 | 1.627 | 0.924 | 0.323 | 6.197 | | | 8.868 | 1.259 | 0.315 | 0.509 |
| 23 | 1.608 | 0.904 | 0.332 | 6.060 | | | 8.670 | 1.257 | 0.321 | 0.507 |
| 24 | 1.603 | 0.907 | 0.320 | 6.091 | | | 8.683 | 1.248 | 0.314 | 0.502 |
| 25 | 1.604 | 0.912 | 0.319 | 6.110 | | | 8.718 | 1.248 | 0.316 | 0.502 |
| 26 | 1.609 | 0.919 | 0.329 | 6.138 | | | 8.825 | 1.265 | 0.317 | 0.508 |
| 27 | 1.605 | 0.915 | 0.316 | 6.120 | | | 8.778 | 1.249 | 0.314 | 0.502 |
| 28 | 1.610 | 0.934 | 0.322 | 6.125 | | | 8.790 | 1.254 | 0.312 | 0.503 |
| 29 | 1.623 | 0.948 | 0.333 | 6.151 | | | 8.890 | 1.273 | 0.319 | 0.513 |
| 30 | 1.616 | 0.929 | 0.323 | 6.136 | | | 8.823 | 1.255 | 0.291 | 0.506 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 1.624 | 0.932 | 0.333 | 6.175 | | | 8.811 | 1.271 | 0.316 | 0.513 |
| 最大値 | 1.750 | 1.036 | 0.424 | 6.434 | | | 9.137 | 1.382 | 0.535 | 0.579 |
| 最大値日時 | 11/02 04:30 | 11/12 12:30 | 11/14 12:40 | 11/17 11:10 | | | 11/29 20:10 | 11/09 02:40 | 11/29 15:10 | 11/01 10:10 |
| 最小値 | 1.517 | 0.844 | 0.274 | 5.837 | | | 8.406 | 1.177 | 0.237 | 0.456 |
| 最小値日時 | 11/06 03:40 | 11/23 16:30 | 11/22 04:20 | 11/24 03:10 | | | 11/23 10:00 | 11/24 03:20 | 11/29 12:10 | 11/30 19:20 |

*1:線量標示器の故障に伴う欠測

測定月報

測定日: 2017/11

(4/11)

| 日 | モニタ | | | | | | | | | |
|-------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | B031 | B032 | B033 | B034 | B035 | B036 | B037 | B038 | B039 | B040 |
| | HIC保管エリア周辺 | H8タンクエリア周辺 | H4タンクエリア周辺 | H5タンクエリア周辺 | J2タンクエリア周辺 | G6タンクエリア周辺 | セシウム吸着機中間貯蔵施設周辺 | 2uR/B西側 | 1uR/B西側 | 1uR/B北側 |
| | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) |
| 1 | 0.630 | 0.524 | 2.421 | 1.101 | 1.822 | 1.869 | 1.128 | 87.134 | 82.185 | 54.768 |
| 2 | 0.638 | 0.525 | 2.458 | 1.080 | 1.835 | 1.846 | 1.146 | 87.592 | 82.564 | 55.285 |
| 3 | 0.636 | 0.524 | 2.465 | 1.062 | 1.835 | 1.915 | 1.146 | 87.281 | 81.016 | 55.226 |
| 4 | 0.634 | 0.517 | 2.459 | 1.046 | 1.832 | 1.908 | 1.135 | 87.440 | 81.174 | 54.840 |
| 5 | 0.618 | 0.507 | 2.374 | 1.030 | 1.814 | 1.888 | 1.113 | 86.504 | 80.248 | 53.978 |
| 6 | 0.627 | 0.510 | 2.422 | 1.034 | 1.826 | 1.903 | 1.128 | 87.467 | 79.202 | 54.616 |
| 7 | 0.628 | 0.515 | 2.449 | 1.030 | 1.829 | 1.915 | 1.140 | 87.759 | 80.306 | 55.008 |
| 8 | 0.633 | 0.512 | 2.484 | 1.022 | 1.830 | 1.920 | 1.151 | 87.639 | 80.323 | 55.210 |
| 9 | 0.626 | 0.512 | 2.443 | 1.008 | 1.825 | 1.895 | 1.140 | 86.782 | 79.807 | 55.180 |
| 10 | 0.623 | 0.511 | 2.425 | 1.008 | 1.811 | 1.918 | 1.139 | 86.193 | 78.913 | 54.818 |
| 11 | 0.633 | 0.515 | 2.497 | 1.011 | 1.831 | 1.978 | 1.157 | 87.068 | 79.289 | 55.248 |
| 12 | 0.616 | 0.509 | 2.399 | 1.000 | 1.808 | 1.954 | 1.130 | 85.571 | 78.337 | 54.537 |
| 13 | 0.620 | 0.508 | 2.400 | 1.001 | 1.810 | 1.933 | 1.127 | 84.954 | 77.059 | 54.568 |
| 14 | 0.630 | 0.511 | 2.449 | 1.006 | 1.834 | 1.960 | 1.144 | 86.503 | 77.194 | 54.678 |
| 15 | 0.617 | 0.504 | 2.447 | 0.999 | 1.823 | 1.968 | 1.139 | 86.184 | 76.685 | 54.279 |
| 16 | 0.591 | 0.500 | 2.389 | 0.989 | 1.818 | 1.959 | 1.114 | 84.909 | 76.625 | 53.969 |
| 17 | 0.577 | 0.502 | 2.350 | 0.989 | 1.811 | 1.921 | 1.098 | 84.103 | 75.989 | 53.776 |
| 18 | 0.582 | 0.505 | 2.443 | 0.998 | 1.830 | 1.970 | 1.123 | 85.001 | 76.308 | 54.104 |
| 19 | 0.568 | 0.501 | 2.352 | 0.990 | 1.813 | 1.956 | 1.102 | 83.628 | 75.436 | 53.356 |
| 20 | 0.554 | 0.504 | 2.305 | 0.984 | 1.808 | 1.922 | 1.109 | 83.075 | 74.789 | 52.860 |
| 21 | 0.512 | 0.512 | 2.294 | 0.979 | 1.802 | 1.858 | 1.102 | 82.911 | 77.171 | 55.353 |
| 22 | 0.446 | 0.520 | 2.329 | 0.986 | 1.812 | 1.776 | 1.126 | 83.516 | 79.313 | 58.428 |
| 23 | 0.440 | 0.517 | 2.345 | 0.974 | 1.774 | 1.817 | 1.118 | 83.570 | 77.771 | 56.477 |
| 24 | 0.429 | 0.510 | 2.310 | 0.966 | 1.774 | 1.808 | 1.098 | 82.701 | 76.759 | 56.447 |
| 25 | 0.427 | 0.507 | 2.287 | 0.965 | 1.781 | 1.815 | 1.099 | 82.632 | 76.477 | 56.886 |
| 26 | 0.436 | 0.512 | 2.372 | 0.977 | 1.796 | 1.837 | 1.119 | 83.861 | 77.436 | 57.840 |
| 27 | 0.428 | 0.523 | 2.291 | 0.964 | 1.788 | 1.825 | 1.095 | 82.815 | 76.491 | 57.477 |
| 28 | 0.431 | 0.528 | 2.319 | 0.966 | 1.793 | 1.793 | 1.117 | 82.934 | 77.596 | 57.630 |
| 29 | 0.443 | 0.517 | 2.410 | 0.975 | 1.809 | 1.839 | 1.116 | 85.441 | 79.240 | 58.383 |
| 30 | 0.431 | 0.511 | 2.338 | 0.963 | 1.792 | 1.840 | 1.103 | 85.209 | 77.405 | 57.781 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 0.557 | 0.512 | 2.391 | 1.004 | 1.812 | 1.890 | 1.123 | 85.279 | 78.304 | 55.434 |
| 最大値 | 0.718 | 0.645 | 2.678 | 1.154 | 2.002 | 2.075 | 2.244 | 90.060 | 83.720 | 59.946 |
| 最大値日時 | 11/02 09:50 | 11/28 13:10 | 11/08 15:00 | 11/02 10:50 | 11/06 10:40 | 11/11 11:30 | 11/22 07:00 | 11/06 12:30 | 11/02 12:50 | 11/29 13:30 |
| 最小値 | 0.388 | 0.447 | 2.144 | 0.897 | 1.683 | 1.173 | 0.994 | 59.830 | 66.167 | 52.028 |
| 最小値日時 | 11/27 20:20 | 11/17 01:50 | 11/20 09:40 | 11/29 23:00 | 11/25 22:10 | 11/30 10:10 | 11/09 08:50 | 11/13 07:50 | 11/18 08:40 | 11/20 06:30 |

測定月報

測定日: 2017/11

(5/11)

| 日 | モニタ | | | | | | | | | |
|-------|----------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | B041 集中RW西側法面上 | B042 大型メンテナンス建屋 東側 | B043 大熊通り中央付近 | B044 1～4号機PPゲート前 | B045 12uS/B周辺 | B046 3.4uS/B周辺 | B047 集中RW東側 | B048 集中RW南側 | B049 共用プール西側 | B050 4uR/B西側 |
| | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) |
| 1 | 2.578 | 3.669 | 3.519 | 21.725 | 32.811 | 84.135 | 9.165 | 7.615 | 34.458 | 8.845 |
| 2 | 2.588 | 3.872 | 3.549 | 21.893 | 33.094 | 84.549 | 8.569 | 7.668 | 34.572 | 8.932 |
| 3 | 2.618 | 4.034 | 3.556 | 21.750 | 33.049 | 84.938 | 9.491 | 7.683 | 34.614 | 8.945 |
| 4 | 2.607 | 4.027 | 3.539 | 21.617 | 32.991 | 84.453 | 8.306 | 7.626 | 34.432 | 8.899 |
| 5 | 2.512 | 3.935 | 3.487 | 21.160 | 32.539 | 84.227 | 9.054 | 7.575 | 34.247 | 8.768 |
| 6 | 2.570 | 3.994 | 3.533 | 21.409 | 32.913 | 84.321 | 9.114 | 7.640 | 34.500 | 8.869 |
| 7 | 2.597 | 4.018 | 3.552 | 21.590 | 32.998 | 84.713 | 9.436 | 7.683 | 34.508 | 8.919 |
| 8 | 2.700 | 4.052 | 3.579 | 21.736 | 32.886 | 84.473 | 9.805 | 7.681 | 34.533 | 8.947 |
| 9 | 2.997 | 4.009 | 3.565 | 21.616 | 33.006 | 84.693 | 9.724 | 7.704 | 34.609 | 8.932 |
| 10 | 3.256 | 3.982 | 3.550 | 21.509 | 32.572 | 84.195 | 9.409 | 7.687 | 34.587 | 8.889 |
| 11 | 3.353 | 4.046 | 3.591 | 21.805 | 32.790 | 85.379 | 9.586 | 7.726 | 34.745 | 8.977 |
| 12 | 3.241 | 3.942 | 3.536 | 21.349 | 32.368 | 85.224 | 7.908 | 7.680 | 34.638 | 8.832 |
| 13 | 3.248 | 3.945 | 3.538 | 21.282 | 32.303 | 84.966 | 9.068 | 7.694 | 34.568 | 8.865 |
| 14 | 3.330 | 4.026 | 3.578 | 21.591 | 32.546 | 84.728 | 9.156 | 7.698 | 34.645 | 9.047 |
| 15 | 3.306 | 3.990 | 3.554 | 21.498 | 32.475 | 84.769 | 8.929 | 7.663 | 34.542 | 9.071 |
| 16 | 3.239 | 3.926 | 3.534 | 21.122 | 32.166 | 84.666 | 9.262 | 7.661 | 34.415 | 8.960 |
| 17 | 3.187 | 3.885 | 3.514 | 20.912 | 32.006 | 84.728 | 9.810 | 7.660 | 34.359 | 8.961 |
| 18 | 3.299 | 3.974 | 3.526 | 21.336 | 32.447 | 84.949 | 9.584 | 7.700 | 34.586 | 9.082 |
| 19 | 3.204 | 3.877 | 3.451 | 20.872 | 32.118 | 84.659 | 9.695 | 7.653 | 34.405 | 8.942 |
| 20 | 3.147 | 3.864 | 3.430 | 20.663 | 31.668 | 84.165 | 9.286 | 7.612 | 34.309 | 8.894 |
| 21 | 3.147 | 3.828 | 3.421 | 20.597 | 31.758 | 84.323 | 9.074 | 7.643 | 34.316 | 8.925 |
| 22 | 3.200 | 3.901 | 3.445 | 20.702 | 31.967 | 84.478 | 8.454 | 7.662 | 34.398 | 9.035 |
| 23 | 3.226 | 3.908 | 3.378 | 20.580 | 31.627 | 82.174 | 8.876 | 7.293 | 33.192 | 8.916 |
| 24 | 3.173 | 3.840 | 3.345 | 20.389 | 31.297 | 82.760 | 9.704 | 7.465 | 33.712 | 8.871 |
| 25 | 3.145 | 3.815 | 3.349 | 20.341 | 31.406 | 83.280 | 9.561 | 7.501 | 33.923 | 8.863 |
| 26 | 3.230 | 3.893 | 3.408 | 20.763 | 31.953 | 84.068 | 10.114 | 7.575 | 34.238 | 9.018 |
| 27 | 3.139 | 3.800 | 3.370 | 20.402 | 31.508 | 83.936 | 9.992 | 7.567 | 34.105 | 8.901 |
| 28 | 3.137 | 3.832 | 3.388 | 20.422 | 31.236 | 83.641 | 9.884 | 7.556 | 34.127 | 8.989 |
| 29 | 2.909 | 3.940 | 3.448 | 20.857 | 31.565 | 83.893 | 9.480 | 7.618 | 34.376 | 9.204 |
| 30 | 2.481 | 3.850 | 3.398 | 20.407 | 30.907 | 83.616 | 8.956 | 7.571 | 34.201 | 9.078 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 3.012 | 3.922 | 3.488 | 21.130 | 32.232 | 84.303 | 9.282 | 7.624 | 34.362 | 8.946 |
| 最大値 | 3.484 | 4.184 | 3.722 | 22.374 | 33.925 | 86.411 | 18.824 | 7.896 | 35.208 | 9.509 |
| 最大値日時 | 11/15 00:00 | 11/11 11:30 | 11/11 03:30 | 11/02 14:20 | 11/07 12:50 | 11/11 13:00 | 11/20 14:00 | 11/14 12:40 | 11/11 14:00 | 11/29 13:20 |
| 最小値 | 2.252 | 3.499 | 3.245 | 19.453 | 28.957 | 62.989 | 5.536 | 6.976 | 31.891 | 8.402 |
| 最小値日時 | 11/30 11:10 | 11/01 03:40 | 11/25 01:00 | 11/13 07:20 | 11/17 09:50 | 11/10 09:10 | 11/02 14:40 | 11/23 12:20 | 11/23 11:20 | 11/16 10:00 |

測定月報

測定日: 2017/11

(6/11)

| 日 | モニタ | | | | | | | | | |
|-------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | B051 3uR/B西側 | B052 2uR/B西側 | B053 1uR/B西側 | B054 1uR/B北側 | B055 物揚場周辺 | B056 固体庫1, 2棟周辺 | B057 旧事務本館北側 | B058 固体庫第9棟建設地周辺 | B059 危険物屋外貯蔵所周辺 | B060 6号機D/G建屋周辺 |
| | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) |
| 1 | 122.697 | 93.798 | 85.482 | 57.246 | 6.180 | 4.955 | 13.064 | 1.783 | 1.236 | 2.245 |
| 2 | 123.660 | 94.356 | 85.795 | 57.764 | 6.247 | 5.011 | 13.212 | 2.751 | 1.251 | 2.185 |
| 3 | 123.935 | 94.686 | 84.106 | 57.678 | 6.248 | 5.042 | 13.194 | 2.755 | 1.250 | 2.242 |
| 4 | 123.418 | 94.440 | 84.277 | 57.244 | 6.200 | 4.995 | 13.095 | 2.743 | 1.245 | 2.240 |
| 5 | 122.624 | 93.294 | 83.367 | 56.342 | 6.031 | 4.891 | 12.839 | 2.715 | 1.232 | 2.234 |
| 6 | 123.384 | 93.982 | 82.251 | 56.986 | 6.161 | 4.970 | 13.008 | 2.747 | 1.242 | 2.250 |
| 7 | 123.807 | 94.268 | 83.365 | 57.372 | 6.205 | 5.044 | 13.102 | 2.757 | 1.252 | 2.190 |
| 8 | 123.968 | 94.492 | 84.043 | 57.610 | 6.226 | 4.973 | 13.142 | 2.772 | 1.255 | 2.239 |
| 9 | 124.047 | 94.116 | 84.099 | 57.550 | 6.157 | 4.975 | 13.090 | 2.774 | 1.255 | 2.258 |
| 10 | 123.664 | 93.557 | 83.242 | 57.134 | 6.120 | 4.927 | 13.004 | 2.777 | 1.258 | 2.262 |
| 11 | 122.726 | 94.981 | 83.637 | 57.560 | 6.263 | 5.191 | 13.182 | 2.791 | 1.269 | 2.277 |
| 12 | 122.496 | 93.378 | 82.627 | 56.760 | 6.085 | 5.087 | 12.912 | 2.783 | 1.260 | 2.267 |
| 13 | 119.924 | 92.606 | 81.260 | 56.786 | 6.054 | 5.052 | 12.891 | 2.783 | 1.260 | 2.267 |
| 14 | 121.155 | 93.161 | 80.609 | 56.933 | 6.211 | 5.108 | 13.048 | 2.790 | 1.267 | 2.273 |
| 15 | 121.742 | 92.878 | 79.430 | 56.528 | 6.084 | 5.100 | 12.961 | 2.780 | 1.274 | 2.273 |
| 16 | 121.083 | 91.986 | 79.492 | 56.168 | 5.937 | 5.060 | 12.773 | 2.783 | 1.279 | 2.273 |
| 17 | 120.354 | 91.646 | 79.049 | 55.920 | 5.892 | 5.052 | 12.711 | 2.785 | 1.276 | 2.273 |
| 18 | 119.924 | 93.113 | 79.283 | 56.308 | 6.105 | 5.148 | 12.933 | 2.799 | 1.282 | 2.282 |
| 19 | 118.695 | 92.547 | 78.396 | 55.457 | 5.919 | 5.044 | 12.620 | 2.787 | 1.280 | 2.275 |
| 20 | 119.738 | 91.328 | 77.612 | 54.971 | 5.857 | 4.986 | 12.508 | 2.774 | 1.274 | 2.261 |
| 21 | 120.468 | 90.758 | 81.237 | 56.866 | 5.820 | 4.989 | 12.478 | 2.773 | 1.273 | 2.199 |
| 22 | 120.850 | 91.400 | 84.540 | 59.376 | 5.984 | 5.051 | 12.648 | 2.779 | 1.272 | 2.242 |
| 23 | 119.486 | 90.797 | 82.910 | 57.702 | 5.944 | 4.956 | 12.531 | 2.686 | 1.227 | 2.097 |
| 24 | 119.834 | 90.563 | 81.899 | 57.573 | 5.862 | 4.902 | 12.436 | 2.695 | 1.228 | 2.184 |
| 25 | 119.897 | 90.675 | 81.543 | 57.935 | 5.780 | 4.913 | 12.438 | 2.710 | 1.240 | 2.210 |
| 26 | 121.213 | 91.831 | 82.583 | 58.911 | 5.920 | 5.020 | 12.681 | 2.736 | 1.258 | 2.237 |
| 27 | 120.527 | 90.865 | 81.744 | 58.472 | 5.770 | 4.947 | 12.445 | 2.737 | 1.254 | 2.227 |
| 28 | 120.694 | 90.835 | 82.743 | 58.632 | 5.823 | 4.970 | 12.518 | 2.736 | 1.257 | 2.232 |
| 29 | 122.050 | 92.047 | 84.265 | 59.399 | 6.034 | 5.063 | 12.760 | 2.756 | 1.263 | 2.245 |
| 30 | 121.392 | 91.392 | 82.394 | 58.767 | 5.904 | 4.973 | 12.519 | 2.749 | 1.260 | 2.241 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 121.648 | 92.659 | 82.243 | 57.332 | 6.034 | 5.013 | 12.825 | 2.726 | 1.258 | 2.239 |
| 最大値 | 125.792 | 96.568 | 87.300 | 61.614 | 6.896 | 5.370 | 14.067 | 2.917 | 1.354 | 2.389 |
| 最大値日時 | 11/07 14:20 | 11/07 13:30 | 11/29 14:20 | 11/21 13:00 | 11/08 14:00 | 11/11 12:30 | 11/14 18:20 | 11/18 07:00 | 11/15 20:40 | 11/11 14:30 |
| 最小値 | 88.353 | 82.555 | 66.491 | 54.183 | 5.410 | 4.344 | 12.110 | 0.353 | 1.104 | 1.929 |
| 最小値日時 | 11/13 11:50 | 11/13 07:50 | 11/06 12:10 | 11/21 06:00 | 11/13 05:50 | 11/10 19:40 | 11/22 05:00 | 11/01 07:00 | 11/22 07:30 | 11/23 10:20 |

測定月報

測定日: 2017/11

(7/11)

| 日 | モニタ | | | | | | | | | |
|-------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | B061 | B062 | B063 | B064 | B065 | B066 | B067 | B068 | B069 | B070 |
| | 5・6号機放水口周辺 | 焼却設備建屋周辺 | Fタンクエリア周辺 | ヤード P1東側周辺 | 焼却設備建屋前道路カーブミラー部 | 建設資材置場 | 一時保管エリアC周辺 | 一時保管エリアI周辺 | 一時保管エリアH1周辺 | 土捨場資材置場 |
| | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) |
| 1 | 1.415 | 1.885 | 30.480 | 12.437 | 2.716 | 3.393 | *1 | 12.997 | 3.739 | 0.645 |
| 2 | 1.423 | 1.901 | 30.539 | 12.471 | 2.740 | 3.405 | | 13.086 | 3.761 | 0.655 |
| 3 | 1.427 | 1.906 | 30.496 | 12.474 | 2.743 | 3.407 | | 13.137 | 3.774 | 0.657 |
| 4 | 1.421 | 1.897 | 30.432 | 12.414 | 2.728 | 3.395 | | 13.073 | 3.765 | 0.654 |
| 5 | 1.406 | 1.880 | 30.352 | 12.398 | 2.705 | 3.369 | | 13.007 | 3.741 | 0.642 |
| 6 | 1.415 | 1.891 | 30.421 | 12.438 | 2.723 | 3.409 | | 13.139 | 3.784 | 0.655 |
| 7 | 1.423 | 1.894 | 30.406 | 12.463 | 2.717 | 3.444 | | 13.205 | 3.791 | 0.657 |
| 8 | 1.428 | 1.900 | 30.398 | 12.429 | 2.725 | 3.442 | | 13.226 | 3.815 | 0.656 |
| 9 | 1.430 | 1.894 | 30.366 | 12.469 | 2.732 | 3.428 | | 13.287 | 3.829 | 0.655 |
| 10 | 1.432 | 1.885 | 30.150 | 12.460 | 2.726 | 3.438 | | 13.312 | 3.838 | 0.657 |
| 11 | 1.444 | 1.878 | 30.094 | 12.468 | 2.738 | 3.458 | | 13.401 | 3.847 | 0.664 |
| 12 | 1.438 | 1.856 | 30.005 | 12.426 | 2.715 | 3.440 | | 13.390 | 3.836 | 0.659 |
| 13 | 1.437 | 1.855 | 30.025 | 12.448 | 2.717 | 3.425 | | 13.425 | 3.842 | 0.658 |
| 14 | 1.447 | 1.871 | 30.098 | 12.469 | 2.731 | 3.454 | | 13.445 | 3.863 | 0.666 |
| 15 | 1.442 | 1.871 | 30.051 | 12.455 | 2.720 | 3.458 | | 13.423 | 3.870 | 0.663 |
| 16 | 1.436 | 1.853 | 29.977 | 12.420 | 2.718 | 3.443 | | 13.471 | 3.866 | 0.658 |
| 17 | 1.439 | 1.847 | 29.917 | 12.413 | 2.708 | 3.424 | | 13.479 | 3.853 | 0.655 |
| 18 | 1.447 | 1.868 | 29.965 | 12.427 | 2.725 | 3.421 | | 13.522 | 3.874 | 0.661 |
| 19 | 1.438 | 1.850 | 29.872 | 12.397 | 2.707 | 3.396 | | 13.518 | 3.860 | 0.654 |
| 20 | 1.434 | 1.839 | 29.813 | 12.358 | 2.695 | 3.391 | | 13.483 | 3.851 | 0.651 |
| 21 | 1.435 | 1.836 | 29.806 | 12.375 | 2.694 | 3.392 | | 13.513 | 3.858 | 0.651 |
| 22 | 1.441 | 1.842 | 29.841 | 12.353 | 2.702 | 3.401 | | 13.542 | 3.867 | 0.654 |
| 23 | 1.388 | 1.822 | 29.817 | 12.210 | 2.644 | 3.339 | | 12.948 | 3.719 | 0.641 |
| 24 | 1.390 | 1.822 | 29.755 | 12.246 | 2.650 | 3.337 | | 12.993 | 3.733 | 0.639 |
| 25 | 1.394 | 1.818 | 29.769 | 12.292 | 2.659 | 3.350 | | 13.108 | 3.769 | 0.645 |
| 26 | 1.409 | 1.842 | 29.843 | 12.342 | 2.679 | 3.371 | | 13.221 | 3.794 | 0.655 |
| 27 | 1.405 | 1.831 | 29.784 | 12.339 | 2.681 | 3.351 | | 13.237 | 3.797 | 0.649 |
| 28 | 1.409 | 1.838 | 29.814 | 12.340 | 2.678 | 3.352 | | 13.242 | 3.798 | 0.652 |
| 29 | 1.419 | 1.855 | 29.901 | 12.359 | 2.699 | 3.385 | | 13.298 | 3.822 | 0.660 |
| 30 | 1.417 | 1.846 | 29.805 | 12.338 | 2.685 | 3.354 | | 13.270 | 3.812 | 0.654 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 1.424 | 1.862 | 30.066 | 12.398 | 2.707 | 3.402 | | 13.280 | 3.812 | 0.654 |
| 最大値 | 1.567 | 2.022 | 30.938 | 12.780 | 2.872 | 3.577 | | 13.801 | 4.384 | 0.719 |
| 最大値日時 | 11/17 10:50 | 11/08 23:30 | 11/03 13:50 | 11/03 16:00 | 11/09 10:30 | 11/08 07:40 | | 11/21 14:30 | 11/15 17:20 | 11/14 11:00 |
| 最小値 | 1.292 | 1.728 | 29.361 | 12.014 | 2.541 | 3.229 | | 12.541 | 3.601 | 0.566 |
| 最小値日時 | 11/23 09:10 | 11/23 09:40 | 11/22 06:10 | 11/24 05:40 | 11/24 07:10 | 11/27 08:50 | | 11/23 12:10 | 11/23 21:10 | 11/24 04:20 |

*1: 線量標示器の故障に伴う欠測

測定月報

測定日: 2017/11

(8/11)

| 日 | モニタ | | | | | | | | | |
|-------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | B071 | B072 | B073 | B074 | B075 | B076 | B077 | B078 | B079 | B080 |
| | 土捨場東側資材置場 | 瓦礫保管Aテント周辺 | 覆土式瓦礫保管エリアL北側 | 覆土式瓦礫保管エリアL南側 | 一時保管エリアG2周辺 | 一時保管エリアG1周辺 | 5・6号機迂回道路付近 | 一時保管エリアM周辺 | 旧研修棟正面玄関前 | 3・4号機北面ダストモニタ周辺 |
| | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) | 線量率 ($\mu\text{Sv/h}$) |
| 1 | 2.049 | 25.047 | 4.507 | 0.679 | 0.439 | 1.180 | 3.545 | 1.832 | 64.607 | 11.573 |
| 2 | 2.059 | 25.451 | 4.557 | 0.685 | 0.441 | 1.186 | 3.567 | 1.852 | 63.516 | 11.804 |
| 3 | 2.063 | 26.274 | 4.540 | 0.682 | 0.440 | 1.181 | 3.583 | 1.854 | 63.584 | 11.873 |
| 4 | 2.054 | 26.151 | 4.527 | 0.683 | 0.442 | 1.176 | 3.576 | 1.852 | 63.264 | 11.784 |
| 5 | 2.041 | 26.062 | 4.506 | 0.664 | 0.429 | 1.160 | 3.534 | 1.827 | 62.715 | 11.311 |
| 6 | 2.054 | 26.258 | 4.548 | 0.678 | 0.436 | 1.176 | 3.566 | 1.846 | 62.850 | 11.594 |
| 7 | 2.055 | 27.025 | 4.577 | 0.688 | 0.441 | 1.180 | 3.572 | 1.861 | 61.732 | 11.731 |
| 8 | 2.055 | 26.683 | 4.577 | 0.688 | 0.443 | 1.177 | 3.589 | 1.865 | 62.026 | 11.921 |
| 9 | 2.048 | 27.506 | 4.586 | 0.684 | 0.435 | 1.165 | 3.589 | 1.874 | 62.753 | 11.810 |
| 10 | 2.052 | 28.536 | 4.576 | 0.676 | 0.430 | 1.158 | 3.595 | 1.876 | 62.428 | 11.648 |
| 11 | 2.059 | 28.452 | 4.594 | 0.687 | 0.438 | 1.172 | 3.644 | 1.893 | 62.952 | 11.980 |
| 12 | 2.049 | 28.340 | 4.570 | 0.667 | 0.426 | 1.164 | 3.615 | 1.882 | 62.456 | 11.480 |
| 13 | 2.045 | 28.266 | 4.595 | 0.674 | 0.427 | 1.166 | 3.614 | 1.888 | 62.421 | 11.489 |
| 14 | 2.059 | 28.449 | 4.633 | 0.696 | 0.440 | 1.177 | 3.633 | 1.907 | 60.318 | 11.848 |
| 15 | 2.056 | 28.491 | 4.653 | 0.692 | 0.439 | 1.180 | 3.629 | 1.902 | 58.174 | 11.735 |
| 16 | 2.042 | 28.664 | 4.668 | 0.684 | 0.435 | 1.177 | 3.627 | 1.902 | 54.803 | 11.431 |
| 17 | 2.032 | 28.849 | 4.663 | 0.682 | 0.433 | 1.174 | 3.616 | 1.896 | 55.439 | 11.218 |
| 18 | 2.044 | 28.877 | 4.675 | 0.697 | 0.441 | 1.181 | 3.653 | 1.909 | 59.281 | 11.614 |
| 19 | 2.032 | 28.666 | 4.621 | 0.676 | 0.426 | 1.172 | 3.646 | 1.905 | 58.909 | 11.181 |
| 20 | 2.019 | 28.578 | 4.608 | 0.671 | 0.423 | 1.164 | 3.616 | 1.893 | 57.553 | 11.008 |
| 21 | 2.016 | 28.048 | 4.599 | 0.669 | 0.420 | 1.161 | 3.625 | 1.901 | 56.224 | 10.966 |
| 22 | 2.025 | 27.792 | 4.605 | 0.679 | 0.425 | 1.166 | 3.640 | 1.903 | 57.687 | 11.189 |
| 23 | 2.000 | 27.068 | 4.439 | 0.677 | 0.425 | 1.125 | 3.508 | 1.840 | 57.292 | 11.303 |
| 24 | 1.992 | 27.206 | 4.448 | 0.662 | 0.417 | 1.122 | 3.497 | 1.838 | 57.421 | 11.033 |
| 25 | 2.003 | 27.364 | 4.480 | 0.661 | 0.414 | 1.130 | 3.536 | 1.852 | 57.567 | 10.951 |
| 26 | 2.017 | 27.558 | 4.528 | 0.675 | 0.426 | 1.142 | 3.581 | 1.877 | 58.132 | 11.305 |
| 27 | 2.007 | 27.350 | 4.519 | 0.662 | 0.417 | 1.134 | 3.568 | 1.873 | 57.440 | 10.950 |
| 28 | 2.010 | 26.907 | 4.501 | 0.662 | 0.417 | 1.135 | 3.567 | 1.872 | 57.355 | 11.044 |
| 29 | 2.020 | 26.830 | 4.498 | 0.677 | 0.424 | 1.143 | 3.589 | 1.885 | 57.642 | 11.488 |
| 30 | 2.005 | 26.700 | 4.461 | 0.659 | 0.412 | 1.133 | 3.586 | 1.885 | 57.048 | 11.116 |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 2.035 | 27.448 | 4.562 | 0.677 | 0.430 | 1.162 | 3.590 | 1.875 | 59.853 | 11.446 |
| 最大値 | 2.162 | 31.820 | 4.823 | 0.753 | 0.491 | 1.261 | 3.789 | 2.005 | 66.246 | 12.360 |
| 最大値日時 | 11/15 17:30 | 11/15 18:40 | 11/18 08:50 | 11/16 10:30 | 11/18 13:10 | 11/14 15:00 | 11/22 17:30 | 11/22 13:00 | 11/01 12:20 | 11/09 00:00 |
| 最小値 | 1.849 | 22.820 | 4.274 | 0.611 | 0.370 | 1.065 | 3.364 | 1.744 | 49.682 | 10.544 |
| 最小値日時 | 11/09 11:10 | 11/08 16:00 | 11/23 12:40 | 11/05 03:00 | 11/29 03:10 | 11/30 08:10 | 11/24 08:10 | 11/24 05:00 | 11/16 16:10 | 11/22 01:30 |

測定月報

測定日: 2017/11

(9/11)

| 日 | モニタ | | | | | | | | | |
|-------|----------------------|----------------------|---------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | B081 事務本館南 | B082 大型メンテナンス建屋周辺 | B083 2, 3号機間道路西側(10m盤) | B084 2号機海側 (4m盤) | B085 中央交差点 | B086 No.4倉庫周辺 | B087 1, 2u排気筒西側 | B088 1・2号機海側(4m盤) | B089 線量表示器89 | B090 線量表示器90 |
| | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) | 線量率 (μ Sv/h) |
| 1 | 12.417 | 1.228 | 95.391 | 24.009 | 1.010 | 12.923 | 1393.466 | 13.074 | | |
| 2 | 12.590 | 1.244 | 96.185 | 24.261 | 1.019 | 13.007 | 1397.009 | 12.956 | | |
| 3 | 12.548 | 1.249 | 96.224 | 24.348 | 1.024 | 13.017 | 1395.173 | 12.722 | | |
| 4 | 12.454 | 1.244 | 95.912 | 24.233 | 1.017 | 12.914 | 1393.865 | 12.635 | | |
| 5 | 11.978 | 1.203 | 94.635 | 23.654 | 1.003 | 12.818 | 1387.657 | 12.228 | | |
| 6 | 12.257 | 1.229 | 95.407 | 23.883 | 1.016 | 12.955 | 1389.973 | 12.500 | | |
| 7 | 12.394 | 1.232 | 95.810 | 24.184 | 1.022 | 12.993 | 1390.417 | 12.710 | | |
| 8 | 12.547 | 1.246 | 96.231 | 24.373 | 1.026 | 13.029 | 1394.141 | 12.987 | | |
| 9 | 12.388 | 1.224 | 95.937 | 24.176 | 1.027 | 13.091 | 1391.791 | 12.980 | | |
| 10 | 12.207 | 1.214 | 95.287 | 23.913 | 1.018 | 13.063 | 1388.441 | 12.923 | | |
| 11 | 12.512 | 1.236 | 96.013 | 24.369 | 1.030 | 13.158 | 1392.587 | 13.220 | | |
| 12 | 12.016 | 1.195 | 94.563 | 23.757 | 1.020 | 13.095 | 1385.521 | 12.770 | | |
| 13 | 12.021 | 1.200 | 94.341 | 23.584 | 1.023 | 13.097 | 1384.983 | 12.775 | | |
| 14 | 12.361 | 1.233 | 95.579 | 24.045 | 1.031 | 13.113 | 1388.856 | 13.126 | | |
| 15 | 12.192 | 1.215 | 95.232 | 24.028 | 1.026 | 13.077 | 1385.229 | 12.924 | | |
| 16 | 11.892 | 1.196 | 94.258 | 23.609 | 1.023 | 13.099 | 1379.967 | 12.651 | | |
| 17 | 11.710 | 1.182 | 93.709 | 23.411 | 1.023 | 13.098 | 1376.392 | 12.549 | | |
| 18 | 12.063 | 1.214 | 94.909 | 24.041 | 1.029 | 13.137 | 1381.623 | 12.994 | | |
| 19 | 11.574 | 1.178 | 93.705 | 23.396 | 1.024 | 13.113 | 1373.630 | 12.522 | | |
| 20 | 11.364 | 1.170 | 93.133 | 23.130 | 1.020 | 13.051 | 1370.742 | 12.383 | | |
| 21 | 11.318 | 1.162 | 92.733 | 23.009 | 1.019 | 13.079 | 1369.125 | 12.327 | | |
| 22 | 11.579 | 1.177 | 93.364 | 23.272 | 1.025 | 13.101 | 1371.689 | 12.636 | | |
| 23 | 11.724 | 1.194 | 93.182 | 23.150 | 0.996 | 12.670 | 1370.582 | 12.677 | | |
| 24 | 11.429 | 1.180 | 92.510 | 22.643 | 0.995 | 12.752 | 1366.921 | 12.340 | | |
| 25 | 11.332 | 1.179 | 92.504 | 22.845 | 1.003 | 12.865 | 1366.763 | 12.295 | | |
| 26 | 11.706 | 1.204 | 93.766 | 23.423 | 1.009 | 12.968 | 1372.332 | 12.658 | | |
| 27 | 11.314 | 1.171 | 92.736 | 22.842 | 1.009 | 12.953 | 1366.562 | 12.270 | | |
| 28 | 11.428 | 1.181 | 92.628 | 22.964 | 1.008 | 12.922 | 1368.059 | 12.329 | | |
| 29 | 11.924 | 1.222 | 93.349 | 23.555 | 1.019 | 12.999 | 1373.813 | 12.715 | | |
| 30 | 11.504 | 1.188 | 92.219 | 22.990 | 1.014 | 12.956 | 1368.700 | 12.361 | | |
| 31 | | | | | | | | | | |
| 1ヶ月値 | 11.958 | 1.206 | 94.382 | 23.637 | 1.018 | 13.004 | 1381.200 | 12.675 | | |
| 最大値 | 13.028 | 1.328 | 98.051 | 25.054 | 1.159 | 13.425 | 1404.292 | 13.606 | | |
| 最大値日時 | 11/08 20:50 | 11/08 22:40 | 11/07 14:00 | 11/08 22:10 | 11/14 17:10 | 11/22 14:30 | 11/02 11:00 | 11/11 12:00 | | |
| 最小値 | 10.858 | 1.088 | 88.591 | 21.229 | 0.916 | 12.372 | 1358.799 | 11.833 | | |
| 最小値日時 | 11/21 22:20 | 11/21 23:30 | 11/13 07:50 | 11/24 08:10 | 11/24 04:10 | 11/23 12:10 | 11/25 23:10 | 11/05 03:30 | | |