

# 測定月報

測定日: 2017/01

(1/10)

日	モニタ									
	B001	B002	B003	B004	B005	B006	B007	B008	B009	B010
	入退域管理棟周辺	正門警備所周辺	環境管理棟周辺	車両スクリーニング場周辺	厚生棟休憩所周辺	登録センター休憩所周辺	5/6号サービス建休憩所周辺	シールド中央制御室周辺	免震重要棟周辺	5/6号防護本部周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	0.294	0.641	2.869	0.538	0.733	1.917	1.393	3.135	7.109	1.223
2	0.296	0.643	2.856	0.541	0.733	1.924	1.401	3.139	7.146	1.231
3	0.297	0.634	2.852	0.538	0.731	1.915	1.396	3.115	7.105	1.222
4	0.294	0.630	2.836	0.538	0.726	1.909	1.388	3.105	7.076	1.213
5	0.290	0.632	2.836	0.534	0.726	1.903	1.373	3.079	7.040	1.204
6	0.288	0.626	2.840	0.530	0.722	1.823	1.373	3.077	6.987	1.191
7	0.291	0.630	2.833	0.533	0.725	1.759	1.381	3.092	7.043	1.207
8	0.294	0.637	2.843	0.536	0.727	1.759	1.388	3.108	7.083	1.213
9	0.295	0.619	2.794	0.532	0.715	1.738	1.348	3.060	7.042	1.193
10	0.288	0.618	2.838	0.535	0.721	1.749	1.366	3.073	7.059	1.203
11	0.283	0.621	2.819	0.531	0.719	1.736	1.351	3.044	6.972	1.183
12	0.283	0.620	2.804	0.529	0.718	1.740	1.355	3.041	6.991	1.192
13	0.284	0.625	2.821	0.531	0.718	1.746	1.358	3.029	6.978	1.190
14	0.286	0.630	2.814	0.526	0.714	1.745	1.351	3.028	6.984	1.182
15	0.287	0.629	2.802	0.527	0.715	1.749	1.348	3.026	6.979	1.175
16	0.275	0.633	2.834	0.533	0.717	1.757	1.360	3.059	7.018	1.193
17	0.264	0.631	2.826	0.537	0.716	1.769	1.362	3.062	7.012	1.188
18	0.265	0.630	2.823	0.536	0.722	1.755	1.367	3.053	7.020	1.195
19	0.264	0.634	2.825	0.540	0.727	1.745	1.374	3.060	7.045	1.204
20	0.265	0.621	2.763	0.535	0.712	1.745	1.347	3.001	6.964	1.179
21	0.250	0.574	2.590	0.494	0.661	1.702	1.289	2.872	6.797	1.135
22	0.264	0.630	2.785	0.531	0.712	1.764	1.352	3.021	7.032	1.188
23	0.263	0.624	2.800	0.530	0.713	1.744	1.347	3.011	6.967	1.179
24	0.261	0.618	2.794	0.529	0.709	1.725	1.342	2.997	6.926	1.164
25	0.260	0.623	2.784	0.525	0.710	1.726	1.339	3.006	6.922	1.169
26	0.261	0.629	2.800	0.528	0.710	1.742	1.350	3.007	6.964	1.181
27	0.266	0.631	2.813	0.537	0.717	1.762	1.372	3.062	7.066	1.205
28	0.266	0.626	2.804	0.533	0.713	1.762	1.365	3.047	6.995	1.192
29	0.267	0.627	2.813	0.536	0.716	1.745	1.370	3.056	7.020	1.205
30	0.268	0.630	2.813	0.539	0.717	1.747	1.383	3.083	7.062	1.223
31							1.363	3.013	6.941	1.188
1ヶ月値	0.277	0.627	2.811	0.532	0.717	1.777	1.363	3.050	7.011	1.194
最大値	0.335	0.794	2.980	0.583	0.790	2.007	1.488	3.990	7.310	1.334
最大値日時	01/04 17:00	01/13 14:40	01/01 16:30	01/04 14:50	01/10 22:40	01/02 21:20	01/08 10:30	01/17 07:00	01/01 14:10	01/30 14:10
最小値	0.204	0.485	2.268	0.432	0.587	1.566	1.180	2.622	6.395	1.016
最小値日時	01/21 08:00	01/21 03:30	01/21 01:10	01/21 08:40	01/21 03:10	01/20 23:20	01/21 02:00	01/21 01:00	01/21 03:00	01/21 02:20

# 測定月報

測定日: 2017/01

(2/10)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺	1/2号西側法面上周辺	3/4号西側法面上周辺	4号南側法面上周辺	一般焼却炉周辺	車両整備場周辺	多核種除去施設周辺	キャスク保管施設周辺	野鳥の森五差路周辺	5/6号機西側周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	58.767	48.135	13.023	2.065	24.980	0.969	0.786	0.374	3.084	7.080
2	59.067	48.526	13.176	2.084	25.005	0.971	0.787	0.379	3.162	7.085
3	58.690	48.101	13.021	2.058	24.951	0.966	0.788	0.377	3.097	7.070
4	58.183	47.799	12.924	2.038	24.834	0.966	0.783	0.375	3.063	7.026
5	57.923	47.375	12.740	2.017	24.738	1.018	0.771	0.368	2.983	7.027
6	57.566	46.978	12.579	1.993	24.750	1.035	0.774	0.361	2.914	7.020
7	57.989	47.476	12.779	2.030	24.868	0.961	0.776	0.367	2.997	7.047
8	58.482	47.847	12.956	2.055	24.834	0.964	0.781	0.375	3.073	7.041
9	57.340	47.192	12.860	2.009	24.260	0.944	0.764	0.376	3.074	6.834
10	57.928	47.512	12.904	2.034	24.544	1.052	0.768	0.373	3.071	6.947
11	57.346	46.839	12.570	1.980	24.463	1.035	0.765	0.362	2.951	6.914
12	57.641	46.977	12.532	1.980	24.408	1.038	0.770	0.364	2.976	6.922
13	57.502	46.760	12.495	1.975	24.410	1.050	0.770	0.365	2.953	6.926
14	57.125	46.519	12.349	1.956	24.443	0.971	0.764	0.364	2.896	6.925
15	57.215	46.341	12.256	1.941	24.401	0.971	0.763	0.363	2.865	6.910
16	58.018	46.990	12.518	1.983	24.426	1.319	0.780	0.368	2.957	6.950
17	58.092	46.927	12.404	1.974	24.460	1.703	0.798	0.376	2.908	6.971
18	58.133	47.065	12.474	1.982	24.495	1.693	0.807	0.381	2.916	6.982
19	58.147	47.263	12.520	1.999	24.483	1.669	0.809	0.389	2.954	6.994
20	57.057	46.407	12.294	1.957	23.975	1.487	0.792	0.382	2.883	6.856
21	55.723	44.927	11.973	1.864	22.709	1.152	0.736	0.358	2.771	6.592
22	57.345	46.897	12.447	1.975	24.021	1.192	0.783	0.379	2.933	6.868
23	56.896	46.486	12.121	1.947	24.064	1.189	0.786	0.373	2.861	6.873
24	56.609	45.957	11.852	1.917	24.011	1.242	0.772	0.364	2.777	6.858
25	56.808	46.034	11.879	1.922	24.001	1.234	0.775	0.365	2.785	6.864
26	57.426	46.499	12.023	1.938	24.169	1.224	0.773	0.370	2.837	6.882
27	58.594	47.585	12.342	2.014	24.377	1.277	0.776	0.376	2.989	6.954
28	58.144	47.029	12.136	1.971	24.416	1.304	0.775	0.369	2.879	6.952
29	58.368	47.298	12.234	1.992	24.440	1.310	0.774	0.370	2.919	6.954
30	59.039	47.907	12.522	2.032	24.502	1.416	0.783	0.377	3.059	6.987
31	58.036	46.773	11.992	1.963	24.393	1.402	0.774	0.363	2.879	6.947
1ヶ月値	57.781	47.046	12.480	1.989	24.413	1.185	0.777	0.371	2.951	6.944
最大値	61.170	49.525	13.559	2.219	25.389	2.124	0.930	0.438	3.991	7.276
最大値日時	01/30 13:30	01/02 12:10	01/02 15:00	01/02 14:10	01/07 14:00	01/17 13:30	01/16 08:10	01/19 10:40	01/16 12:10	01/07 14:50
最小値	53.110	42.498	10.544	1.687	21.301	0.807	0.660	0.317	2.588	6.115
最小値日時	01/21 02:20	01/21 02:50	01/24 10:40	01/21 03:50	01/21 03:20	01/16 10:40	01/21 06:10	01/11 11:00	01/21 02:40	01/21 01:40

# 測定月報

測定日: 2017/01

(3/10)

日	モニタ									
	B021	B022	B023	B024	B025	B026	B027	B028	B029	B030
	西門周辺	さくら通り正門側	増設多核種除去設備西側周辺	Hゲントエリア周辺(通風ダクトモニタ設置部)	1・2号機海側(4m盤)	3・4号機海側(4m盤)	固体廃棄物貯蔵庫管理棟周辺	高性能多核種除去設備周辺	サブドレン浄化設備周辺	給油所周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.863	0.805	0.356	7.335	16.826	25.852	8.742	2.447	0.320	0.564
2	1.865	0.811	0.362	7.344	17.077	26.043	8.774	2.453	0.324	0.567
3	1.866	0.808	0.357	7.331	16.887	25.778	8.714	2.445	0.329	0.564
4	1.855	0.802	0.356	7.295	16.742	25.588	8.638	2.431	0.328	0.561
5	1.851	0.801	0.351	7.290	16.523	25.362	8.548	2.425	0.334	0.557
6	1.853	0.798	0.343	7.278	16.295	25.145	8.479	2.426	0.312	0.553
7	1.856	0.804	0.351	7.294	16.569	25.452	8.586	2.425	0.329	0.558
8	1.860	0.804	0.355	7.304	16.806	25.696	8.632	2.427	0.315	0.563
9	1.832	0.777	0.359	7.200	16.632	25.167	8.426	2.373	0.335	0.558
10	1.839	0.791	0.356	7.248	16.672	25.405	8.525	2.400	0.317	0.554
11	1.833	0.781	0.341	7.217	16.243	24.911	8.406	2.388	0.313	0.548
12	1.837	0.790	0.345	7.225	16.355	25.031	8.497	2.397	0.327	0.552
13	1.831	0.786	0.348	7.211	16.307	24.895	8.417	2.392	0.311	0.553
14	1.830	0.786	0.343	7.208	16.166	24.678	8.355	2.387	0.315	0.546
15	1.833	0.785	0.339	7.205	16.082	24.589	8.338	2.382	0.313	0.546
16	1.839	0.788	0.349	7.259	16.373	25.032	8.476	2.404	0.323	0.573
17	1.838	0.792	0.350	7.285	16.280	24.950	8.488	2.404	0.334	0.590
18	1.835	0.792	0.354	7.287	16.384	24.961	8.557	2.413	0.379	0.601
19	1.836	0.790	0.356	7.297	16.509	24.969	8.552	2.422	0.367	0.606
20	1.818	0.779	0.352	7.175	16.163	24.507	8.372	2.382	0.361	0.591
21	1.751	0.742	0.342	6.911	15.696	23.642	8.131	2.291	0.354	0.553
22	1.823	0.781	0.352	7.209	16.368	24.757	8.546	2.386	0.339	0.582
23	1.827	0.782	0.346	7.200	16.071	24.133	8.437	2.389	0.334	0.580
24	1.822	0.782	0.339	7.160	15.809	23.792	8.260	2.373	0.341	0.572
25	1.815	0.781	0.339	7.152	15.823	24.246	8.231	2.377	0.339	0.571
26	1.823	0.780	0.343	7.169	16.004	24.471	8.327	2.383	0.365	0.552
27	1.845	0.787	0.356	7.207	16.555	24.690	8.471	2.409	0.335	0.557
28	1.846	0.793	0.346	7.180	16.254	24.319	8.363	2.402	0.325	0.553
29	1.849	0.789	0.350	7.187	16.401	24.632	8.409	2.405	0.333	0.555
30	1.845	0.791	0.360	7.201	16.766	25.058	8.520	2.425	0.339	0.558
31	1.848	0.780	0.342	7.156	16.179	24.506	8.357	2.393	0.327	0.550
1ヶ月値	1.838	0.789	0.350	7.226	16.381	24.912	8.470	2.402	0.333	0.564
最大値	1.965	0.867	0.407	7.680	17.601	26.602	10.713	2.557	1.064	1.136
最大値日時	01/29 12:10	01/05 13:50	01/30 14:40	01/17 10:10	01/30 14:10	01/02 16:50	01/30 20:20	01/23 13:40	01/19 10:30	01/16 14:40
最小値	1.629	0.670	0.294	6.414	14.883	22.196	7.544	2.089	0.268	0.498
最小値日時	01/21 01:10	01/21 03:30	01/11 11:00	01/21 00:50	01/21 02:30	01/21 02:50	01/21 01:50	01/21 02:00	01/12 02:50	01/21 03:30

# 測定月報

測定日: 2017/01

(4/10)

日	モニタ									
	B031	B032	B033	B034	B035	B036	B037	B038	B039	B040
	HIC保管エリア周辺	H8タンクエリア周辺	H4タンクエリア周辺	H5タンクエリア周辺	J2タンクエリア周辺	G6タンクエリア周辺	セシウム吸着塔中間貯蔵施設周辺	G4タンクエリア周辺	MP-8周辺	旧展望台周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	0.484	0.624	2.913	1.119	4.103	2.321	3.471	3.463	5.263	2.194
2	0.491	0.626	2.949	1.124	4.109	2.324	3.466	3.465	5.269	2.201
3	0.487	0.624	2.916	1.121	4.096	2.311	3.450	3.454	5.253	2.196
4	0.484	0.618	2.890	1.114	4.077	2.304	3.440	3.452	5.233	2.182
5	0.476	0.618	2.849	1.104	4.061	2.299	3.422	3.433	5.227	2.171
6	0.471	0.605	2.806	1.098	4.053	2.271	3.379	3.428	5.213	2.159
7	0.476	0.613	2.858	1.104	4.069	2.298	3.393	3.443	5.237	2.174
8	0.486	0.623	2.902	1.112	4.092	2.314	3.417	3.454	5.244	2.184
9	0.480	0.614	2.869	1.108	4.015	2.228	3.399	3.422	5.087	2.132
10	0.485	0.619	2.876	1.094	4.045	2.257	3.386	3.439	5.143	2.149
11	0.471	0.614	2.810	1.061	4.014	2.224	6.075	3.413	5.116	2.130
12	0.472	0.616	2.812	1.064	4.011	2.201	4.273	3.405	5.132	2.137
13	0.473	0.619	2.795	1.078	4.013	2.216	3.290	3.401	5.118	2.134
14	0.472	0.624	2.764	1.099	4.003	2.230	3.754	3.389	5.106	2.123
15	0.466	0.626	2.754	1.097	3.997	2.240	3.762	3.386	5.100	2.121
16	0.478	0.675	2.808	1.231	4.041	2.244	2.864	3.409	5.151	2.143
17	0.476	0.734	2.788	1.365	4.050	2.207	2.506	3.407	5.158	2.146
18	0.479	0.756	2.754	1.402	4.043	2.216	2.677	3.423	5.170	2.155
19	0.483	0.764	2.768	1.412	4.038	2.257	2.651	3.422	5.183	2.163
20	0.478	0.736	2.762	1.368	3.979	2.192	2.741	3.400	5.088	2.124
21	0.450	0.682	2.670	1.285	3.823	2.099	2.718	3.345	4.874	2.032
22	0.478	0.711	2.806	1.309	3.961	2.211	2.755	3.409	5.089	2.118
23	0.473	0.705	2.752	1.273	3.953	*9	2.680	3.392	5.084	2.115
24	0.463	0.699	2.713	1.261	3.938	2.585	2.836	3.386	5.069	2.093
25	0.466	0.697	2.712	1.262	3.952	2.587	4.729	3.385	5.067	2.108
26	0.468	0.663	2.736	1.133	3.964	2.580	5.041	3.397	5.100	2.120
27	0.481	0.675	2.771	1.092	3.991	2.412	6.416	3.423	5.144	2.157
28	0.471	0.664	2.678	1.050	3.972	2.221	7.406	3.415	5.151	2.140
29	0.474	0.664	2.710	1.033	3.985	2.235	7.416	3.417	5.161	2.155
30	0.487	0.668	2.770	1.025	4.011	2.196	5.988	3.431	5.180	2.174
31	0.470	0.655	2.665	0.981	3.961	2.168	4.242	3.405	5.154	2.136
1ヶ月値	0.476	0.659	2.794	1.160	4.014	2.282	3.905	3.417	5.147	2.144
最大値	0.609	0.848	3.049	1.488	4.314	2.715	12.207	3.594	5.426	2.303
最大値日時	01/17 15:20	01/18 14:50	01/02 13:00	01/19 15:40	01/27 07:10	01/25 13:30	01/11 10:30	01/03 15:30	01/02 12:50	01/02 15:30
最小値	0.401	0.561	2.476	0.921	3.613	1.618	1.032	3.182	4.550	1.863
最小値日時	01/21 07:50	01/06 10:30	01/21 02:00	01/31 20:00	01/21 02:00	01/23 13:30	01/31 09:20	01/21 03:30	01/21 02:20	01/21 03:40

\*9:その他

# 測定月報

測定日: 2017/01

(5/10)

日	モニタ									
	B041	B042	B043	B044	B045	B046	B047	B048	B049	B050
	集中RW西側法面上	大型メンテナンス建屋 東側	大熊通り中央付近	1～4号機PPゲート前	1 2uS/B周辺	3,4uS/B周辺	集中RW東側	集中RW南側	共用プール西側	4uR/B西側
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	2.890	2.338	3.815	21.055	32.243	70.830	12.678	7.984	42.269	14.586
2	2.947	2.393	3.832	21.196	32.340	70.665	12.829	7.988	42.371	14.662
3	2.895	2.372	3.821	21.027	32.153	70.491	12.705	7.972	42.239	14.575
4	2.871	2.377	3.797	21.045	31.880	70.035	12.696	7.916	41.986	14.503
5	2.816	2.324	3.778	20.841	31.698	69.898	12.580	7.888	41.857	14.428
6	2.770	2.328	3.754	20.618	31.129	70.323	12.786	7.915	41.797	14.359
7	2.834	2.385	3.784	20.887	31.799	70.539	12.956	7.949	42.021	14.451
8	2.883	2.350	3.804	21.113	32.014	70.429	12.811	7.937	41.992	14.492
9	2.854	2.341	3.718	20.829	31.483	68.068	12.549	7.483	40.000	14.253
10	2.886	2.350	3.734	20.890	31.668	69.106	12.633	7.792	41.236	14.393
11	2.829	2.327	3.708	20.567	31.258	68.831	12.461	7.750	41.097	14.192
12	2.833	2.384	3.724	20.778	31.266	68.867	11.676	7.793	41.211	14.103
13	2.796	2.349	3.723	20.899	31.191	68.487	10.378	7.777	41.121	14.005
14	2.753	2.364	3.714	20.799	31.057	68.331	10.372	7.751	41.122	13.919
15	2.725	2.390	3.701	20.704	30.987	68.408	10.381	7.764	41.021	13.892
16	2.796	2.342	3.741	20.976	31.433	69.029	10.498	7.824	41.182	14.023
17	2.773	2.296	3.739	20.879	31.304	69.364	9.966	7.858	41.377	13.956
18	2.776	2.292	3.752	21.365	31.406	69.570	9.580	7.864	41.559	13.933
19	2.810	2.303	3.757	21.405	32.360	69.455	9.553	7.871	41.605	13.960
20	2.727	2.290	3.699	20.645	31.986	67.917	9.556	7.633	40.326	13.683
21	2.587	2.216	3.549	20.084	31.614	65.651	9.508	7.374	38.705	13.208
22	2.751	2.320	3.691	20.760	32.522	68.020	9.623	7.719	40.942	13.770
23	2.729	2.301	3.687	20.488	31.974	68.036	9.620	7.728	40.719	13.620
24	2.683	2.293	3.668	20.205	31.672	67.966	9.606	7.723	40.502	13.574
25	2.696	2.302	3.674	20.212	31.726	68.176	9.522	7.753	40.583	13.656
26	2.733	2.308	3.703	20.465	31.709	68.526	9.653	7.791	40.822	13.729
27	2.877	2.318	3.755	20.955	32.267	68.822	9.764	7.849	41.038	13.965
28	2.787	2.268	3.731	20.656	32.388	68.958	9.814	7.826	41.156	13.828
29	2.794	2.284	3.748	20.871	32.566	68.949	9.825	7.853	41.244	13.885
30	2.898	2.354	3.786	21.239	32.769	68.885	9.919	7.882	41.230	14.001
31	2.759	2.277	3.722	20.664	32.180	68.606	9.653	7.825	40.960	13.790
1ヶ月値	2.799	2.327	3.736	20.810	31.808	69.008	10.908	7.808	41.203	14.045
最大値	3.118	2.581	3.947	27.459	35.019	72.270	13.638	8.198	42.867	15.011
最大値日時	01/10 16:20	01/07 04:20	01/01 12:00	01/30 20:10	01/19 07:40	01/01 12:50	01/07 11:50	01/03 12:00	01/02 14:30	01/02 16:00
最小値	2.383	2.060	3.298	16.228	24.212	62.054	9.055	6.688	35.221	12.240
最小値日時	01/21 02:50	01/21 03:00	01/21 03:50	01/24 10:40	01/27 14:40	01/21 02:20	01/21 04:20	01/21 01:10	01/21 01:20	01/21 01:20

# 測定月報

測定日: 2017/01

(6/10)

日	モニタ									
	B051	B052	B053	B054	B055	B056	B057	B058	B059	B060
	3uR/B西側 線量率 ( $\mu$ Sv/h)	2uR/B西側 線量率 ( $\mu$ Sv/h)	1uR/B西側 線量率 ( $\mu$ Sv/h)	1uR/B北側 線量率 ( $\mu$ Sv/h)	物揚場周辺 線量率 ( $\mu$ Sv/h)	固体庫1, 2棟周辺 線量率 ( $\mu$ Sv/h)	旧事務本館北側 線量率 ( $\mu$ Sv/h)	固体庫第9棟建設地周辺 線量率 ( $\mu$ Sv/h)	危険物屋外貯蔵所周辺 線量率 ( $\mu$ Sv/h)	6号機D/G建屋周辺 線量率 ( $\mu$ Sv/h)
1	145.061	107.119	96.789	63.290	9.600	6.501	13.766	0.545	1.468	2.308
2	145.267	107.463	97.084	63.609	9.679	6.536	13.858	0.548	1.477	2.315
3	144.723	106.934	96.536	63.269	9.603	6.498	13.760	0.544	1.469	2.308
4	144.021	106.339	95.972	62.859	9.534	6.466	13.663	0.543	1.465	2.307
5	143.167	105.777	95.620	62.559	9.453	6.431	13.538	0.537	1.460	2.294
6	142.321	104.959	92.556	62.101	9.367	6.393	13.438	0.518	1.449	2.288
7	142.336	105.664	90.693	62.552	9.472	6.446	13.582	0.536	1.458	2.277
8	142.479	106.361	92.047	63.003	9.552	6.478	13.671	0.543	1.459	2.276
9	140.077	104.956	91.541	61.139	9.402	6.264	13.470	0.529	1.402	2.103
10	142.134	105.209	90.549	61.628	9.472	6.354	13.557	0.512	1.420	2.216
11	141.468	104.219	89.828	61.120	9.317	6.269	13.318	0.511	1.410	2.207
12	141.731	104.207	89.425	61.307	9.376	6.302	13.384	0.532	1.415	2.223
13	141.443	104.166	89.087	61.138	9.352	6.279	13.316	0.507	1.421	2.227
14	140.125	103.852	88.519	61.142	9.310	6.246	13.258	0.491	1.417	2.231
15	140.000	103.548	88.494	61.163	9.306	6.247	13.220	0.491	1.420	2.228
16	141.079	104.501	89.471	61.739	9.424	6.330	13.423	0.523	1.416	2.248
17	141.178	104.716	89.298	61.742	9.380	6.349	13.417	0.527	1.428	2.254
18	141.169	105.427	87.545	61.831	9.415	6.387	13.482	0.514	1.440	2.256
19	141.046	105.617	86.263	62.126	9.455	6.413	13.527	0.504	1.441	2.266
20	139.537	103.409	88.053	60.852	9.256	6.243	13.252	0.486	1.399	2.194
21	135.378	100.658	88.600	58.638	8.968	5.916	12.796	0.484	1.288	2.019
22	138.300	102.770	90.263	60.703	9.341	6.263	13.418	0.528	1.399	2.192
23	136.783	102.341	88.922	60.344	9.270	6.242	13.289	0.521	1.400	2.208
24	135.960	101.821	86.811	59.778	9.165	6.202	13.162	0.482	1.399	2.211
25	134.726	100.534	85.887	59.796	9.192	6.218	13.155	0.472	1.394	2.207
26	135.170	102.560	88.254	60.256	9.270	6.276	13.279	0.501	1.403	2.227
27	136.861	104.217	89.539	61.273	9.486	6.403	13.593	0.514	1.423	2.251
28	136.373	103.498	87.495	61.121	9.387	6.358	13.431	0.515	1.421	2.245
29	136.580	103.972	87.120	61.361	9.458	6.384	13.493	0.543	1.429	2.252
30	136.913	105.325	90.032	61.820	9.584	6.436	13.683	0.496	1.441	2.261
31	135.246	104.243	89.838	60.937	9.355	6.335	13.357	0.502	1.423	2.243
1ヶ月値	139.957	104.399	90.262	61.490	9.394	6.338	13.437	0.516	1.424	2.237
最大値	147.051	109.107	120.867	64.641	9.941	6.791	14.221	0.603	1.555	2.411
最大値日時	01/02 12:20	01/02 14:20	01/30 20:10	01/02 14:40	01/30 14:30	01/30 14:00	01/02 14:20	01/05 12:20	01/02 23:20	01/06 13:10
最小値	123.767	83.839	67.481	55.938	8.341	5.388	11.942	0.399	1.145	1.786
最小値日時	01/25 10:10	01/25 10:20	01/28 12:10	01/21 01:00	01/21 02:50	01/21 02:20	01/21 02:10	01/21 07:10	01/21 11:10	01/21 01:40

# 測定月報

測定日: 2017/01

(7/10)

日	モニタ									
	B061	B062	B063	B064	B065	B066	B067	B068	B069	B070
	5・6号機放水口周辺	焼却設備建屋周辺	Fタンクエリア周辺	五洋ヤード P1東側周辺	焼却設備建屋前道路カーブ側	鹿島建設資材置場	一時保管エリアC周辺	一時保管エリアI周辺	一時保管エリアH1周辺	土捨場資材置場
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.737	2.084	11.434	14.535	4.384	4.269	1.935	15.510	4.462	0.930
2	1.736	2.083	11.430	14.487	4.381	4.268	1.940	15.495	4.468	0.936
3	1.737	2.073	11.403	14.468	4.372	4.258	1.928	15.469	4.460	0.931
4	1.728	2.063	11.368	14.421	4.428	4.199	1.920	15.412	4.443	0.926
5	1.728	2.058	11.371	14.418	4.469	4.165	1.909	15.409	4.444	0.919
6	1.730	2.040	11.329	14.390	4.413	4.163	1.899	15.394	4.438	0.917
7	1.733	2.054	11.342	14.435	4.398	4.192	1.910	15.410	4.450	0.931
8	1.733	2.063	11.365	14.455	4.417	4.202	1.923	15.416	4.452	0.937
9	1.677	2.029	11.300	14.304	4.335	4.133	1.887	14.676	4.268	0.909
10	1.699	2.039	11.316	14.325	4.352	4.153	1.907	14.963	4.331	0.911
11	1.694	2.018	11.260	14.259	4.333	4.178	1.920	14.949	4.329	0.901
12	1.694	2.019	11.274	14.292	4.343	4.222	1.957	15.008	4.326	0.902
13	1.702	2.029	11.308	14.333	4.349	4.213	1.960	15.009	4.333	0.908
14	1.697	2.029	11.297	14.296	4.347	4.197	1.902	14.995	4.329	0.902
15	1.687	2.025	11.285	14.303	4.339	4.190	1.903	14.986	4.331	0.899
16	1.707	2.052	11.335	14.407	4.646	4.145	1.938	15.094	4.359	1.187
17	1.707	2.057	11.363	14.491	4.890	4.124	1.929	15.146	4.374	1.182
18	1.715	2.049	11.396	14.605	4.649	4.208	1.922	15.224	4.388	0.994
19	1.713	2.056	11.361	14.737	4.433	4.233	1.941	15.251	4.396	0.953
20	1.686	2.017	11.265	14.589	4.058	4.196	1.931	14.821	4.294	0.934
21	1.631	1.930	11.141	14.295	3.744	3.988	1.815	13.523	3.971	0.870
22	1.684	2.006	11.255	14.559	3.859	4.168	1.894	14.694	4.234	0.922
23	1.683	1.997	11.239	14.550	3.656	4.146	1.938	14.846	4.265	0.921
24	1.677	1.982	11.199	13.444	3.486	4.126	1.902	14.848	4.274	0.910
25	1.678	1.978	11.200	12.663	3.483	4.162	1.882	14.855	4.282	0.914
26	1.688	1.992	11.226	14.158	3.618	4.146	1.881	14.951	4.306	0.919
27	1.702	2.029	11.329	15.402	3.766	4.089	1.920	15.098	4.343	0.934
28	1.701	2.020	11.331	15.395	3.774	4.048	1.860	15.117	4.359	0.910
29	1.707	2.028	11.338	15.418	3.784	4.058	1.868	15.156	4.370	0.912
30	1.719	2.034	11.360	15.391	3.794	4.094	1.889	15.184	4.392	0.924
31	1.706	2.004	11.329	15.655	3.756	4.059	1.863	15.114	4.372	0.909
1ヶ月値	1.704	2.030	11.314	14.499	4.163	4.161	1.909	15.065	4.350	0.937
最大値	1.814	2.187	11.686	16.166	5.066	4.820	4.922	15.828	4.605	1.435
最大値日時	01/01 12:30	01/02 11:50	01/08 11:40	01/31 11:20	01/17 10:00	01/16 08:10	01/20 08:30	01/02 12:10	01/01 16:50	01/16 15:20
最小値	1.492	1.783	10.820	12.263	3.314	3.710	1.690	12.227	3.581	0.781
最小値日時	01/21 00:40	01/21 03:20	01/21 03:40	01/24 11:40	01/25 09:40	01/21 04:10	01/21 06:30	01/21 03:00	01/21 01:50	01/21 01:40

# 測定月報

測定日: 2017/01

(8/10)

日	モニタ									
	B071	B072	B073	B074	B075	B076	B077	B078	B079	B080
	土捨場東側資材置場	瓦礫保管Aテント周辺	覆土式瓦礫保管エリアL北側	覆土式瓦礫保管エリアL南側	一時保管エリアG2周辺	一時保管エリアG1周辺	5・6号機迂回道路付近	一時保管エリアM周辺	旧研修棟正面玄関前	3・4号機北面ダストモニタ周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.994	33.802	5.886	1.212	0.531	1.543	*	3.206	65.692	13.132
2	1.999	33.836	5.891	1.220	0.536	1.545		3.216	65.765	13.334
3	1.994	33.763	5.866	1.213	0.531	1.543		3.209	65.551	13.152
4	1.983	33.666	5.841	1.208	0.527	1.536	5.947	3.190	65.262	13.021
5	1.977	33.635	5.833	1.199	0.521	1.534	5.953	3.196	65.028	12.812
6	1.972	33.607	5.821	1.192	0.515	1.522	5.943	3.191	64.889	12.569
7	1.984	33.657	5.831	1.201	0.525	1.533	5.958	3.195	65.174	12.821
8	1.991	33.651	5.854	1.208	0.530	1.539	5.974	3.207	65.189	13.042
9	1.949	32.582	5.675	1.178	0.527	1.492	5.705	3.054	64.218	12.984
10	1.967	33.013	5.759	1.187	0.523	1.502	5.736	3.095	59.599	12.999
11	1.942	32.899	5.713	1.165	0.510	1.486	*	3.084	58.443	12.580
12	1.947	33.162	5.719	1.169	0.516	1.481		3.089	61.342	12.633
13	1.952	33.191	5.729	1.169	0.512	1.491	5.777	3.098	62.914	12.551
14	1.947	33.100	5.710	1.159	0.509	1.488	5.766	3.091	63.557	12.356
15	1.943	33.088	5.700	1.157	0.507	1.488	5.773	3.096	63.510	12.251
16	1.964	33.331	5.752	1.166	0.515	1.495	5.808	3.124	63.969	12.563
17	1.998	33.195	5.754	1.160	0.511	1.500	5.786	3.131	64.050	12.515
18	2.029	33.236	5.768	1.154	0.510	1.506	5.737	3.145	64.213	12.586
19	2.033	31.880	5.781	1.155	0.509	1.509	*	3.153	63.890	12.725
20	1.991	32.645	5.639	1.134	0.487	1.481		3.070	61.470	12.448
21	1.900	30.256	5.322	1.088	0.468	1.389	5.534	2.819	59.216	12.059
22	1.983	32.409	5.583	1.125	0.482	1.463	5.629	3.006	60.891	12.591
23	1.973	32.483	5.612	1.120	0.486	1.463	5.669	3.032	61.726	12.355
24	1.963	32.112	5.537	1.105	0.483	1.450	5.653	3.026	62.379	12.042
25	1.966	32.070	5.527	1.099	0.475	1.452	5.652	3.040	62.379	12.025
26	1.977	32.185	5.565	1.103	0.481	1.464	5.688	3.051	62.736	12.171
27	2.010	32.557	5.604	1.128	0.500	1.488	5.637	3.091	63.237	12.667
28	1.994	32.625	5.600	1.116	0.501	1.482	5.769	3.093	63.181	12.364
29	2.004	32.674	5.623	1.125	0.505	1.491	5.785	3.106	63.281	12.494
30	2.013	32.706	5.649	1.140	0.513	1.499	5.801	3.127	63.303	12.869
31	2.007	32.560	5.611	1.121	0.496	1.486	5.768	3.111	63.004	12.313
1ヶ月値	1.979	32.890	5.702	1.157	0.508	1.495	5.778	3.108	63.195	12.614
最大値	2.120	41.213	6.088	1.284	0.588	1.627	6.150	3.363	66.507	13.720
最大値日時	01/30 13:50	01/16 20:30	01/01 10:50	01/01 13:10	01/02 01:20	01/02 14:30	01/08 12:20	01/02 13:00	01/03 14:40	01/02 15:00
最小値	1.741	27.165	4.921	1.003	0.384	1.253	5.357	2.528	49.149	11.451
最小値日時	01/21 03:30	01/21 02:20	01/21 02:50	01/21 05:20	01/25 08:20	01/21 03:40	01/22 00:00	01/21 03:50	01/12 08:50	01/21 04:10

\* 1: バッテリーの低下に伴う欠測



# 測定月報

測定日: 2017/01

(9/10)

日	モニタ									
	B081 事務本館南	B082 大型メンテナンス建屋周辺	B083 2, 3号機間道路西側(10m盤)	B084 2号機海側 (4m盤)	B085 中央交差点	B086 No.4倉庫周辺	B087 1, 2u排気筒西側	B088 線量表示器88	B089 線量表示器89	B090 線量表示器90
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	1.440	1.625	118.933	27.695	1.354	14.702	1545.455			
2	1.439	1.639	119.344	27.959	1.356	14.716	1545.505			
3	1.427	1.624	118.650	27.644	1.352	14.677	1541.795			
4	1.422	1.613	117.951	27.467	1.341	14.587	1538.051			
5	1.418	1.592	117.637	27.174	1.340	14.579	1535.322			
6	1.411	1.576	116.990	26.866	1.339	14.568	※			
7	1.422	1.602	117.745	27.222	1.341	14.600				
8	1.427	1.609	118.634	27.535	1.345	14.607				
9	1.407	1.603	117.371	27.090	1.317	14.192				
10	1.410	1.611	117.792	27.193	1.319	14.425				
11	1.215	1.575	116.320	26.618	1.313	14.323	1522.463			
12	1.102	1.587	115.654	26.793	1.317	14.375	1520.036			
13	1.137	1.581	115.255	26.696	1.315	14.365	1519.231			
14	1.178	1.579	115.000	26.250	1.312	14.356	1515.723			
15	1.177	1.565	115.229	26.390	1.310	14.354	1513.898			
16	1.226	1.590	114.948	26.876	1.233	14.439	1520.605			
17	1.269	1.582	115.326	26.824	1.101	14.478	1522.548			
18	1.206	1.581	114.780	26.830	1.105	14.530	1516.059			
19	1.202	1.600	115.917	26.922	1.106	14.563	1524.022			
20	1.228	1.572	114.607	26.146	1.087	14.213	1516.473			
21	1.179	1.500	112.694	25.474	1.009	13.435	※			
22	1.235	1.586	115.343	26.692	1.079	14.242				
23	1.213	1.566	114.547	26.090	1.081	14.308	1510.954			
24	1.258	1.549	113.291	25.815	1.069	14.256	1507.157			
25	1.095	1.551	111.836	25.661	1.067	14.265	1508.381			
26	1.012	1.562	113.166	25.779	1.074	14.300	1512.376			
27	1.067	1.610	115.356	26.589	1.087	14.464	※			
28	1.089	1.573	114.727	26.121	1.083	14.460				
29	1.095	1.588	115.287	26.860	1.089	14.528	1522.512			
30	1.100	1.620	116.099	27.200	1.095	14.549	1521.962			
31	1.175	1.572	110.895	26.339	1.086	14.490	1512.899			
1ヶ月値	1.248	1.587	115.720	26.736	1.207	14.418	1521.836			
最大値	2.042	1.772	121.141	28.650	1.420	15.048	1555.633			
最大値日時	01/17 10:20	01/02 14:30	01/02 12:50	01/02 14:50	01/03 09:30	01/07 14:20	01/02 12:50			
最小値	0.900	1.392	74.708	22.303	0.902	12.203	1497.683			
最小値日時	01/31 08:20	01/21 03:20	01/31 08:20	01/31 13:30	01/21 02:10	01/21 01:40	01/26 06:20			

\*1: バッテリーの低下に伴う欠測