

GM	メンバー

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
ZK-00448 ✓	2023/9/1 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.004 ✓	-
ZK-00409 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
ZK-00835 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
ZK-00736 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
ZK-00825 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
ZK-00909 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
ZK-00781 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
ZK-00420 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00551 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00497 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-01011 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00555 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00406 ✓	2023/9/1	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
ZK-00343 ✓	2023/9/1 ✓	6 ✓	F1-ICWBL-96 ✓	0.005 ✓	0.005 ✓	0.006 ✓	-
ZK-00312 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00244 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
045 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00345 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00350 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00202 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.011 ✓	-
KM-10156 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
KM-10023 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
KM-10197 ✓	2023/9/1	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00347 ✓	2023/9/2 ✓	6 ✓	F1-ICWBL-96 ✓	0.005 ✓	0.005 ✓	0.006 ✓	-
KM-10136 ✓	2023/9/2	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
KM-10003 ✓	2023/9/2	6	F1-ICWBL-96	0.005	0.005	0.018 ✓	-
ZK-00339 ✓	2023/9/2	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
041 ✓	2023/9/2	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
040 ✓	2023/9/2	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
2019 SS-00432 ✓	2023/9/4 ✓	6 ✓	F1-ICWBL-52 ✓	0.004 ✓	0.004 ✓	0.11 ✓	-
ZK-01204 ✓	2023/9/4	6	F1-ICWBL-52	0.004	0.004	0.065 ✓	-
KM-10092 ✓	2023/9/4 ✓	6 ✓	F1-ICWBL-96 ✓	0.005 ✓	0.005 ✓	0.005 ✓	-
KM-10099 ✓	2023/9/4	6	F1-ICWBL-96	0.005	0.005	0.016 ✓	-
ZK-00180 ✓	2023/9/4	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
ZK-00335 ✓	2023/9/4	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
ZK-00189 ✓	2023/9/4	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
KM-10060 ✓	2023/9/4	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
ZK-00318	2023/9/4	6	F1-ICWBL-96	0.005	0.005	0.005	-
KM-10144	2023/9/4	6	F1-ICWBL-96	0.005	0.005	0.006	-
S051	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.010	-
S005	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.025	-
S088	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.32	-
2019 ZK-02722	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.028	-
2019 NS-00181	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.007	-
2019 NS-00021	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.006	-
2019 ZK-02833	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.014	-
2019 SS-00192	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.007	-
2019 NS-00173	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.010	-
2019 NS-00169	2023/9/5	6	F1-ICWBL-52	0.004	0.004	0.006	-
ZK-00315	2023/9/5	6	F1-ICWBL-96	0.005	0.005	0.005	-
ZK-00329	2023/9/5	6	F1-ICWBL-96	0.005	0.005	0.005	-
ZK-00195	2023/9/5	6	F1-ICWBL-96	0.005	0.005	0.005	-
ZK-00338	2023/9/5	6	F1-ICWBL-96	0.005	0.005	0.007	-
ZK-00193	2023/9/5	6	F1-ICWBL-96	0.005	0.005	0.005	-
ZK-00153	2023/9/5	6	F1-ICWBL-96	0.005	0.005	0.006	-
TB-188	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.003	-
TB-067	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.003	-
ZK-00675	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.003	-
ZK-01152	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.007	-
ZK-00435	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.010	-
TB-104	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.004	-
TB-262	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.004	-
ZK-00823	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.005	-
TB-167	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.004	-
ZK-00676	2023/9/5	6	F1-ICWBL-63	0.003	0.003	0.021	-
ZK-00023	2023/9/6	6	F1-ICWBL-96	0.005	0.005	0.18	-
KM-10070	2023/9/6	6	F1-ICWBL-96	0.005	0.005	0.006	-
KM-10079	2023/9/6	6	F1-ICWBL-96	0.005	0.005	0.006	-
049	2023/9/6	6	F1-ICWBL-96	0.005	0.005	0.007	-
ZK-00114	2023/9/6	6	F1-ICWBL-96	0.005	0.005	0.006	-
ZK-00110	2023/9/6	6	F1-ICWBL-96	0.005	0.005	0.043	-
ZK-00453	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.003	-
ZK-00603	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.008	-
ZK-00604	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.004	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
ZK-00569 ✓	2023/9/7 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.004 ✓	-
ZK-00562 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
ZK-00424 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
ZK-00427 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00645 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.018 ✓	-
ZK-00698 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00397 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00642 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00745 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.025 ✓	-
ZK-00558 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00653 ✓	2023/9/7	6	F1-ICWBL-63	0.003	0.003	0.003 ✓	-
ZK-00317 ✓	2023/9/7 ✓	6 ✓	F1-ICWBL-96 ✓	0.005 ✓	0.005 ✓	0.006 ✓	-
ZK-00198 ✓	2023/9/7	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
ZK-00190 ✓	2023/9/7	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
KM-10066 ✓	2023/9/7	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
ZK-00192 ✓	2023/9/7	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
KM-10078 ✓	2023/9/7	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00323 ✓	2023/9/7	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
2019 ZK-02555 ✓	2023/9/7 ✓	6 ✓	F1-ICWBL-52 ✓	0.004 ✓	0.004 ✓	0.008 ✓	-
2019 ZK-02888 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.057 ✓	-
2019 SS-00305 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.005 ✓	-
2019 SS-00325 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.006 ✓	-
2019 ZK-02708 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.006 ✓	-
2019 SS-00052 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.006 ✓	-
2019 ZK-02474 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.015 ✓	-
2019 FU-00206G ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.005 ✓	0.004 ✓
2019 NS-00065 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.006 ✓	-
2019 FU-00377 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.007 ✓	-
2019 NS-00052 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.004 ✓	-
2019 ZK-02741 ✓	2023/9/7	6	F1-ICWBL-52	0.004	0.004	0.005 ✓	-
ZK-00161 ✓	2023/9/8 ✓	6 ✓	F1-ICWBL-96 ✓	0.005 ✓	0.005 ✓	0.006 ✓	-
ZK-00217 ✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.006 ✓	-
ZK-00301 ✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00243 ✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
ZK-00327 ✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-
046 ✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
ZK-00181✓	2023/9/8✓	6✓	F1-ICWBL-96✓	0.005✓	0.005✓	0.005✓	-
2021-E1-0759✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005✓	-
ZK-00302✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005✓	-
ZK-00155✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005✓	-
ZK-00333✓	2023/9/8	6	F1-ICWBL-96	0.005	0.005	0.005✓	-
2018 ZK-01787✓	2023/9/11✓	6✓	F1-ICWBL-22✓	0.004✓	0.004✓	0.005✓	-
2019 SS-00342✓	2023/9/11	6	F1-ICWBL-22	0.004	0.004	0.006✓	-
2019 ZK-02753✓	2023/9/11	6	F1-ICWBL-22	0.004	0.004	0.008✓	-
2019 ZK-02582✓	2023/9/11	6	F1-ICWBL-22	0.004	0.004	0.005✓	-
2019 NS-00109✓	2023/9/11	6	F1-ICWBL-22	0.004	0.004	0.013✓	-
2019 SS-00250✓	2023/9/11	6	F1-ICWBL-22	0.004	0.004	0.020✓	-
2019 FU-00361✓	2023/9/11	6	F1-ICWBL-22	0.004	0.004	0.027✓	-
2019 ZK-02541✓	2023/9/11	6	F1-ICWBL-22	0.004	0.004	0.014✓	-
ZK-00687✓	2023/9/12✓	6✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.017✓	-
ZK-00584✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.006✓	-
ZK-00702✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.065✓	-
ZK-00674✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.004✓	-
ZK-00482✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.038✓	-
ZK-00817✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.006✓	0.005✓
ZK-00612✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.006✓	-
ZK-00270✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.004✓	-
ZK-00741✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.004✓	-
TB-300✓	2023/9/12	6	F1-ICWBL-63	0.003	0.003	0.011✓	-
2019 ZK-02857✓	2023/9/12✓	6✓	F1-ICWBL-52✓	0.004✓	0.004✓	0.004✓	-
2019 NS-00075✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.004✓	-
ZK-01027✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.006✓	-
2018 ZK-01417✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.006✓	-
2019 FU-00191G✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.019✓	-
2019 SS-00306✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.005✓	-
2019 ZK-02226✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.010✓	-
ZK-01239✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.014✓	-
ZK-01236✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.006✓	-
ZK-00752✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.011✓	-
2019 ZK-02819✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.011✓	-
ZK-01010✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.050✓	-
2018 FU-00137✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.038✓	-
2019 ZK-02369✓	2023/9/12	6	F1-ICWBL-52	0.004	0.004	0.005✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 FU-00137	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.006	-
2019 ZK-02744	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.11	-
2019 FU-00261G	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.071	-
2019 ZK-02393	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.004	-
ZK-01094	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.15	-
2019 NS-00031	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.005	-
2019 FU-00068	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.34	-
2019 FU-00045	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.020	-
2019 ZK-02620	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.042	-
ZK-01037	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.12	-
2019 FU-00106	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.008	-
2019 FU-00051	2023/9/13	6	F1-ICWBL-22	0.004	0.004	0.006	0.004
ZK-01109	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.009	-
TB-219	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.008	-
TB-189	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.009	-
TB-213	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.007	-
TB-185	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.008	-
TB-184	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.008	-
ZK-01197	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.014	-
ZK-01148	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.010	-
TB-294	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.008	-
ZK-00839	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.009	-
TB-169	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.008	-
ZK-00476	2023/9/13	6	F1-ICWBL-63	0.004	0.004	0.009	-
ZK-00576	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.090	-
ZK-00729	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.004	-
ZK-00440	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.003	-
ZK-00824	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.004	-
ZK-00847	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.005	-
ZK-00500	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.003	-
ZK-01173	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.004	-
ZK-00362	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.003	-
ZK-01166	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.015	-
ZK-00616	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.004	-
ZK-00456	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.004	-
ZK-00566	2023/9/14	6	F1-ICWBL-63	0.003	0.003	0.003	-
2019 NS-00166	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.004	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 ZK-02656 /	2023/9/14 /	6 /	F1-ICWBL-22 /	0.004 /	0.004 /	0.035 /	-
2019 ZK-02576 /	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.040 /	-
2019 ZK-02588 /	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.012 /	-
2019 SS-00468 /	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.005 /	-
2019 SS-00117 /	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.036 /	-
2019 ZK-02694 /	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.005 /	-
ZK-01221 /	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.084 /	-
2019 SS-00030 /	2023/9/14	6	F1-ICWBL-22	0.004	0.004	0.008 /	-
2019 FU-00123 /	2023/9/20 /	6 /	F1-ICWBL-190 /	0.004 /	0.004 /	0.16 /	-
2019 FU-00148 /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.35 /	-
2019 FU-00179G /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.050 /	-
2019 FU-00209G /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.16 /	-
2019 FU-00180G /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.070 /	-
2018 ZK-01809 /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.055 /	-
2019 FU-00097 /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.034 /	-
2019 FU-00381 /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.12 /	-
2018 FU-00072 /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.008 /	-
2020 FU-00294 /	2023/9/20	6	F1-ICWBL-190	0.004	0.004	0.055 /	-
2019 FU-00162G /	2023/9/21 /	6 /	F1-ICWBL-190 /	0.004 /	0.004 /	0.055 /	-
2019 FU-00129 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.061 /	-
2019 FU-00256G /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.13 /	-
2019 FU-00095 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.11 /	-
2019 FU-00120 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.088 /	-
2019 NS-00059 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.004 /	-
2019 FU-00269G /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.004 /	0.004 /
2019 FU-00351 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.004 /	-
2019 ZK-02798 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.008 /	0.006 /
2019 ZK-02617 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.009 /	-
2019 FU-00355 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.009 /	-
2019 FU-00235 /	2023/9/21	6	F1-ICWBL-190	0.004	0.004	0.016 /	-
2019 FU-00227G /	2023/9/22 /	6 /	F1-ICWBL-190 /	0.004 /	0.004 /	0.12 /	-
2019 FU-00244G /	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.075 /	-
2020 SS-00311 /	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.51 /	-
2019 FU-00150 /	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.17 /	-
2018 ZK-01450 /	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.029 /	-
2018 ZK-01411 /	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.12 /	-
2018 ZK-01685 /	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.010 /	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 FU-00072✓	2023/9/22✓	6✓	F1-ICWBL-190✓	0.004✓	0.004✓	0.055✓	-
ZK-00767✓	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.006✓	-
ZK-01391✓	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.093✓	-
ZK-01050✓	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.28✓	-
2018 ZK-01471✓	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.013✓	-
2019 NS-00102✓	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.016✓	-
KM-00290✓	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.43✓	-
ZK-00813✓	2023/9/22	6	F1-ICWBL-190	0.004	0.004	0.006✓	-
ZK-00275✓	2023/9/25✓	6✓	F1-ICWBL-63✓	0.004✓	0.004✓	0.004✓	-
ZK-01194✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.007✓	0.005✓
ZK-00364✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.022✓	-
ZK-00529✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.004✓	-
ZK-00419✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.004✓	-
ZK-00690✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.004✓	-
ZK-00607✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.007✓	-
ZK-00388✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.005✓	-
TB-226✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.006✓	-
ZK-00433✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.004✓	-
ZK-00547✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.018✓	-
ZK-00657✓	2023/9/25	6	F1-ICWBL-63	0.004	0.004	0.017✓	0.004✓
TB-144✓	2023/9/26✓	6✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.005✓	-
ZK-00715✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.003✓	-
ZK-00416✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.012✓	-
ZK-01155✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.009✓	-
ZK-01244✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.023✓	-
ZK-01211✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.19✓	-
ZK-00670✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.003✓	-
TB-106✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.003✓	-
ZK-00611✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.010✓	-
TB-159✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.020✓	-
ZK-00890✓	2023/9/26	6	F1-ICWBL-63	0.003	0.003	0.008✓	-
2019 ZK-02469✓	2023/9/27✓	6✓	F1-ICWBL-96✓	0.003✓	0.003✓	0.76✓	-
2019 FU-00113✓	2023/9/27	6	F1-ICWBL-96	0.003	0.003	0.82✓	-
2019 FU-00236G✓	2023/9/27	6	F1-ICWBL-96	0.003	0.003	0.40✓	-
2018 FU-00134✓	2023/9/27	6	F1-ICWBL-96	0.003	0.003	0.64✓	-
2019 FU-00155G✓	2023/9/27	6	F1-ICWBL-96	0.003	0.003	0.10✓	-
2019 FU-00130✓	2023/9/27	6	F1-ICWBL-96	0.003	0.003	0.54✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 FU-00175	2023/9/27	6	F1-ICWBL-96	0.003	0.003	0.10	-
2019 FU-00172	2023/9/27	6	F1-ICWBL-96	0.003	0.003	0.034	-
2019 FU-00133	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.35	-
2019 FU-00071	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.17	-
2019 SS-00302	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.60	-
2019 FU-00211	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.58	-
2020 SS-00411	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.52	-
2019 SS-00081	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.78	-
2019 SS-00246	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.90	-
2019 FU-00169	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.23	-
2018 FU-00052	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.37	-
2018 FU-00129	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.21	-
2019 FU-00165	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.28	-
2019 FU-00161	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.42	-
2019 FU-00168	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.22	-
2018 FU-00135	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.23	-
2019 FU-00269	2023/9/28	6	F1-ICWBL-96	0.004	0.004	0.21	-
2020 SS-00068	2023/9/29	6	F1-ICW-239	0.005	0.005	0.52	-
2020 SS-00317	2023/9/29	6	F1-ICW-239	0.005	0.005	0.49	-
2019 FU-00195G	2023/9/29	6	F1-ICW-239	0.005	0.005	0.61	-
2020 SS-00042	2023/9/29	6	F1-ICW-239	0.005	0.005	0.50	-
2019 FU-00250G	2023/9/29	6	F1-ICW-239	0.005	0.005	0.47	-
2018 FU-00136	2023/9/29	6	F1-ICW-239	0.005	0.005	0.75	-
2018 FU-00054	2023/9/29	6	F1-ICW-239	0.005	0.005	0.19	-
2018 FU-00041	2023/9/29	6	F1-ICW-239	0.005	0.005	0.73	-
2018 FU-00051	2023/9/29	6	F1-ICW-239	0.005	0.005	0.29	-
2019 FU-00210G	2023/9/29	6	F1-ICW-239	0.005	0.005	0.16	-
2019 FU-00265	2023/9/29	6	F1-ICW-239	0.005	0.005	0.21	-
2018 FU-00131	2023/9/29	6	F1-ICW-239	0.005	0.005	0.18	-
2018 FU-00056	2023/9/29	6	F1-ICW-239	0.005	0.005	0.34	-
2019 FU-00109	2023/9/29	6	F1-ICWBL-96	0.003	0.003	0.009	-
2019 SS-00282	2023/9/30	6	F1-ICW-239	0.005	0.005	0.043	-
2018 FU-00055	2023/9/30	6	F1-ICW-239	0.005	0.005	0.29	-
2018 FU-00045	2023/9/30	6	F1-ICW-239	0.005	0.005	0.21	-
2019 SS-00205	2023/9/30	6	F1-ICW-239	0.005	0.005	0.77	-
2018 FU-00044	2023/9/30	6	F1-ICW-239	0.005	0.005	0.38	-
2018 FU-00050	2023/9/30	6	F1-ICW-239	0.005	0.005	0.25	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2018 FU-00049 /	2023/9/30 /	6 /	F1-ICW-239 /	0.005 /	0.005 /	0.40 /	-
2018 FU-00108 /	2023/9/30 /	6 /	F1-ICW-239	0.005	0.005	0.18 /	-
2019 FU-00139 /	2023/9/30 /	6 /	F1-ICWBL-96 /	0.003 /	0.003 /	0.005 /	-
2019 ZK-02342 /	2023/9/30 /	6	F1-ICWBL-96	0.003	0.003	0.005 /	-
2018 FU-00149 /	2023/9/30 /	6	F1-ICWBL-96	0.003	0.003	0.067 /	-
2019 FU-00193 /	2023/9/30 /	6	F1-ICWBL-96	0.003	0.003	0.034 /	-