

GM	メンバー

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2019 ZK-02356 ✓	2023/12/1 ✓	6 ✓	F1-ICW-296 ✓	0.003 ✓	-	0.79 ✓	-
S10 ✓	2023/12/1	6	F1-ICW-296	0.003	-	0.21 ✓	-
2018 FU-00023 ✓	2023/12/2 ✓	6 ✓	F1-ICW-306 ✓	0.003 ✓	-	0.034 ✓	-
2018 FU-00138 ✓	2023/12/2	6	F1-ICW-306	0.003	-	0.006 ✓	-
2018 ZK-01451 ✓	2023/12/2	6	F1-ICW-306	0.003	-	0.028 ✓	-
2018 FU-00036 ✓	2023/12/2	6	F1-ICW-306	0.003	-	0.016 ✓	-
2020 ZK-04711 ✓	2023/12/2	6	F1-ICW-306	0.003	-	0.49 ✓	-
2020 ZK-04710 ✓	2023/12/2	6	F1-ICW-306	0.003	-	0.71 ✓	-
2020 ZK-04709 ✓	2023/12/2	6	F1-ICW-306	0.003	-	0.57 ✓	-
2019 FU-00140 ✓	2023/12/2 ✓	6 ✓	F1-ICWBL-96 ✓	0.004 ✓	0.004 ✓	0.012 ✓	-
2019 NS-00287 ✓	2023/12/2 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.008 ✓	-
2019 FU-00230G ✓	2023/12/2	6	F1-ICWBL-63	0.003	0.003	0.021 ✓	-
2019 NS-00041 ✓	2023/12/2	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 FU-00168G ✓	2023/12/2	6	F1-ICWBL-63	0.003	0.003	0.090 ✓	-
2019 SS-00295 ✓	2023/12/2	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 ZK-02672 ✓	2023/12/2	6	F1-ICWBL-63	0.003	0.003	0.033 ✓	-
2018 FU-00034 ✓	2023/12/4 ✓	6 ✓	F1-ICW-268 ✓	0.004 ✓	-	0.046 ✓	-
2020 ZK-04721 ✓	2023/12/4	6	F1-ICW-268	0.004	-	0.047 ✓	-
2018 FU-00026 ✓	2023/12/4	6	F1-ICW-268	0.004	-	0.015 ✓	-
2019 NS-00314 ✓	2023/12/4 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.006 ✓	-
2019 NS-00104 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2020 FU-00166 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.32 ✓	-
2019 FU-00147 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
2019 ZK-02277 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 NS-00129 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.006 ✓	-
2019 SS-00133 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.004 ✓	-
2019 ZK-02733 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 NS-00017 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 NS-00039 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.022 ✓	-
2020 FU-00235 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.13 ✓	-
2018 FU-00139 ✓	2023/12/4	6	F1-ICWBL-63	0.003	0.003	0.022 ✓	-
2019 FU-00271 ✓	2023/12/5 ✓	6 ✓	F1-ICW-286 ✓	0.004 ✓	-	0.049 ✓	-
2019 FU-00238 ✓	2023/12/5	6	F1-ICW-286	0.004	-	0.62 ✓	-
2019 FU-00158 ✓	2023/12/5	6	F1-ICW-286	0.004	-	0.035 ✓	-
2018 FU-00031 ✓	2023/12/5	6	F1-ICW-286	0.004	-	0.14 ✓	-
2018 FU-00029 ✓	2023/12/5	6	F1-ICW-286	0.004	-	0.019 ✓	-
2018 FU-00039 ✓	2023/12/5	6	F1-ICW-286	0.004	-	0.011 ✓	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2019 SS-00083	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.018	-
2019 ZK-02688	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.036	-
2019 SS-00034	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.006	-
2019 ZK-02889	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.010	-
2019 NS-00280	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.011	-
2019 ZK-02732	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.009	-
2019 ZK-02240	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.006	-
ZK-01245	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.020	-
2018 ZK-01436	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.047	-
2019 SS-00036	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.009	-
2019 FU-00336	2023/12/5	6	F1-ICWBL-63	0.003	0.003	0.006	-
2020 ZK-04718	2023/12/6	6	F1-ICW-320	0.004	-	0.46	-
2019 FU-00160	2023/12/6	6	F1-ICW-320	0.004	-	0.034	-
2020 ZK-04719	2023/12/6	6	F1-ICW-320	0.004	-	0.47	-
2019 FU-00162	2023/12/6	6	F1-ICW-320	0.004	-	0.023	-
2019 FU-00159	2023/12/6	6	F1-ICW-320	0.004	-	0.033	-
2019 FU-00156	2023/12/6	6	F1-ICW-320	0.004	-	0.023	-
2020 ZK-04720	2023/12/7	6	F1-ICW-294	0.004	-	0.46	-
S7	2023/12/7	6	F1-ICW-294	0.004	-	0.26	-
S6	2023/12/7	6	F1-ICW-294	0.004	-	0.85	-
2020 ZK-04722	2023/12/7	6	F1-ICW-294	0.004	-	0.52	-
2019 SS-00029	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.034	-
2019 SS-00134	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.009	-
2019 NS-00168	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.009	-
2019 ZK-02818	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.023	-
2019 SS-00086	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.009	-
2019 NS-00107	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.008	-
2018 FU-00067	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.010	-
2019 SS-00296	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.006	-
2019 ZK-02729	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.034	-
2018 ZK-01988	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.070	-
2019 ZK-02766	2023/12/7	6	F1-ICWBL-63	0.003	0.003	0.008	-
2019 FU-00166	2023/12/8	6	F1-ICW-334	0.004	-	0.027	-
S11	2023/12/8	6	F1-ICW-334	0.004	-	0.73	-
2019 FU-00262	2023/12/8	6	F1-ICW-334	0.004	-	0.16	-
KM-00389	2023/12/8	6	F1-ICWBL-96	0.005	0.005	0.005	-
2019 NS-00308	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.006	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta+\gamma$	$\gamma$	$\beta+\gamma$
2019 ZK-02831✓	2023/12/8✓	6✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.014✓	-
2019 ZK-02842✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.019✓	-
2019 ZK-02767✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.005✓	-
2019 SS-00159✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.039✓	-
2019 ZK-02449✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.009✓	-
2019 NS-00062✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.006✓	-
2018 FU-00058✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.006✓	-
2019 SS-00251✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.007✓	-
2019 NS-00317✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.006✓	-
2019 SS-00272✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.030✓	-
2019 NS-00437✓	2023/12/8	6	F1-ICWBL-63	0.003	0.003	0.004✓	-
2019 FU-00264✓	2023/12/9✓	6✓	F1-ICW-466✓	0.004✓	-	0.044✓	-
2019 FU-00261✓	2023/12/9	6	F1-ICW-466	0.004	-	0.030✓	-
2019 FU-00253✓	2023/12/9	6	F1-ICW-466	0.004	-	0.039✓	-
2019 FU-00270✓	2023/12/9	6	F1-ICW-466	0.004	-	0.055✓	-
2019 FU-00277✓	2023/12/9	6	F1-ICW-466	0.004	-	0.040✓	-
2019 FU-00268✓	2023/12/9	6	F1-ICW-466	0.004	-	0.10✓	-
2018 FU-00007✓	2023/12/9	6	F1-ICW-466	0.004	-	0.045✓	-
2019 SS-00068✓	2023/12/13✓	6✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.036✓	-
2019 SS-00288✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.012✓	-
ZK-00978✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.012✓	-
ZK-01018✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.005✓	-
ZK-00923✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.011✓	-
ZK-00987✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.004✓	-
ZK-00355✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.005✓	-
ZK-00630✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.006✓	-
ZK-00957✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.007✓	-
ZK-00997✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.004✓	-
ZK-01016✓	2023/12/13	6	F1-ICWBL-63	0.003	0.003	0.007✓	-
2019 FU-00242G✓	2023/12/14✓	6✓	F1-ICWBL-63✓	0.003✓	0.003✓	0.007✓	-
2019 ZK-02903✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.005✓	-
2019 NS-00323✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.006✓	-
2019 SS-00032✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.029✓	-
2019 NS-00018✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.007✓	-
2019 SS-00341✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.005✓	-
2019 ZK-02917✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.005✓	-
2019 NS-00334✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.004✓	-



瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2019 ZK-02780 ✓	2023/12/14 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.008 ✓	-
2019 NS-00247 ✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 NS-00058 ✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.005 ✓	-
2019 ZK-02325 ✓	2023/12/14	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
2019 FU-00264 ✓	2023/12/15 ✓	6 ✓	F1-ICWBL-96 ✓	0.005 ✓	0.005 ✓	0.025 ✓	-
2019 FU-00261 ✓	2023/12/15	6	F1-ICWBL-96	0.005	0.005	0.033 ✓	-
11944 ✓	2023/12/18 ✓	4.5(8R) ✓	F1-ICWBL-190 ✓	0.004 ✓	0.004 ✓	0.20 ✓	-
2019 ZK-02517 ✓	2023/12/20 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.009 ✓	-
2019 NS-00222 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 ZK-02783 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	-
2019 FU-00362 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.072 ✓	-
2018 ZK-01671 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.018 ✓	-
2019 ZK-02602 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 ZK-02513 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.046 ✓	-
2019 ZK-02740 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.13 ✓	-
2019 ZK-02272 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
ZK-00443 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	-
ZK-00407 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
ZK-01184 ✓	2023/12/20	6	F1-ICWBL-63	0.003	0.003	0.026 ✓	-
ZK-01036 ✓	2023/12/21 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.24 ✓	-
ZK-00800 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.083 ✓	-
ZK-00998 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	-
2019 ZK-02667 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.014 ✓	-
ZK-00770 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.13 ✓	-
ZK-00765 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.044 ✓	-
2019 FU-00345 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.021 ✓	-
2019 ZK-02041 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
2019 FU-00394 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.26 ✓	-
2019 FU-00395 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.012 ✓	-
2019 ZK-02055 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.011 ✓	-
2019 ZK-02098 ✓	2023/12/21	6	F1-ICWBL-63	0.003	0.003	0.030 ✓	-
2019 FU-00375 ✓	2023/12/22 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.029 ✓	-
2019 ZK-02058 ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.016 ✓	-
2019 ZK-02056 ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	-
ZK-00804 ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.17 ✓	-
2019 FU-00237G ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.023 ✓	-
2018 ZK-01893 ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.13 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m <sup>3</sup> )	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				$\gamma$	$\beta + \gamma$	$\gamma$	$\beta + \gamma$
2019 ZK-02274 ✓	2023/12/22 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.023 ✓	—
ZK-00959 ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	—
ZK-00885 ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.007 ✓	—
ZK-00888 ✓	2023/12/22	6	F1-ICWBL-63	0.003	0.003	0.021 ✓	—
2019 FU-00092 ✓	2023/12/26 ✓	6 ✓	F1-ICWBL-63 ✓	0.003 ✓	0.003 ✓	0.006 ✓	—
2019 ZK-02128 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.14 ✓	—
2019 FU-00012 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.12 ✓	—
2019 ZK-02476 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	—
2019 FU-00344 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.016 ✓	—
2019 ZK-02528 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.023 ✓	—
2019 FU-00017 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.008 ✓	—
ZK-00383 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.010 ✓	—
2019 ZK-02490 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.015 ✓	—
2019 ZK-02485 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.009 ✓	—
2019 ZK-02504 ✓	2023/12/26	6	F1-ICWBL-63	0.003	0.003	0.012 ✓	—