

GM	メンバー

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2020 SS-00014	2025/6/2	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SK-00140	2025/6/2	6	F1-ICWBL-97	0.004	0.004	0.16	-
2022 SS-00440	2025/6/2	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 ZK-03268	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-00168	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04773	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04732	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 FU-00055	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04796	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 TS-0008	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 EB-00004	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 SK-00619	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-00121	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 EB-00001	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04846	2025/6/3	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00386	2025/6/3	6	F1-ICWBL-246	0.003	0.003	0.005	-
TB-171	2025/6/3	6	F1-ICWBL-246	0.003	0.003	0.035	-
2019 ZK-03183	2025/6/3	6	F1-ICWBL-246	0.003	0.003	0.003	-
ZK-01050	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.17	-
ZK-00717	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.004	-
2020 ZK-03325	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.040	-
TB-035	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.21	-
ZK-01009	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.005	-
TB-091	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.042	-
ZK-00372	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.004	-
KM-00377	2025/6/4	6	F1-ICWBL-246	0.003	0.003	0.41	-
2021 FU-00086	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2020 ZK-04155	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-40481	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2020 ZK-04120	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04780	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04804	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 FU-00238	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 CT-00035	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00981	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 TS-0076	2025/6/4	6	F1-ICWBL-97	0.004	0.004	0.004	-
2020 ZK-04176	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2022 SS-00450	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-04868	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2022 SK-00620	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2020 ZK-04276	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-00169	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-00114	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.006	—
2021 SS-00119	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.006	—
2022 SK-00931	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.005	—
2021 FU-00134	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-40031	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-00138	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 FU-00046	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00872	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-40019	2025/6/5	6	F1-ICWBL-97	0.004	0.004	0.004	—
2020 ZK-03389	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.029	—
TB-252	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.020	—
ZK-00314	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.005	—
S 088	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.26	—
ZK-01106	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.065	—
2019 FU-00388	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.004	—
KM-10195	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.004	—
ZK-00705	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.006	—
ZK-00653	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.005	—
ZK-00212	2025/6/5	6	F1-ICWBL-246	0.003	0.003	0.006	—
2019 ZK-03044	2025/6/6	6	F1-ICWBL-246	0.003	0.003	0.005	—
ZK-00744	2025/6/6	6	F1-ICWBL-246	0.003	0.003	0.007	—
ZK-01107	2025/6/6	6	F1-ICWBL-246	0.003	0.003	0.013	—
2020 ZK-03383	2025/6/6	6	F1-ICWBL-246	0.003	0.003	0.035	—
026	2025/6/6	6	F1-ICWBL-246	0.003	0.003	0.003	—
KM-10159	2025/6/6	6	F1-ICWBL-246	0.003	0.003	0.004	—
ZK-00005	2025/6/6	6	F1-ICWBL-246	0.003	0.003	0.016	—
2022 SS-10048	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-04802	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-04782	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 FU-10039	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 FU-00088	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-05188	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2022 SS-00756	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-40014	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-05263	2025/6/6	6	F1-ICWBL-97	0.004	0.004	0.004	—
ZK-00718	2025/6/7	6	F1-ICWBL-246	0.003	0.003	0.004	—
KM-10059	2025/6/7	6	F1-ICWBL-246	0.003	0.003	0.004	—
2020 ZK-03344	2025/6/7	6	F1-ICWBL-246	0.003	0.003	0.042	—
ZK-00355	2025/6/7	6	F1-ICWBL-246	0.003	0.003	0.006	—
TB-173	2025/6/7	6	F1-ICWBL-246	0.003	0.003	0.004	—
2018 ZK-01445	2025/6/7	6	F1-ICWBL-246	0.003	0.003	0.007	—
2021 SS-00030	2025/6/10	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 FU-00082	2025/6/10	6	F1-ICWBL-97	0.004	0.004	0.004	—
2022 SK-01155	2025/6/10	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-00165	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 FU-00085	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SK-00132	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.13	—
2019 NS-00829	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SS-10340	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.019	—
2021 SS-40238	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-04766	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-05179	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00455	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00372	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00248	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00757	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00724	2025/6/11	6	F1-ICWBL-97	0.004	0.004	0.004	—
TB-050	2025/6/11	6	F1-ICWBL-52	0.003	0.003	0.012	—
TB-028	2025/6/11	6	F1-ICWBL-52	0.003	0.003	0.033	—
ZK-00270	2025/6/11	6	F1-ICWBL-52	0.003	0.003	0.003	—
ZK-00729	2025/6/11	6	F1-ICWBL-52	0.003	0.003	0.005	—
KM-10130	2025/6/11	6	F1-ICWBL-52	0.003	0.003	0.003	—
2019 NS-00860	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00620	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	—
2019 NS-00831	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	—
2020 ZK-04178	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	—
2020 ZK-04159	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SK-00059	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-04757	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2021 SS-10492	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	-
2020 ZK-04627	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-05034	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-05032	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-00029	2025/6/12	6	F1-ICWBL-97	0.004	0.004	0.004	-
ZK-00299	2025/6/12	6	F1-ICWBL-142	0.003	0.003	0.078	-
ZK-00693	2025/6/12	6	F1-ICWBL-142	0.003	0.003	0.006	-
ZK-00194	2025/6/12	6	F1-ICWBL-142	0.003	0.003	0.007	-
KM-00162	2025/6/12	6	F1-ICWBL-142	0.003	0.003	0.061	-
ZK-00196	2025/6/12	6	F1-ICWBL-142	0.003	0.003	0.010	-
ZK-01268	2025/6/12	6	F1-ICWBL-142	0.003	0.003	0.11	-
KM-10147	2025/6/12	6	F1-ICWBL-142	0.003	0.003	0.007	-
ZK-00545	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.006	-
ZK-00397	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.005	-
2019 FU-00240	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.19	-
2018 FU-00082	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.026	-
ZK-00210	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.005	-
TB-159	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.026	-
ZK-00346	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.005	-
ZK-00822	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.006	-
ZK-00204	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.006	-
TB-295	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.017	-
KM-10100	2025/6/13	6	F1-ICWBL-258	0.003	0.003	0.021	-
2020 ZK-04549	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00893	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04736	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 SS-00348	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 SS-00342	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 ZK-04197	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2020 SS1U-022	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-10431	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2020 ZK-04257	2025/6/13	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 SS-00339	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-10443	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 FU-00201	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 SS-00453	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.004	-
ZK-00707	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.004	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2022 SK-01162	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-10298	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.13	-
2021 SS-00127	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.067	-
2021 SS-10573	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.13	-
ZK-01178	2025/6/14	6	F1-ICWBL-97	0.004	0.004	0.004	-
TB-168	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.004	-
003	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.007	-
ZK-00630	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.005	-
ZK-00923	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.009	-
2019 FU-00281	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.006	-
2019 FU-00108	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.009	-
ZK-00647	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.006	-
S076	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.010	-
017	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.005	-
TB-195	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.007	-
ZK-00907	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.006	-
ZK-00984	2025/6/14	6	F1-ICWBL-258	0.003	0.003	0.010	-
KM-10098	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.005	-
2020 ZK-03345	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.25	-
ZK-00891	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.094	-
S141	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.015	-
ZK-00662	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.005	-
KM-10166	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.007	-
TB-116	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.005	-
ZK-00276	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.006	-
ZK-01362	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.005	-
KM-10106	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.25	-
ZK-00730	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.014	-
ZK-00313	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.005	-
ZK-00381	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.005	-
007	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.004	-
ZK-00931	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.006	-
2018 ZK-01795	2025/6/16	6	F1-ICWBL-258	0.003	0.003	0.17	-
2019 NS-00760	2025/6/17	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-04839	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00842	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 FU-10006	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2021 SS-30094	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.006	-
2021 SS-30372	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00816	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00912	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00896	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 NS-00814	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2020 ZK-04166	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-40240	2025/6/18	6	F1-ICWBL-97	0.004	0.004	0.004	-
TB-065	2025/6/19	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 SS-40291	2025/6/19	6	F1-ICWBL-97	0.004	0.004	0.004	-
TB-187	2025/6/19	6	F1-ICWBL-97	0.004	0.004	0.004	-
2019 SS-00549	2025/6/19	6	F1-ICWBL-97	0.004	0.004	0.018	-
2021 SS-10301	2025/6/20	6	F1-ICWBL-97	0.004	0.004	0.24	-
2022 SK-01115	2025/6/20	6	F1-ICWBL-97	0.004	0.004	0.18	-
2021 SK-00121	2025/6/20	6	F1-ICWBL-97	0.004	0.004	0.088	-
2021 SS-40408	2025/6/20	6	F1-ICWBL-97	0.004	0.004	0.1	-
2021 SK-0050	2025/6/20	6	F1-ICWBL-97	0.004	0.004	0.45	-
2022 CT-00569	2025/6/20	6	F1-ICWBL-97	0.004	0.004	0.14	-
2021 SS-10587	2025/6/20	6	F1-ICWBL-97	0.004	0.004	0.15	-
2021-E2-0002	2025/6/23	1.6	F1-ICWBL-258	0.003	0.009	2.13	-
2021-E2-0003	2025/6/23	1.6	F1-ICWBL-258	0.003	0.009	0.59	-
2021-E2-0004	2025/6/23	1.6	F1-ICWBL-258	0.003	0.009	0.90	-
2021-E2-0005	2025/6/23	1.6	F1-ICWBL-258	0.003	0.009	0.70	-
2021-E2-0006	2025/6/23	1.6	F1-ICWBL-258	0.003	0.009	0.32	-
2021-E2-0007	2025/6/23	1.6	F1-ICWBL-258	0.003	0.009	0.39	-
2021 SS-30302	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 CT-00570	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.36	-
2021 SK-00113	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.10	-
ZK-00554	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 KG-006	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.36	-
ZK-00979	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.004	-
2021 ZK-05161	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.004	-
ZK-00490	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.004	-
2022 SS-00600	2025/6/23	6	F1-ICWBL-97	0.004	0.004	0.004	-
TN 05	2025/6/24	6	F1-ICWBL-97	0.004	0.004	0.004	-
TN 01	2025/6/24	6	F1-ICWBL-97	0.004	0.004	0.004	-
TN 11	2025/6/24	6	F1-ICWBL-97	0.004	0.004	0.004	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
TN 22	2025/6/25	6	F1-ICWBL-97	0.004	0.004	0.004	—
TN 17	2025/6/25	6	F1-ICWBL-97	0.004	0.004	0.004	—
TN 21	2025/6/25	6	F1-ICWBL-97	0.004	0.004	0.004	—
2022 SS-00753	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 EB-00002	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 EB-00003	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 ZK-04731	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2022 SS-00760	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SK-00062	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SK-00057	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2020 ZK-04208	2025/6/26	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 FU-00139	2025/6/27	6	F1-ICWBL-97	0.004	0.004	0.004	—
2022 CT-00560	2025/6/27	6	F1-ICWBL-97	0.004	0.004	0.13	—
2021 ZK-05103	2025/6/27	6	F1-ICWBL-97	0.004	0.004	0.004	—
2021 SK-00192	2025/6/27	6	F1-ICWBL-97	0.004	0.004	0.25	—
2021 SS-10527	2025/6/27	6	F1-ICWBL-97	0.004	0.004	0.004	—