


1F Unit 5/6 discharge, north side (T-1) Radioactive Concentration of Seawater  
 (Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1F Near south discharge(T-2) Radioactive Concentration of Seawater (Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1F North side of northern sea wall (T-0-1) Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1F Harbor entrance, northeast side (T-0-1A) Radioactive Concentration of Seawater  
 (Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1F Harbor entrance, east side (T-0-2) Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1F Harbor entrance, southeast side (T-0-3A) Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1F South side of southern sea wall (T-0-3) Radioactive Concentration of Seawater  
 (Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1.5km offshore north of the 1F site(T-A1) Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1.5km offshore of 1F site (T-A2) Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.


Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

1.5km offshore south of 1F site (T-A3) Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)



3km offshore of 1F site(T-D5) Surface layer Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

Around 3km offshore of Ukedo River (T-S3) Surface layer Radioactive Concentration of Seawater  
 (Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

Around 3km offshore of 1F site(T-S4) Surface layer Radioactive Concentration of Seawater  
(Measurements to obtain results quickly)




※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

Around 4km offshore of Kumagawa (T-S8) Surface layer Radioactive Concentration of Seawater  
 (Measurements to obtain results quickly)



※ Guideline level for Tritium(H-3) in WHO Guidelines for Drinking-water Quality is 1.0E+04Bq/L (10,000Bq/L).

Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

※※ ND indicates that concentrations were below detection limits. Detection limits vary depending on the measurement environment and the measurement device.

May 06, 2026

TEPCO Holdings

Fukushima Daiichi D&D Engineering Company

Analysis Results of Seawater within a 10km square  
in front of the power station (Measurements to obtain results quickly)

Summary	Confirmed to not exceed Discharge Suspension Level (30Bq/L) nor Investigation Level (20Bq/L) *1
---------	----------------------------------------------------------------------------------------------------

Sampling Location	Date and Time of Sampling	H - 3 (Bq/L)
3km offshore of 1F site (T-D5)	2026/05/05 07:24	< 8.7E+00
Around 3km offshore of Ukedo River (T-S3)	—	—
Around 3km offshore of 1F site (T-S4)	—	—
Around 4km offshore of Kumagawa (T-S8)	—	—

• A "less than" symbol (<) indicates that the analysis result was less than the detection limit.

• A hyphen "-" indicates that the sampling was not applicable.

• Sampling may be canceled due to the weather condition, etc..

• Values are expressed in exponential notation.

For example, "3.1E+01" means " $3.1 \times 10^1$ " and equals 31. Similarly, "3.1E+00" means " $3.1 \times 10^0$ " and equals 3.1, and "3.1E-01" means " $3.1 \times 10^{-1}$ " and equals 0.31.

\*1 Discharge Suspension Level: Index for determining if discharge needs to be suspended.

Investigation Level: Index for determining actions (inspection of facilities and operational procedures, increased monitoring, etc.) to be taken before the Discharge Suspension Level is reached.

[reference] WHO's drinking water quality guidelines for tritium:1E+04Bq/L (10,000 Bq/L)