Reference

Nuclide Analysis Results of the Radioactive Materials in the Air at Fukushima Nuclear Power Stations < 1/2 > (Data summarized on August 8)

Place of Sampling	The West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini NPS (Reference)				② Density Limit Specified by the Reactor Regulation
Time of Sampling	August 7, 2012 7:00 AM - 12:00 PM		August 7, 2012 9:25 AM - 9:35 AM				(Bq/cm³) (Density limit in the air which radiation workers breathe in is specified in
Detected Nuclides (Half-life)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	section 4 of Appendix 2)
I-131 (Approx. 8 days)	ND	-	ND	-			1E-03
Cs-134 (Approx. 2 years)	ND	1	ND	-			2E-03
Cs-137 (Approx. 30 years)	ND	-	ND	-			3E-03

^{*} The radioactivity density is the sum of the volatile nuclides density and the particulate nuclides density.

O.OE-O is the same as $O.O \times 10^{-O}$

Data of other nuclides is under examination.

The detection limits at the west gate of Fukushima Daiichi NPS are as follows: Volatile: I-131: Approx. 1E-7Bq/cm3, Cs-134: Approx.2E-7Bq/cm3, Cs-137: Approx.3E-7Bq/cm3 Particulate: I-131: Approx. 5E-8Bq/cm3, Cs-134: Approx.1E-7Bq/cm3, Cs-137: Approx.2E-7Bq/cm3 The detection limits at MP-1 of Fukushima Daini MPS are as follows: Volatile: I-131: Approx. 2E-6Bq/cm3, Cs-134: Approx.2E-6Bq/cm3, Cs-134: Approx.2E-6Bq/cm3

Particulate: I-131: Approx. 7E-7Bq/cm3, Cs-134: Approx.6E-7Bq/cm3, Cs-137: Approx.1E-6Bq/cm3

^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

^{* &}quot;ND" indicates that the measurement result is below the detection limit.

Reference

Nuclide Analysis Results of the Radioactive Materials in the Air at Fukushima Nuclear Power Stations < 2/2 > (Data summarized on August 8)

Place of Sampling	MP-1 at Fukushima Daiichi NPS		MP-3 at Fukushima Daiichi NPS		MP-8 at Fukushima Daiichi NPS		② Density Limit Specified by the Reactor Regulation (Bq/cm³) (Density limit in the air which radiation workers
Time of Sampling	August 7, 2012 8:02 AM - 1:02 PM		August 7, 2012 7:31 AM - 12:31 PM		August 7, 2012 7:43 AM - 12:43 PM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/cm³)	Scaling Factor (1)/2)	①Density of Sample (Bq/cm³)	Scaling Factor (1)/2)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	breathe in is specified in section 4 of Appendix 2)
I-131 (Approx. 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (Approx. 2 years)	ND	-	ND	-	ND	-	2E-03
Cs-137 (Approx. 30 years)	ND	-	ND	-	ND	-	3E-03

^{*} The radioactivity density is the sum of the volatile nuclides density and the particulate nuclides density.

O.OE-O is the same as $O.O \times 10^{-O}$

Data of other nuclides is under examination.

The detection limits are as follows. Volatile: I-131: Approx. 9E-8Bq/cm3, Cs-134: Approx.2E-7Bq/cm3, Cs-137: Approx.3E-7Bq/cm3
Particulate: I-131: Approx. 6E-8Bq/cm3, Cs-134: Approx.1E-7Bq/cm3, Cs-137: Approx.1E-7Bq/cm3
As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

^{* &}quot;ND" indicates that the measurement result is below the detection limit.

Analysis Result of Sr in the Air at Fukushima Daiichi Nuclear Power Station

1. Measurement Result

(Unit: Bq/cm³)

Sampling location	Туре	Date	Sr-89	Sr-90
West gate of Fukushima Volatile		April 16	N.D.	N.D.
Daiichi NPS	Particulate	April 16	N.D.	N.D.


2. Analysis organization: Kaken Inc.

3. Evaluation

Sr-89 and Sr-90 were not detected from the samples measured this time.

End

Dust Nuclides Analysis Result: The West Gate of Fukushima Daiichi Nuclear Power Station (Bq/cm³)



(Reference) Dust Nuclides Analysis Results of MP-1 at Fukushima Daini NPS (Bq/cm³)

