

Nuclide analysis results of ocean soil < 1/2 >

Reference

(Data summarized on March 28)

Place of Sampling	15 km offshore of Ukedogawa	15 km offshore of Fukushima Daiichi	15 km offshore of Fukushima Daini	15km offshore of Minami Soma city	Iwasawa Seashoreoffshore 15km
Time of Sampling	Mar 26, 2012 9:30 AM	Mar 26, 2012 8:45 AM	Mar 26, 2012 (Not sampled)	Mar 26, 2012 (Not sampled)	Mar 26, 2012 9:10 AM
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg· moist soil)				
I-131 (about 8 days)	ND	ND	-	-	ND
Cs-134 (about 2 years)	14	23	-	-	81
Cs-137 (about 30 years)	17	34	-	-	110

* Data of other nuclides are under evaluation.

* "ND" means the sampled data is below measurable limit.

I-131: approx. 3Bq/kg· moist soil)

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

2 out of 6 samplings were cancelled due to bad weather.

Nuclide analysis results of ocean soil < 2/2 >

Reference

(Data summarized on March 28)

Place of Sampling	15 km offshore of Hirono-town				
Time of Sampling	Mar 26, 2012 8:20 AM				
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg· moist soil)				
I-131 (about 8 days)	ND				
Cs-134 (about 2 years)	69				
Cs-137 (about 30 years)	96				

* Data of other nuclides are under evaluation.


* "ND" means the sampled data is below measurable limit.

I-131: approx. 4Bq/kg· moist soil)


Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

2 out of 6 samplings were cancelled due to bad weather.


Radioactivity Density of Ocean Soil around approx. 15 km offshore of Ukedo river (Bq/kg (moist soil))



Radioactivity Density of Ocean Soil around approx. 15 km offshore of Fukushima Daiichi (Bq/kg (moist soil))



Radioactivity Density of Ocean Soil 15km Offshore of Hirono (Bq/kg)



Radioactivity Density of Ocean Soil 15km Offshore of Iwasawa Shore (Bq/kg)

