Nuclide Analysis Results of Radioactive Materials in Seawater < Coast>

Reference

(Data summarized on March 28)

Place of Sampling	North of Discha of 5-6u of (approx. 30m n discharge of	of 1F orth of 5-6u	Around South Channel (appox. 330m s Discharge (of 1F south of 1-4u	Around North Channel (Around 3,4u Chanr (approx. 10 ki	of 2F u Discharge nel)	Around Iwasawa (appox. 7 km s Discharge 0 (appox. 16 kr	south of 1,2u Channel)	Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of
Time of Sampling	Mar 27, 08:55		Mar 27, 08:30		Mar 27, 08:20		Mar 27, 08:00		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	surrounding monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	6.9	0.12	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	10	0.11	ND	-	ND	-	ND	-	90

^{*} Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

^{*} Data of other nuclides are under evaluation.

^{*} In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

^{* &}quot;ND" means the sampled data is below measurable limit.

I-131: approx. 0.81Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L

Nuclide Analysis Results of Radioactive Materials in Seawater < Offshore 1/2>

Reference

(Data summarized on March 28)

Place of Sampling	15 km offshore of Minami-Souma CityUpper Layer		15 km offshore of Minami-Souma CityLower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the
Time of Sampling	Mar 26, 2012 (Not sampled)		Mar 26, 2012 (Not sampled)		Mar 26, 2012 09:30 am		Mar 26, 2012 09:30 am		Mar 26, 2012 08:45 am		Mar 26, 2012 08:45 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	water outside of surrounding monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90

Place of Sampling	15 km offsh Fukushima Da Layer	ini Upper			15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation
Time of Sampling	Mar 26, 2 10:10 a		Mar 26, 2012 10:10 am		Mar 26, 2012 09:10 am		Mar 26, 2012 09:10 am		Mar 26, 2012 08:20 am		Mar 26, 2012 08:20 am		(Bq/L) (the density limit in the
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	water outside of surrounding monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	ı	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90

^{*} Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

1 out of 10 samplings was cancelled due to bad weather.

^{*} Data of other nuclides are under evaluation.

^{*} In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

^{* &}quot;ND" means the sampled data is below measurable limit.

I-131: approx. 0.73Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L

Nuclide Analysis Results of Radioactive Materials in Seawater < Offshore 2/2>

Reference

(Data summarized on March 28)

Place of Sampling	3 km offshore of North of Waki Upper Layer Swaki Lower Layer		3 km offshore of Natsui river Upper Layer		3 km offshore of Natsui river Lower Layer		3 km offshore of Onahama port Upper Layer		3 km offshore of Onahama port Lower Layer		Density limit by the announcement of Reactor Regulation		
Time of Sampling	Mar 26, 2012 06:10 am		Mar 26, 2012 06:10 am		Mar 26, 2012 06:35 am		Mar 26, 2012 06:35 am		N/A		N/A		(Bq/L) (the density limit in the
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	water outside of surrounding monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	90

Place of Sampling		rshore of Ena 3 km offshore of Ena Lower Layer		3 km offshore of Numanouchi Upper Layer		3 km offshore of Numanouchi Lower Layer		3 km offshore of Toyoma Upper Layer		3 km offshore of Toyoma Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of	
Time of Sampling	N/A		N/A		Mar 26, 2012 06:45 am		Mar 26, 2012 06:45 am		Mar 26, 2012 06:55 am		Mar 26, 2012 06:55 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	surrounding monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	-	-	-	•	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	ı	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90

^{*} Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

1 out of 10 samplings was cancelled due to bad weather.


^{*} Data of other nuclides are under evaluation.

^{*} In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.


^{* &}quot;ND" means the sampled data is below measurable limit.

I-131: approx. 0.75Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L


Radioactivity Density of Seawater (Bq/L)




Radioactivity Density of Seawater at North of 1F5-6 Discharge Channel (Bq/L)




Radioactivity Density of Seawater at South Discharge Channel of 1F (Bq/L)





Radioactivity Density of Seawater at North Discharge Channel of 2F (Bq/L)



Radioactivity Density of Seawater at Iwasawa Shore 2F (Bq/L)








Radioactivity Density of Seawater (upper layer) around approx. 15 km offshore of Fukushima Daiichi NPS
(Bq/L)


Notification Level




Radioactivity Density of Seawater (lower layer) around approx. 15 km offshore of Fukushima Daiichi NPS

(Bq/L)


Notification Level




Radioactivity Density of Seawater (upper layer) around approx. 15 km offshore of Fukushima Daini NPS (Bq/L) Notification Level




Radioactivity Density of Seawater (lower layer) around approx. 15 km offshore of Fukushima Daini NPS (Bq/L) Notification Level





Radioactivity Density of Seawater 15km Offshore of Iwasawa Shore Upper Layer (Bq/L)






15km offshore of Hirono town Upper Layer Radioactivity Density of Seawater (Bq/L)







Radioactivity Density of Seawater around 3km offshore of North of Iwaki City Upper Layer(Bq/L)

