Reference

## Nuclides Analysis Result of the Sub-drain of Fukushima Daiichi NPS

(Data summarized on July 26)

Place of Sampling	Fukushima Daiichi NPS Unit 1 Sub- drain	Fukushima Daiichi NPS Unit 2 Sub- drain	Fukushima Daiichi NPS Unit 3 Sub- drain	Fukushima Daiichi NPS Unit 4 Sub- drain	Fukushima Daiichi NPS Unit 5 Sub- drain	Fukushima Daiichi NPS Unit 6 Sub- drain	Deep Well at Fukushima Daiichi NPS
Time of Sampling	Jul 25, 2012 8:39 AM	Jul 25, 2012 8:42 AM	Jul 25, 2012 8:45 AM	Jul 25, 2012 8:49 AM	N/A	N/A	Jul 25, 2012 7:40 AM
Detected Nuclides (Half-life)	Density of Sample (Bq/cm³)						
I-131 (Approx. 8 days)	ND	ND	ND	ND	-	-	ND
Cs-134 (Approx. 2 years)	9.1E-02	4.3E-01	ND	ND	-	-	ND
Cs-137 (Approx. 30 years)	1.7E-01	7.0E-01	ND	ND	-	-	ND

 $<sup>^{*}</sup>$  O.OE - O is the same as O.O x 10  $^{\text{-O}}$ 

I-131: Approx. 2E-2Bq/cm3, Cs-134: Approx.2E-2Bq/cm3, Cs-137: Approx.2E-2Bq/cm3) sample properties, there are cases where nuclides below the detection limit are detected.

As the detection limit may vary depending on the detectors and

<sup>\*</sup> Data of other nuclides is under evaluation.

<sup>\* &</sup>quot;ND" indicates that the measurement result is below the detection limit.









