## **Underground Reservoir Nuclide Analysis Results (As of June 11, 2013)**

			Underground Reservoir (Drain hole water)												
	i		i	ii		iii		iv		٧		vi		٧	/ii
		Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side
Sampled time		8:23 AM	8:25 AM	8:18 AM	8:20 AM	8:10 AM	8:11 AM	8:08 AM	8:13 AM	8:12 AM	8:05 AM	8:27 AM	8:17 AM	8:32 AM	8:37 AM
Chloride cor	Chloride concentration (ppm)		8	11	9	10	5	12	10	10	7	11	8	6	10
	I-131	<2.5E-2	<2.9E-2	<2.5E-2	<2.1E-2	<2.4E-2	<2.5E-2	<2.4E-2	<2.9E-2	<2.7E-2	<2.3E-2	<2.5E-2	<2.4E-2	<2.4E-2	<2.7E-2
Radioactive	Cs-134	<4.8E-2	<5.0E-2	<5.1E-2	<4.6E-2	<5.3E-2	<4.7E-2	<4.9E-2	<4.8E-2	<4.7E-2	<4.7E-2	<4.9E-2	<5.1E-2	<5.0E-2	<4.6E-2
concentration	Cs-137	<6.8E-2	<6.7E-2	<6.6E-2	<6.6E-2	<6.6E-2	<6.8E-2	<6.4E-2	<6.7E-2	<6.4E-2	<6.6E-2	<6.4E-2	<6.9E-2	<6.5E-2	<6.4E-2
	γ nuclides other than the major 3 nuclides	I NII)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(Bq/cm <sup>3</sup> )	ΑΙΙ β	5.7E+0	<2.8E-2	3.0E-1	<2.8E-2	<2.8E-2	3.0E-2	<2.8E-2	<2.8E-2	<2.8E-2	1.2E-1	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2

Half-life period I-131: Approx. 8 days, Cs-134: Approx. 2 years, Cs-137: Approx. 30 years

			Underground Reservoir (Leakage detector hole water)													
		i		ii		iii		iv		v /		vi		vii /		
		Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	
Sampled time		7:57 AM	7:56 AM	8:02 AM	8:02 AM	8:08 AM	8:07 AM	8:02 AM	Not sampled			8:22 AM	Not sampled			
Chloride cor	chloride concentration (ppm)		7	12	10	9	9	10				6				
	I-131	<2.8E-2	<2.3E-2	<2.6E-2	<2.4E-2	<2.3E-2	<2.8E-2	<2.4E-2		/		<2.5E-2		/		
Radioactive	Cs-134	<5.7E-2	<5.1E-2	<4.9E-2	<5.2E-2	<5.0E-2	<5.1E-2	<5.0E-2				<4.6E-2				
concentration	Cs-137	<6.9E-2	<6.6E-2	<6.6E-2	<6.8E-2	<6.8E-2	<6.7E-2	<6.5E-2				<6.7E-2				
	γ nuclides other than the major 3 nuclides	1.4E-1*	ND	ND	ND	ND	ND	ND				ND				
(Bq/cm <sup>3</sup> )	ΑΙΙ β	4.5E+2	<2.8E-2	1.8E+1	2.8E-2	<2.8E-2	6.4E+0	<2.8E-2		/		<2.8E-2				

Half-life period I-131: Approx. 8 days, Cs-134: Approx. 2 years, Cs-137: Approx. 30 years

(Note 1) O.OE±O is the same as O.O x 10<sup>±O</sup>.

(Note 2) The figures written next to "<" indicate the detection limit when the measurement result is below the detection limit.

(Note 3) "ND" indicates that the measurement result of  $\gamma$  nuclides other than the major 3 nuclides are below the detection limit.

<sup>\*</sup> Sb-125: 1.4E-1

## Underground Reservoir Observation Holes Nuclide Analysis Results (As of June 11, 2013)

		Underground reservoir observation holes (i - iii)													
	A1	A2	А3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	
Sampled time	8:43 AM	8:54 AM	9:06 AM	8:42 AM	8:50 AM	8:58 AM	9:07 AM	9:17 AM	9:25 AM	9:34 AM	9:42 AM	9:44 AM	9:34 AM	9:26 AM	
Chloride concentration (ppm)	9	11	10	9	9	9	9	10	9	10	35	10	10	11	
All β(Bq/cm <sup>3</sup> )	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	

	Under	ground rese	ervoir obser	s (i - iii)	Underground reservoir observation holes (vi)				
	A15	A16	A17	A18	A19	B1	B2	В3	
Sampled time	9:15 AM	9:06 AM	8:57 AM	9:56 AM	9:55 AM	9:24 AM	9:37 AM	9:51 AM	
Chloride concentration (ppm)	9	13	10	9	11	29	7	10	
All β(Bq/cm <sup>3</sup> )	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	<2.8E-2	

(Note 1) O.OE $\pm$ O is the same as O.O x  $10^{\pm O}$ .

(Note 2) The figures written next to "<" indicate the detection limit when the measurement result is below the detection limit.

## Nuclide Analysis Results of the Underground Bypass (Investigation Holes/Pumping Well) and the Sea Side Observation Holes (As of June 11, 2013)

	Underground bypass investigation holes			Undergr	ound byp	ass pum	ping well			Sea	a side observation holes					
	а	b	С	1	2	3	4	1	2	3	4	5	6	7	8	
Sampled time	Not sampled	10:36 AM	10:55 AM	10:00 AM	10:05 AM	10:10 AM	10:15 AM	9:40 AM	10:30 AM	9:46 AM	9:56 AM					
Chloride concentration (ppm)		9	13	16	17	82	10	10	8	11	11					
Tritium (Bq/cm <sup>3</sup> )		Under analysis														
All β(Bq/cm <sup>3</sup> )		<2.8E-2														

Half-life period Tritium: Approx. 12 years

(Note 1) O.OE $\pm$ O is the same as O.O x  $10^{\pm O}$ .

(Note 2) The figures written next to "<" indicate the detection limit when the measurement result is below the detection limit.