Reference

## Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS < 1/3 >

(Data summarized on December 2)

Place of Sampling	St	nallow Dra	ft Quay at 1F		Inside Unit 1-4 Water Intake Canal (North) at 1F		Inside Unit 1-4 Water Intake Canal (North) at 1F (North side of the East Seawall Break)		1F Unit 1 Screen (Outside the Silt Fence)		1F Unit 1 Screen (Inside the Silt Fence)		② Density Limit Specified by the Reactor Regulation
Time of Sampling	Dec 1, 2013 6:45 AM		N/A		Dec 1, 2013 6:48 AM		Dec 1, 2013 7:15 AM		Dec 1, 2013 6:50 AM		Dec 1, 2013 6:51 AM		(Bq/L) (The density limit in the water outside the
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	surrounding monitored areas is provided in section 6 of Appendix 2.)
I-131 (Approx. 8 days)	ND	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (Approx. 2 years)	3.7	0.06	-	-	22	0.37	18	0.30	26	0.43	22	0.37	60
Cs-137 (Approx. 30 years)	8.3	0.09	-	-	46	0.51	43	0.48	57	0.63	45	0.50	90

<sup>\*</sup> The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

<sup>\*</sup> Data of other nuclides is under evaluation.
\* In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

<sup>\* &</sup>quot;ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 3Bq/L

Reference

## Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS < 2/3 >

(Data summarized on December 2)

			ı						ı		,		
Place of Sampling	1F Unit 2 Screen (Outside the Silt Fence)		1F Unit 2 Screen (Inside the Silt Fence)		1F Unit 3 Screen (Outside the Silt Fence)		1F Unit 3 Screen (Inside the Silt Fence)		1F Unit 4 Screen (Outside the Silt Fence)		1F Unit 4 Screen (Inside the Silt Fence)		② Density Limit Specified by the Reactor Regulation
Time of Sampling	Dec 1, 20 7:03 AI		Dec 1, 20 7:04 Al		Dec 1, 20 7:06 Al		Dec 1, 2013 7:07 AM		Dec 1, 2013 7:09 AM		Dec 1, 2013 7:10 AM		(Bq/L) (The density limit in the water outside the
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	surrounding monitored areas is provided in section 6 of Appendix 2.)
I-131 (Approx. 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (Approx. 2 years)	22	0.37	24	0.40	20	0.33	35	0.58	18	0.30	28	0.47	60
Cs-137 (Approx. 30 years)	48	0.53	59	0.66	42	0.47	78	0.87	47	0.52	65	0.72	90

<sup>\*</sup> The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

<sup>\*</sup> Data of other nuclides is under evaluation.
\* In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

<sup>\* &</sup>quot;ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 4Bq/L

Reference

## Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS < 3/3 >

(Data summarized on December 2)

Place of Sampling		de Unit 1-4 Water te Canal (South) at 1F		Port Entrance of Fukushima Daiichi NPS		In Front of Unit 6 Water Intake Canal at 1F							② Density Limit Specified by the Reactor Regulation
Time of Sampling	Dec 1, 20 7:12 Al		N/A	N/A		N/A							(Bq/L) (The density limit in the water outside the
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	surrounding monitored areas is provided in section 6 of Appendix 2.)
I-131 (Approx. 8 days)	ND	-	-	-	-	-							40
Cs-134 (Approx. 2 years)	26	0.43	-	-	-	-							60
Cs-137 (Approx. 30 years)	62	0.69	-	-	-	-							90

<sup>\*</sup> The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.


As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

<sup>\*</sup> Data of other nuclides is under evaluation.
\* In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.


<sup>\* &</sup>quot;ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 4Bq/L


# Radioactivity Density of the Seawater in Front of the Shallow Draft Quay at 1F (Bq/L)




Radioactivity Density of the Seawater at the North of Unit 1-4 Water Intake of Fukushima Daiichi NPS (Bq/L)




# Radioactivity Density of the Seawater at Unit 1 Screen at 1F (Outside the Silt Fence) (Bq/L)




# Radioactivity Density of the Seawater at Unit 1 Screen at 1F (Inside the Silt Fence) (Bq/L)




# Radioactivity Density of the Seawater at Unit 2 Screen at 1F (Outside the Silt Fence) (Bq/L)




# Radioactivity Density of the Seawater at Unit 2 Screen at 1F (Inside the Silt Fence) (Bq/L)




# Radioactivity Density of the Seawater at Unit 3 Screen at 1F (Outside the Silt Fence) (Bq/L)




# Radioactivity Density of the Seawater at Unit 3 Screen at 1F (Inside the Silt Fence) (Bq/L)



# Radioactivity Density of the Seawater at Unit 4 Screen at 1F (Outside the Silt Fence) (Bq/L)



# Radioactivity Density of the Seawater at Unit 4 Screen at 1F (Inside the Silt Fence) (Bq/L)



Radioactivity Density of the Seawater at the South of Unit 1-4 Water Intake of Fukushima Daiichi NPS (Bq/L)

