Reference

Nuclides Analysis Result of the Radioactive Materials in the Seawater < Coast, Fukushima Daiichi Nuclear Power Station >

(Data summarized on October 3)

Place of Sampling	North of Unit 5-6 Discharge Daiichi N (Approx. 30m North of Unit 8	IPS	Around South Discharge C Daiichi N (Appox. 1.3km South of Unit	the Reactor Regulation (Bq/L)		
Time of Sampling	Oct 2, 20 7:10 A		Oct 2, 2 5:15 A	(The density limit in the water outside the surrounding monitored areas is provided in		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	section 6 of Appendix 2.)	
I-131 (Approx. 8 days)	ND	-	ND	-	40	
Cs-134 (Approx. 2 years)	ND	-	ND -		60	
Cs-137 (Approx. 30 years)	ND	-	ND	-	90	

^{*} The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

I-131: Approx. 0.99Bq/L, Cs-134: Approx. 1.3Bq/L, Cs-137: Approx. 1.6Bq/L

As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

^{*} Data of other nuclides is under evaluation.

^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

 $[\]ensuremath{^{*}}$ "ND" indicates that the measurement result is below the detection limit.

Nuclides Analysis Result of Radioactive Materials in the Seawater < Offshore >

(Data summarized on October 3)

Place of Sampling (Place No.)	3km Offshore of Ukedo River (T-D1) Upper Layer Lower Layer			3km Offshore of Fukushima Daiichi NPS (T-D5) Upper Layer Lower Layer				3km Offshore of Fukushima Daini NPS (T-D9) Upper Layer Lower Layer				② Density Limit Specified by the Reactor Regulation (Bg/L)	
Time of Sampling	Aug 6, 2 8:24 A		Aug 6, 20 8:24 Al		Aug 6, 2 7:51 A		Aug 6, 2 7:51 A		Aug 7, 2013 9:00 AM		Aug 7, 2013 9:00 AM		(The density limit in the water outside the surrounding monitored
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	areas is provided in section 6 of Appendix 2.)
Cs-134 (Approx. 2 years)	0.0053	0.00	0.011	0.00	0.0057	0.00	0.011	0.00	0.0058	0.00	0.020	0.00	60
Cs-137 (Approx. 30 years)	0.011	0.00	0.022	0.00	0.019	0.00	0.025	0.00	0.013	0.00	0.041	0.00	90

Place of Sampling (Place No.)	Upper Layer Lower Layer				Upper Layer Lower Layer				Upper Layer Lower Layer				② Density Limit Specified by the Reactor Regulation (Bq/L)
Time of Sampling													(The density limit in the water outside the surrounding monitored
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	areas is provided in section 6 of Appendix 2.)										
Cs-134 (Approx. 2 years)													60
Cs-137 (Approx. 30 years)													90


^{*} The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.


^{*} Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted.


^{*} Analyzed by: Tokyo Power Technology Ltd.


Radioactivity Density of the Seawater at 1F Units 5-6 North Discharge Channel (Bq/L)





Radioactivity Density of the Seawater at 1F South Discharge Channel (Bq/L)

















Analysis Result of Pu in the Seawater

1. Measurement Result:

(Unit: Bq/L)

Place of Sampling	Date	Pu-238	Pu-239+Pu-240		
1F, North of Unit 5-6 Discharge Channel	Aug 6, 2013	N.D. [<6.6×10 ⁻⁶]	(7.5±2.1) ×10 ⁻⁶		
1F, Around South Discharge Channel	Aug 6, 2013	N.D. [<7.6×10 ⁻⁶]	(1.1±0.29) ×10 ⁻⁵		
15km Offshore of Fukushima Daiichi NPS, Upper Layer	Aug 7, 2013	N.D. [<5.9×10 ⁻⁶]	N.D. [<6.3×10 ⁻⁶]		
Around 3km Offshore of Ukedo River, Upper Layer	Aug 6, 2013	N.D. [<4.8×10 ⁻⁶]	N.D. [<4.7×10 ⁻⁶]		
3km Offshore of Fukushima Daiichi NPS, Upper Layer	Aug 6, 2013	N.D. [<6.9×10 ⁻⁶]	N.D. [<6.1×10 ⁻⁶]		
3km Offshore of Fukushima Daini NPS, Upper Layer	Aug 7, 2013	N.D. [<5.2×10 ⁻⁶]	N.D. [<5.5×10 ⁻⁶]		
The range of the past measurement ocean near Fukushima Daiichi and Stations (FY2001 - FY2008)*			ND∼1.3×10 ⁻⁵		

[] shows below the detection limit.

2. Analytical Institution: Japan Chemical Analysis Center

3. Evaluation:

Given that the density level of Pu-239+Pu-240 detected at North of Unit 5-6 Discharge Channel and Around South Discharge Channel of 1F on August 6, 2013 is within the range of the past density measurements conducted along the seacoasts of 1F and 2F, it cannot be stated with absolute certainty that the presence of these particles is due to the accident.

End

^{*:} Source "Report on the environmental radioactivity measurement around the Nuclear Power Plant (2008)", Committee on the safety technology of Nuclear Power Plants in Fukushima.