
Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (Sampling Locations of Underground Water Obtained at Bank Protection)

Sampling locations of underground water obtained at bank

East seawall break



: Location where ground improvement construction was completed. or being implemented (as of January 31, 2014)

## Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (1/2) Underground Water Obtained at Bank Protection

Unit: Bq/L (exclude chloride)

|         |                          | Underground water observation hole No.0-1* | Underground water<br>observation hole<br>No.0-1-1 |   | Underground water<br>observation hole<br>No.0-2 | Underground water observation hole No.0-3-1 |   | Underground water observation hole No.0-4 |   | Underground water observation hole No.1-8 |   |   |   |   | Underground water observation hole No.1-16 |
|---------|--------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|--|
|         | Date of sampling         |  | /   | / | /   | /   | / | /   | / | /   | / | / | / | / | /  |
|         | Time of sampling         |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
|         | Chloride (unit: ppm)     |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
| С       | Cs-134 (Approx. 2 years) |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Cs      | s-137 (Approx.30 years)  |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
|         |                          |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
| The     |                          |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
| other y |                          |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
|         |                          |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
|         | Gross β                  |  |   |   |   |   |   |   |   |   |   |   |   |   |  |
| ŀ       | H-3 (Approx. 12 years)   |  |   |   |   |   |   |   |   | /   |   |   |   |   |  |
| Sı      | r-90 (Approx. 29 years)  | /  |   |   | /   |   |   | /   | / | /   | / | / | / | / |  |

|         |                          | Underground water<br>observation hole<br>No.1-17 | Groundwater pumped up from the well point (between Unit 1 and 2) | Underground water observation hole No.2 | Underground water<br>observation hole<br>No.2-2 | Underground water observation hole No.2-3 | Underground water observation hole No.2-5 | Underground water observation hole No.2-6 | Underground water<br>observation hole<br>No.2-7 | Groundwater<br>pumped up from<br>the well point<br>(between Unit 2<br>and 3) | Underground water observation hole No.3 | Underground water<br>observation hole<br>No.3-4 | Underground water<br>observation hole<br>No.3-5 |
|---------|--------------------------|--|--|---|---|---|---|---|---|--|---|---|---|
|         | Date of sampling         | /  | /  | /                                       | /   | /   | /   | /   | Feb 5, 2014                                     | /  |   | /   | 1 /   |
|         | Time of sampling         |  |  |   |   |   |   |   | 10:05 AM  |  |   |   |   |
|         | Chloride (unit: ppm)     |  |  |   |   |   |   |   | 780   |  |   |   |   |
| С       | Cs-134 (Approx. 2 years) |  |  |   |   |   |   |   | 0.56  |  |   |   |   |
| C       | Ss-137 (Approx.30 years) |  |  |   |   |   |   |   | 1.5   |  |   |   |   |
|         |                          |  |  |   |   |   |   |   |   |  |   |   |   |
| The     |                          |  |  |   |   |   |   |   |   |  |   |   |   |
| other y |                          |  |  |   |   |   |   |   |   |  |   |   |   |
|         |                          |  |  |   |   |   |   |   |   |  |   |   |   |
|         | Gross β                  |  |  |   |   |   |   |   | 170   |  |   |   |   |
| I       | H-3 (Approx. 12 years)   |  |  |   |   |   |   | /   | 870   |  |   |   |   |
| Si      | 6r-90 (Approx. 29 years) | /  |  | /                                       |   |   |   |   | -   |  | /                                       | /   |   |

<sup>\*</sup> Data announced this time is provided in a thick-frame. The other data was announced on February 6.

<sup>\* &</sup>quot;ND" indicates that the measurement result is below the detection limit, and the detection limit of each nuclide is provided in parentheses

<sup>\* &</sup>quot;-" indicates that the measurement was out of range.

## Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (2/2) Underground Water Obtained at Bank Protection

Unit: Bq/L (exclude chloride)

|         |                          | Underground water observation hole No.0-1 | Underground water observation hole No.0-1-2 |   | Underground water<br>observation hole<br>No.0-3-1 | Underground water<br>observation hole<br>No.0-3-2 |   | Underground water<br>observation hole<br>No.1 | Underground water<br>observation hole<br>No.1-6 |   |   | Underground water<br>observation hole<br>No.1-11 | Underground water<br>observation hole<br>No.1-12 | Underground water<br>observation hole<br>No.1-14 | Underground water<br>observation hole<br>No.1-16 |
|---------|--------------------------|---|---|---|---|---|---|---|---|---|---|--|--|--|--|
|         | Date of sampling         | /   | /   | / | /   | /   | / | /   | 1 /   | / | / | /  | /  | /  | /  |
|         | Time of sampling         |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
|         | Chloride (unit: ppm)     |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
| С       | Cs-134 (Approx. 2 years) |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
| C       | s-137 (Approx.30 years)  |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
|         |                          |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
| The     |                          |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
| other y |                          |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
|         |                          |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
|         | Gross β                  |   |   |   |   |   |   |   |   |   |   |  |  |  |  |
| I       | H-3 (Approx. 12 years)   |   |   | / |   |   |   |   | 1/  | / |   | /  |  | /  |  |
| S       | r-90 (Approx. 29 years)  | /   | /   | / | /   |   | / |   | /   | / |   | /  | /  | /  | /  |

|         |                          | Underground water observation hole No.1-17 | Groundwater<br>pumped up from<br>the well point<br>(between Unit 1<br>and 2) | Underground water observation hole No.2 | Underground water observation hole No.2-2 | Underground water observation hole No.2-3 | Underground water<br>observation hole<br>No.2-5 |   | Underground water<br>observation hole<br>No.2-7 | Groundwater<br>pumped up from<br>the well point<br>(between Unit 2<br>and 3) | Underground water observation hole No.3* | Underground water observation hole No.3-4 | Underground water<br>observation hole<br>No.3-5 |
|---------|--------------------------|--|--|---|---|---|---|---|---|--|--|---|---|
|         | Date of sampling         | /  | /  | /                                       | /   | /   | /   | / | Feb 7, 2014                                     | /  | 1  | /   |   |
|         | Time of sampling         |  |  |   |   |   |   |   | 10:29 AM  |  |  |   |   |
|         | Chloride (unit: ppm)     |  |  |   |   |   |   |   | 580   |  |  |   |   |
| С       | Cs-134 (Approx. 2 years) |  |  |   |   |   |   |   | ND(0.46)  |  |  |   |   |
| С       | Ss-137 (Approx.30 years) |  |  |   |   |   |   |   | 1.2   |  |  |   |   |
|         |                          |  |  |   |   |   |   |   |   |  |  |   |   |
| The     |                          |  |  |   |   |   |   |   |   |  |  |   |   |
| other y |                          |  |  |   |   |   |   |   |   |  |  |   |   |
|         |                          |  |  |   |   |   |   |   |   |  |  |   |   |
|         | Gross β                  |  |  |   |   |   |   |   | 160   |  |  |   |   |
|         | H-3 (Approx. 12 years)   |  |  |   |   |   | /   | / | Under analysis                                  |  |  |   |   |
| S       | 6r-90 (Approx. 29 years) |  |  | /                                       |   | /   | /   |   | -   |  |  | /   |   |

<sup>\* &</sup>quot;ND" indicates that the measurement result is below the detection limit, and the detection limit of each nuclide is provided in parentheses.

<sup>\* &</sup>quot;-" indicates that the measurement was out of range.

## <Reference> The Highest Dose Until the Previous Measurement (Groundwater Obtained at Bank Protection)

|         |                           |         |                                |         |                                |         |                                |         |                                |        |                                 |                  |                                   |         |                             |         |                              |                            |        |                            |                |                           |                  |         |                             |                           | Unit: Bq/L |
|---------|---------------------------|---------|--------------------------------|---------|--------------------------------|---------|--------------------------------|---------|--------------------------------|--------|---------------------------------|------------------|-----------------------------------|---------|-----------------------------|---------|------------------------------|----------------------------|--------|----------------------------|----------------|---------------------------|------------------|---------|-----------------------------|---------------------------|------------|
|         |                           | observa | ndwater<br>ation hole<br>a.0-1 | observa | ndwater<br>ation hole<br>0-1-1 | observa | ndwater<br>ation hole<br>0-1-2 | observa | ndwater<br>ation hole<br>5.0-2 | observ | ndwater<br>ation hole<br>.0-3-1 | observa          | ndwater<br>ation hole<br>0-3-2    | observa | dwater<br>tion hole<br>.0-4 | observa | idwater<br>ition hole<br>o.1 | Ground<br>observati<br>No. |        | Ground<br>observati<br>No. | ion hole       | Ground<br>observat<br>No. | tion hole        | observa | dwater<br>tion hole<br>.1-4 | Ground<br>observat<br>No. | tion hole  |
| С       | s-134 (Approx. 2 years)   | 7.6     | [12/15]                        | ND      |                                | ND      |                                | 0.61    | [10/13]                        | 0.44   | [11/24]                         | 0.82             | <1/14>                            | ND      |                             | 13      | [8/29]                       | 1.9                        | [7/8]  | 11,000                     | [7/9]          | 10                        | [9/2]            | 1.5     | [7/8]                       | 310                       | [8/5]      |
| С       | s-137 (Approx.30 years)   | 19 *3   | <1/26>                         | 0.58    | [12/7]                         | 0.51    | [11/17]                        | 2.2     | <1/12>                         | 0.86   | [11/20]                         | 2.1              | <1/14>                            | 1.4     | <1/12>                      | 31      | [8/29]                       | 3.6                        | [7/8]  | 22,000                     | [7/9]          | 24                        | [9/2]            | 3.6     | [7/8]                       | 650                       | [8/5]      |
|         | Ru-106 (Approx. 370 days) | ND      |                                | ND      |                                | ND      |                                | ND      |                                | ND     |                                 | ND               |                                   | ND      |                             | 26      | [5/24]                       | 7.9                        | [7/8]  | 160                        | [8/15]         | 17                        | (7/22)<br>(8/8)  | 3.1     | [8/8]                       | ND                        |            |
| The     | Mn-54 (Approx. 310 days)  | ND      |                                | ND      |                                | ND      |                                | ND      |                                | ND     |                                 | 0.62             | <2/3>                             | ND      |                             | ND      |                              | 1.0                        | [7/5]  | 62                         | [7/5]          | ND                        |                  | ND      |                             | ND                        |            |
| other y | Co-60 (Approx. 5 years)   | ND      |                                | ND      |                                | ND      |                                | ND      |                                | ND     |                                 | ND               |                                   | ND      |                             | 0.50    | [7/19]                       | ND                         |        | 3.1                        | [7/8]          | ND                        |                  | ND      |                             | ND                        |            |
|         | Sb-125 (Approx. 3 years)  | ND      |                                | ND      |                                | ND      |                                | ND      |                                | ND     |                                 | ND               |                                   | ND      |                             | 1.7     | [7/11]                       | ND                         |        | 250                        | [7/15]         | 1.4                       | (7/12)<br>(8/26) | ND      |                             | 12                        | [8/8]      |
|         | Gross β                   | 300     | [8/22]                         | 21      | [12/7]                         | 21      | [11/10]                        | 87      | [10/13]                        | ND     |                                 | 67 <sup>*2</sup> | [12/11]                           | 29      | [12/29]                     | 1,900   | [5/24]                       | 4,400                      | [7/8]  | 900,000                    | (7/5)<br>(7/9) | 160,000                   | (8/12)<br>(8/15) | 380     | [8/19]                      | 56,000                    | [8/5]      |
|         | H-3 (Approx. 12 years)    | 45,000  | [8/29]                         | 18,000  | [12/7]                         | 74,000  | [12/15]<br><1/19>              | 6,400   | <1/26>                         | ND     |                                 | 73,000           | <1/14> <1/16> <1/23> <1/27> <2/3> | 48,000  | <1/26><br><2/3>             | 500,000 | (5/24)<br>(6/7)              | 630,000                    | [7/8]  | 430,000                    | [9/16]         | 290,000                   | [7/12]           | 98,000  | (7/11)                      | 72,000                    | (8/15)     |
| 5       | r-90(Approx. 29 years)    | 140     | [8/8]                          | Under   |                                | Under   |                                | 0.73    | [9/2]                          | Under  |                                 | Under            |                                   | Under   |                             | 1,300   | [8/22]                       | 2,300                      | [6/28] | 5,000,000                  | [7/5]          | 130,000                   | [8/8]            | 200     | [7/8]                       | 5,100                     | [8/22]     |

|         |                           |   |         |                                |         |                                |                            |          |         |                               |                   |                              |                   |                               |                   |                             |                         |                   |  | JIIIL. DQ/L                     |
|---------|---------------------------|---|---------|--------------------------------|---------|--------------------------------|----------------------------|----------|---------|-------------------------------|-------------------|------------------------------|-------------------|-------------------------------|-------------------|-----------------------------|-------------------------|-------------------|--|---------------------------------|
|         |                           | Groundwater<br>observation hole<br>No.1-6 | observa | ndwater<br>ation hole<br>5.1-8 | observa | ndwater<br>ation hole<br>o.1-9 | Ground<br>observat<br>No.1 | ion hole | observa | ndwater<br>ition hole<br>1-11 | observa           | dwater<br>ition hole<br>1-12 | observa           | ndwater<br>ition hole<br>1-14 | observa           | dwater<br>tion hole<br>1-16 | Groun<br>observa<br>No. | tion hole         | Ground<br>pumped<br>the wel<br>(between<br>and | up from<br>Il point<br>n Unit 1 |
| С       | s-134 (Approx. 2 years)   | -   | 47      | [11/25]                        | 170     | [9/3]                          | -                          |          | 1.1     | <1/13>                        | 74                | [10/21]                      | 1.2 *2            | [11/14]                       | 3.1 *2            | [12/13]                     | 1.2                     | [12/5]            | 110  | [9/23]                          |
| C       | s-137 (Approx.30 years)   | -   | 110     | [11/25]                        | 380     | [9/3]                          | -                          |          | 2.8     | <1/13>                        | 170               | [10/21]                      | 2.3               | [11/21]                       | 3.4               | [10/10]                     | 0.66                    | [12/12]           | 250  | [9/23]                          |
|         | Ru-106 (Approx. 370 days) | -   | ND      |                                | ND      |                                | -                          |          | ND      |                               | 5.4               | [10/28]                      | ND                |                               | 9.2               | [10/28]                     | 4.1                     | [12/12]           | 25   | [9/2]                           |
| The     | Mn-54 (Approx. 310 days)  | -   | 12      | <2/3>                          | ND      |                                | -                          |          | ND      |                               | ND                |                              | ND                |                               | ND                |                             | ND                      |                   | 0.92   | <1/27><br><2/3>                 |
| other y | Co-60 (Approx. 5 years)   | =   | 1.3     | <2/3>                          | ND      |                                | -                          |          | ND      |                               | 0.51              | [10/24]                      | ND                |                               | 0.9               | [11/7]                      | 0.61                    | [11/25]           | ND   |                                 |
|         | Sb-125 (Approx. 3 years)  | -   | ND      |                                | ND      |                                | -                          |          | ND      |                               | 61                | [10/21]                      | ND                |                               | 11                | [12/5]                      | 2.1                     | [11/25]           | ND   |                                 |
|         | Gross β                   | 560,000 <2/6>                             | 59,000  | <2/3>                          | 2,100   | [11/17]                        | 78 *4                      | <1/27>   | 2,300   | [12/26]                       | 730               | [10/21]                      | 440               | <1/30>                        | 3,100,000         | <1/20><br><1/30><br><2/3>   | 130                     | [12/2]<br>[12/23] | 700,000  | [9/23]                          |
| 1       | H-3 (Approx. 12 years)    | 110,000 <2/6>                             | 12,000  | <1/6><br><2/3>                 | 860     | '4<br>〔11/14〕                  | 270,000                    | <1/27>   | 85,000  | [9/13]                        | 440,000           | [10/31]                      | 19,000            | <2/3>                         | 43,000            | [9/26]                      | 32,000                  | <1/20>            | 460,000  | [8/19]                          |
| 8       | 6r-90(Approx. 29 years)   | -   | 1,300   | [9/16]                         | 170     | [9/3]                          | -                          |          | 17      | [9/13]                        | Under<br>analysis |                              | Under<br>analysis |                               | Under<br>analysis |                             | Under<br>analysis       |                   | -  |                                 |

|         |                           |         |                              |         |                                |                   |                             |                   |                                |                         |        |                   |                                |                   |                             |   |                      |  |         |                               |         |                                |         |                                |         | Unit: Bq/L                    |
|---------|---------------------------|---------|------------------------------|---------|--------------------------------|-------------------|-----------------------------|-------------------|--------------------------------|-------------------------|--------|-------------------|--------------------------------|-------------------|-----------------------------|---|----------------------|--|---------|-------------------------------|---------|--------------------------------|---------|--------------------------------|---------|-------------------------------|
|         |                           | observa | ndwater<br>ation hole<br>o.2 | observa | ndwater<br>ation hole<br>.2-1* | observa           | dwater<br>tion hole<br>.2-2 | observa           | ndwater<br>ation hole<br>0.2-3 | Groun<br>observa<br>No. |        | observa           | ndwater<br>ation hole<br>0.2-6 | observa           | dwater<br>tion hole<br>.2-7 | Groundwater<br>observation hole<br>No.2-9 | pump<br>the<br>(betw | undwater<br>ed up from<br>well point<br>een Unit 2<br>and 3) | observa | ndwater<br>ation hole<br>lo.3 | observa | ndwater<br>ation hole<br>.3-1* | observa | ndwater<br>ation hole<br>5.3-4 | observa | idwater<br>ition hole<br>.3-5 |
| С       | s-134 (Approx. 2 years)   | 0.50    | [7/9]                        | 0.66    | [9/1]                          | 14                | <2/2>                       | 0.84              | <1/5>                          | 13                      | <1/8>  | 0.56              | [10/30]                        | 1.5               | <1/12>                      | -   | 1.1                  | [12/12]  | 3.5     | [7/25]                        | 1.2     | (7/25)<br>(8/8)                | 1.9     | <1/8>                          | 64      | <1/15>                        |
| C       | s-137 (Approx.30 years)   | 1.2     | (7/11)<br>(8/1)              | 1.1     | (8/29)<br>(9/1)                | 34                | <1/29>                      | 2.6               | <1/5>                          | 30                      | <1/8>  | 0.71              | <1/30>                         | 3.6               | <1/12>                      | ii.                                       | 2.4                  | [12/7]   | 5.9     | [8/8]                         | 2.6     | [8/1]                          | 4.3     | [11/27]                        | 170     | <1/15>                        |
|         | Ru-106 (Approx. 370 days) | ND      |                              | ND      |                                | ND                |                             | ND                |                                | ND                      |        | ND                |                                | ND                |                             | =   | ND                   |  | ND      |                               | ND      |                                | ND      |                                | -       |                               |
| The     | Mn-54 (Approx. 310 days)  | ND      |                              | ND      |                                | ND                |                             | 0.29              | [12/6]                         | 0.94                    | <1/8>  | ND                |                                | ND                |                             | =   | ND                   |  | ND      |                               | ND      |                                | 0.54    | [10/30]                        | -       |                               |
| other y | Co-60 (Approx. 5 years)   | ND      |                              | ND      |                                | ND                |                             | ND                |                                | ND                      |        | ND                |                                | ND                |                             | =   | ND                   |  | ND      |                               | ND      |                                | ND      |                                | -       |                               |
|         | Sb-125 (Approx. 3 years)  | ND      |                              | ND      |                                | ND                |                             | ND                |                                | 26 *1                   | [9/29] | ND                |                                | ND                |                             | =   | ND                   |  | 1.6     | <1/1>                         | ND      |                                | ND      |                                | -       |                               |
|         | Gross β                   | 1,700   | [7/8]                        | 380     | [7/29]                         | 540               | <1/29>                      | 1,500             | [12/6]                         | 46,000 *1               | [9/29] | 3,200             | [12/5]                         | 270               | [12/20]                     | 1,700 <2/7>                               | 240,00               | 0 [12/12]  | 1,400   | [7/11]                        | 180     | [8/1]                          | ND      |                                | 69      | <1/29>                        |
|         | H-3 (Approx. 12 years)    | 870     | [12/8]                       | 440     | [8/26]                         | 660               | <1/8>                       | 1,700             | [12/6]                         | 6,300                   | [12/4] | 1,200             | [11/24]<br>[11/27]             | 1,100             | <1/17>                      | Under<br>analysis                         | 5,100                | [12/6]   | 3,200   | (2012/12/<br>12)              | 460     | [8/1]                          | 170     | [9/18]                         | 170     | <1/8>                         |
| 8       | r-90(Approx. 29 years)    | 54      | [5/31]                       | 5.9     | [7/25]                         | Under<br>analysis |                             | Under<br>analysis |                                | Under<br>analysis       |        | Under<br>analysis |                                | Under<br>analysis |                             | -   | -                    |  | 8.3     | (2012/12/<br>12)              | 4.4     | [7/23]                         | ND      |                                | i       |                               |

Since some samples are still under analysis, the highest dose of the Strontium-90 is among those previously announced.

1 The analysis result of No.2-5 obtained on September 29 is the reference value, since we could not sample groundwater by a regular procedure.

2 Analysis result of pumped water.

3 The results are for a reference, since the water was highly turbid. (γ and Gross β were measured after filtration.)

4 The results are for a reference, since the water was highly turbid. (γ and Gross β were measured after filtration. If filtration takes a long time, γ will not be analyzed.)

<sup>\* &</sup>quot;ND" indicates that the measurement result is below the detection limit.

<sup>\*</sup> Date of sampling is provided in parentheses. (): 2013, <>: 2014
\* "\*" is provided next to the name of the holes where the sampling could not be performed due to the chemical injection of ground improvement.