Underground Reservoir Nuclide Analysis Results (As of August 31, 2014)

						U	ndergrour	nd Reserv	oir (Drain	hole wate	er)				
			i		ii	iii		iv		V		vi		vii	
		Northeast side	Southwest side	Northeast side	Southwes side										
Sampled time		6:06 AM	/	6:11 AM	/	6:20 AM	6:29 AM	/		/	/	/		/	/
Chloride concentration (ppm)		9		8	/	8	2								
Radioactive concentration	I-131	<2.9E-2		<2.8E-2		<3.0E-2	<2.2E-2								
	Cs-134	<4.1E-2		<4.6E-2		<4.3E-2	<4.2E-2								
	Cs-137	<6.5E-2		<6.6E-2		<6.6E-2	<6.3E-2								
	γ nuclides other than the major 3 nuclides	ND		ND		ND	ND								
(Bq/cm ³)	ΑΙΙ β	4.9E-1	/	6.5E-2	/	9.1E-2	<3.0E-2	<i>V</i>	/	/	V	/	/	V	/

Half-life period I-131: Approx. 8 days, Cs-134: Approx. 2 years, Cs-137: Approx. 30 years

			Underground Reservoir (Leakage detector hole water)													
		i		ii		iii		iv				vi		vii /		
		Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	Northeast side	Southwest side	
Sampled time		6:02 AM	/	5:56 AM	/	6:16 AM	6:24 AM	/	/			/	/			
Chloride concentration (ppm)		10		10		8	9						/			
Radioactive concentration	I-131	<2.6E-2		<2.6E-2		<2.1E-2	<2.6E-2			/	1			/		
	Cs-134	<4.6E-2		<4.1E-2		<4.2E-2	<4.3E-2									
	Cs-137	<6.5E-2		<6.3E-2		<6.4E-2	<6.6E-2									
	γ nuclides other than the major 3 nuclides	ND		ND		ND	ND									
(Bq/cm ³)	ΑΙΙ β	6.6E+1		1.4E+1		1.7E+1	5.5E+0	/								

Half-life period I-131: Approx. 8 days, Cs-134: Approx. 2 years, Cs-137: Approx. 30 years

(Note 1) O.OE±O is the same as O.O x 10^{±O}.

(Note 2) The figures written next to "<" indicate the detection limit when the measurement result is below the detection limit.

(Note 3) "ND" indicates that the measurement result of y nuclides other than the major 3 nuclides are below the detection limit.