Nuclides Analysis Result of the Sub-drain of Fukushima Daiichi NPS

Reference

Data summarized on November 6)


Place of Sampling	Fukushima Daiichi NPS Unit 1 Sub-drain	Fukushima Daiichi NPS Unit 2 Sub-drain	Fukushima Daiichi NPS Unit 3 Sub-drain	Fukushima Daiichi NPS Unit 4 Sub-drain	Fukushima Daiichi NPS Unit 5 Sub-drain	Fukushima Daiichi NPS Unit 6 Sub-drain	Deep Well at Fukushima Daiichi NPS
Time of Sampling	Nov 5, 2014 7:33 AM	Nov 5, 2014 7:30 AM	Nov 5, 2014 7:25 AM	Nov 5, 2014 7:18 AM	N/A	N/A	N/A
Detected Nuclides (Half-life)	Density of Sample (Bq/cm^3)						
I-131 (Approx. 8 days)	ND	ND	ND	ND	-	-	-
Cs-134 (Approx. 2 years)	2.5E-02	4.1E-02	ND	ND	-	-	-
Cs-137 (Approx. 30 years)	7.1E-02	1.9E-01	2.1E-02	3.2E-02	-	-	-


 $^{^{*}}$ O.OE-O is the same as O.O x 10 $^{-}$ O

^{*} Data of other nuclides is under evaluation.


^{* &}quot;ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 9E-3Bq/cm³, Cs-134: Approx.1E-2Bq/cm³) As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.





Fukushima Daiichi Nuclear Power Station: Radioactivity Density of Unit 3 Sub-drain (Bq/cm^3)



Fukushima Daiichi Nuclear Power Station: Radioactivity Density of Unit 4 Sub-drain (Bq/cm^3)

