## Plans of the Sea Area Monitoring Conducted by Tokyo Electric Power Company (FY 2013, Revision 02)

#### 1. Offshore of Fukushima Prefecture

1. Offshore of Fukushima Prefecture							
Place of Sampling (Place No. T-)	Sampling Content	Analysis Items	Analysis Frequency	Detection limit value (Bq/L)	Note		
		Upper part (γ)	1/Day				
1F North Discharge Channel of	Seawater	Upper part (Pu)	1/Month		<ul><li>(1) Upper part (γ), Lower part</li><li>(γ): Nuclide analysis of γ in the</li></ul>		
5-6 (1)	Ocawaici	Upper part ( $\alpha,\beta,H-3,Sr$ )	1/Month (all β, H-3: 1/Week)	131)	seawater at upper layer and		
		Upper part (Cs detail)	1/Week	1.0.7	lower layer.		
	Marine soil	Marine soil (γ,Pu,Sr)	y: 1/Month, Pu, Sr: 1/2 Months	(2) Upper part (Pu):	•		
		Upper part (γ)	1/Day	Approx. 0.006Bq/L (Pu-	(2) Upper part (Pu): Analysis of		
		Upper part (Pu)	1/Month	238, Pu-239+Pu240)	Pu-238, Pu-239+Pu240 at upper layer of the sea. Analysis of U-		
1F Around South Discharge Channel (2-1)	Seawater	Upper part (α,β,H-3,Sr)	1/Month (all β: 1/Day, H-3: 1/Week)	(3) Upper part (α,β,H-3, Sr), Upper part (β,H-3,	234, U-235, U-238, Am-241, Cm242 and Cm243+Cm244 will		
		Upper part (Cs detail)	1/Week	Sr), Upper part (β,H-3):	be conducted when Pu-238 is		
	Marine soil	Marine soil(γ,Pu,Sr)	γ: 1/Month, Pu, Sr: 1/2 Months 1/Week	Approx. 3Bq/L (All α),	detected.		
1F Port Entrance (0)	Seawater	Upper part (γ) Upper part (β, H-3, Sr)	1/Week (Sr-90: 1/Month)	Approx. 20Bq/L (All β), Approx. 3Bq/L (H-3,	(3) Upper part (α,β,H-3, Sr):		
0.5km Offshore of 1F North (0-		Upper part (y)	1/Week (SI-90: 1/Month)	approx. 4Bq/L at T-D1,	Analysis of All α, All β, H-3 and		
1)	Seawater	Upper part (β, H-3)	1/Week	D5, D9, 3, 5,6), Approx.	Sr-90 at upper layer of the sea.		
Northeast of 1F port entrance	Convetor	Upper part (γ)	1/Week	0.01Bq/L (Sr-90)			
(0-1A)	Seawater	Upper part (β, H-3)	1/Week	(4) Unanan mant (Ca data:i)	(4) Upper part (β,H-3, Sr):		
1km Offshore of 1F (0-2)	Seawater	Upper part (γ)	1/Week	(4) Upper part (Cs detail), Lower part (Cs detail):	Analysis of All β, H-3 and Sr-90 at upper layer of the sea.		
` '	Ocawatci	Upper part (β, H-3)	1/Week	Approx. 0.001Bq/L (Cs-	at upper layer of the sea.		
0.5km Offshore of 1F South (0-	Seawater	Upper part (γ)	1/Week	134, 137)	(5) Upper part (β,H-3): Analysis		
Southoost of 45 most an income		Upper part (β, H-3)	1/Week	1	of All β and H-3 at upper layer of		
Southeast of 1F port entrance (0-3A)	Seawater	Upper part (γ) Upper part (β, H-3)	1/Week 1/Week	(5) Marine soil (γ,Pu,Sr)	the sea.		
,		Upper part (Cs detail)	1/Week	Marine soil (γ): Approx. 1Bq/kg dry soil (Cs-134,	(6) Upper part (Cs detail), Lower		
2F Around North Discharge	Seawater	Upper part (β, H-3)	2/Month	Cs-137), Approx. 10Bq/kg	part (Cs detail): Cs detail		
Channel (3)	Marine soil	Marine soil(γ)	1/Month	dry (Pu-238, Pu-	analysis of seawater at upper		
Around the South Side of	Seawater	Upper part (Cs detail)	1/Week	239+Pu240, Sr-90)	layer and lower layer by AMP		
Kitasakogawa (4-2)	Marine soil	Marine soil(γ)	1/Month	(6) Fish (γ): Approx.	precipitation method.		
South side of Ukedo Port (6)	Seawater	Upper part (Cs detail)	1/Week (New)	(θ) Fish (γ). Approx. 10Bg/kg (raw) (Cs-134,	(7) Marine soil (γ,Pu,Sr): Nuclide		
		Upper part (β, H-3)	2/Month (New)	Cs-137)	analysis of y, Pu-238, Pu-		
3km Offshore of Odaka Ward	Seawater	Upper part (Cs detail)	-1/Week	,	239+Pu240 and Sr-90 in the		
(14)	Marine soil	Lower part (Cs detail)  Marine soil(y)	1/Month	-	marine soil. Analysis of U-234,		
	Marine Son	Upper part (Cs detail)		-	U-235, U-238, Am-241, Cm242 and Cm243+Cm244 will be		
3km Offshore of Ukedo River	Seawater	Lower part (Cs detail)	1/Week		conducted when Pu-238 is		
(D1)	Couvator	Upper part (α, β, H-3, Sr,	1/Month (all β, H-3: 2/Month)	1	detected.		
, ,	Marine soil	Pu\ Marine soil(γ)	1/Month	†			
		Upper part (Cs detail)	1/Week	1	(8) Marine soil (γ): Nuclide		
Olars Offstrans of 45 (D5)	Seawater	Lower part (Cs detail) Upper part (α, β, H-3, Sr,	- I/vveek		analysis of γ in the marine soil.		
3km Offshore of 1F (D5)		Upper part (α, β, H-3, Sr,	1/Month (all β, H-3: 2/Month)		(9) Fish (γ): Nuclide analysis of		
	Marine soil	Marine soil(γ)	1/Month	1	γ in the fish and shellfish.		
		Upper part (Cs detail)	1/Week		(40) 0 00 111		
3km Offshore of 2F (D9)	Seawater	Lower part (Cs detail) Upper part (α, β, H-3, Sr,	,,,,,		(10) Sr-90 will be conducted whe		
OKIT OTISTION OF 21 (D3)		Pu)	1/Month (all β, H-3: 2/Month)				
	Marine soil	Marine soil(γ)	1/Month				
		Upper part (Cs detail)	1/Week				
15km Offshore of 1F (5)	Seawater	Lower part (Cs detail) Upper part (α, β, H-3, Sr,		4			
` ,		Pu)	1/Month (all β, H-3: 2/Month)				
	Marine soil	Marine soil(γ)	1/Month	4			
3km Offshore of Iwasawa Shore	Seawater	Upper part (Cs detail)  Lower part (Cs detail)	1/Week				
(11)	Marine soil	Marine soil(γ)	1/Month	1			
1km Offshore of Murakami,		Marine soil(y)		1			
Odaka Ward (1) 2km Offshore of Murakami,		Marine soil(y)	1				
Odaka Ward (②) 1km Offshore of Ukedo, Namie		Marine soil(γ)	1				
Town (3) 2km Offshore of Ukedo, Namie Town (4)		Marine soil(γ)	1				
3km Offshore of Ukedo, Namie Town (5))		Marine soil(γ)					
1km Offshore of Kumagawa,		Marine soil(y)	1				
Okuma Town (⑥) 2km Offshore of Kumagawa,							
Okuma Town (7) 3km Offshore of Kumagawa,	Marine soil	Marine soil(γ)	1/Month				
Okuma Town (®) 5km Offshore of Kumagawa,		Marine soil(γ)	-				
Okuma Town (9) 10km Offshore of Kumagawa,		Marine soil(γ)					
Okuma Town (10) 15km Offshore of Kumagawa,		Marine soil(γ)  Marine soil(γ)	1				
Okuma Town (11) 20km Offshore of Kumagawa,		Marine soil(γ)	}				
Okuma Town (12) 1km Offshore of Yamadahama,		Marine soil(γ)	1				
Naraha Town (13)		(1)	1	<u> </u>	<u> </u>		

## Plans of the Sea Area Monitoring Conducted by Tokyo Electric Power Company (FY 2013, Revision 02)

#### 1. Offshore of Fukushima Prefecture

1. Offshore of Fukushima	Prefectu	re				
Place of Sampling (Place No. T-)	Sampling Content	Analysis Items	Analysis Frequency	Detection limit value (Bq/L)	Note	
1km Offshore of Nida River (13-1)	Seawater	Upper part (Cs detail)  Lower part (Cs detail)	1/Month		. (1) Upper part (γ), Lower part	
1)	Marine soil	Marine soil(γ)	1/2 Months		(γ): Nuclide analysis of γ in the	
15km Offshore of Iwasawa	Seawater	Upper part (Cs detail)  Lower part (Cs detail)	1/Month	131)	seawater at upper layer and lower layer.	
Shore (7)	Marine soil	Marine soil(γ)	1/2 Months	(2) Upper part (Pu):  Approx. 0.006Bg/L (Pu-	(2) Upper part (Bu): Analysis of	
3km Offshore of Onahama Port	Seawater	Upper part (Cs detail)	1/Month	238, Pu-239+Pu240)	(2) Upper part (Pu): Analysis of Pu-238, Pu-239+Pu240 at upper layer of the sea. Analysis of U-	
(18)	Marina sail	Lower part (Cs detail)  Marine soil(y)	1/2 Months	(3) Upper part (α,β,H-3,	234, U-235, U-238, Am-241,	
	Marine soil	Upper part (Cs detail)		Sr), Upper part (β,H-3,	Cm242 and Cm243+Cm244 will	
5km Offshore of Numanouchi	Seawater	Lower part (Cs detail)	1/Month	Sr), Upper part (β,H-3):  Approx. 3Bg/L (All α),	be conducted when Pu-238 is detected.	
(M10)	Marine soil	Marine soil(γ)	1/2 Months	Approx. 20Bq/L (All β),	detected.	
3km Offshore of North of Iwaki	Seawater	Upper part (Cs detail) Lower part (Cs detail)	1/Month	Approx. 3Bq/L (H-3,	(3) Upper part (α,β,H-3, Sr):	
City (12)	Marine soil	Marine soil(y)	1/2 Months	approx. 4Bq/L at T-D1,	Analysis of All α, All β, H-3 and	
1km Offshore of Natsui River	Seawater	Upper part (Cs detail)	1/Month	D5, D9, 3, 5 ,6), Approx.	Sr-90 at upper layer of the sea.	
(17-1)		Lower part (Cs detail)		0.01Bq/L (Sr-90)	(4) Upper port (0 H 3 Cr):	
()	Marine soil	Marine soil(γ)	1/2 Months	(4) Upper part (Cs detail),	(4) Upper part (β,H-3, Sr): Analysis of All β, H-3 and Sr-90	
3km Offshore of Toyoma (20)	Seawater	Upper part (Cs detail) Lower part (Cs detail)	1/Month		at upper layer of the sea.	
olan choricle of regenta (20)	Marine soil	Marine soil(y)	1/2 Months	Approx. 0.001Bq/L (Cs-		
	Seawater	Upper part (Cs detail)	1/Month	134, 137)	(5) Upper part (β,H-3): Analysis	
3km Offshore of Soma (22)		Lower part (Cs detail)			of All β and H-3 at upper layer of	
	Marine soil	Marine soil(y)	1/2 Months	(5) Marine soil (γ,Pu,Sr)	the sea.	
5km Offshore of Kashima (MA)	Seawater	Upper part (Cs detail) Lower part (Cs detail)	1/Month	Marine soil (γ): Approx.  1Bg/kg dry soil (Cs-134,	(6) Upper part (Cs detail), Lower	
okin olionoro or reasilina (W. V)	Marine soil	Marine soil(y)	1/2 Months		part (Cs detail): Cs detail	
	Fish	Fish (γ)		dry (Pu-238, Pu-	analysis of seawater at upper	
Around 1km Offshore of Ota	Seawater	Upper part (Cs detail)		239+Pu240, Sr-90)	layer and lower layer by AMP	
River (S1)	Marine soil	Lower part (Cs detail)  Marine soil(y)			precipitation method.	
	Fish	Fish (y)	1	(6) Fish (γ): Approx.	(7) Maria a sail (a Bu Co). Nastida	
Around 3km Offshore of Odaka	Seawater	Upper part (Cs detail)		10Bq/kg (raw) (Cs-134, Cs-137)	<ul><li>(7) Marine soil (γ,Pu,Sr): Nuclide analysis of γ, Pu-238, Pu-</li></ul>	
Ward (S2)		Lower part (Cs detail)		C3-137)	239+Pu240 and Sr-90 in the	
	Marine soil Fish	Marine soil(γ) Fish (γ)			marine soil. Analysis of U-234,	
Around 3km Offshore of Ukedo		Upper part (Cs detail)	1		U-235, U-238, Am-241, Cm242	
River (S3)	Seawater	Lower part (Cs detail)	]		and Cm243+Cm244 will be	
	Marine soil	Marine soil(γ)			conducted when Pu-238 is detected.	
	Fish	Fish (γ) Upper part (Cs detail)	1		detected.	
Around 3km Offshore of 1F (S4)	Seawater	Lower part (Cs detail)	1		(8) Marine soil (γ): Nuclide	
	Marine soil	Marine soil(y)			analysis of γ in the marine soil.	
Assessed Olera Officia and of Kida	Fish	Fish (γ)				
Around 2km Offshore of Kido River (S5)	Seawater	Upper part (Cs detail) Lower part (Cs detail)			(9) Fish (γ): Nuclide analysis of	
Niver (33)	Marine soil	Marine soil(y)	1		γ in the fish and shellfish.	
	Fish	Fish (γ)	]		(10) Sr-90 will be conducted whe	
Around 2km Offshore of 2F (S7)	Seawater	Upper part (Cs detail)	1/Month		, ,	
)	Marine soil	Lower part (Cs detail)  Marine soil(γ)	1			
	Fish	Fish (γ)	1			
Around 4km Offshore of	Seawater	Upper part (Cs detail)				
Kumagawa (S8)		Lower part (Cs detail)	-			
	Marine soil Fish	Marine soil(γ) Fish (γ)	1			
Around 15km Offshore of Odaka Ward (B1)		Upper part (Cs detail)	1			
	Seawater	Lower part (Cs detail)				
	Marine soil	Marine soil(γ)				
Around 18km Offshore of	Fish	Fish (γ) Upper part (Cs detail)	1			
Ukedo River (B2)	Seawater	Lower part (Cs detail)	]			
	Marine soil	Marine soil(γ)				
Around 10km Offshore of 1F	Fish	Fish (γ)	-			
(B3)	Seawater	Upper part (Cs detail) Lower part (Cs detail)	1			
(00)	Marine soil	Marine soil(y)	]			
	Fish	Fish (γ)				
Around 10km Offshore of 2F	Seawater	Upper part (Cs detail)				
(B4)	Marine soil	Lower part (Cs detail)  Marine soil(y)	1			
	Maine SUII	Marine SUII(γ)			ļ	

## Plans of the Sea Area Monitoring Conducted by Tokyo Electric Power Company (FY 2013, Revision 02)

2. Offshore of Miyagi Prefecture

Place of Sampling (Place No. T-)	Sampling Content	Analysis Items	Analysis Frequency	Detection limit value (Bq/L)	Note	
Offshore of Minamisanriku (MG0)  Ishinomaki Bay (MG1)  Offshore of Kinkasan East (MG2)  Offshore of Kinkasan South (MG3)  Offshore of Shichigahama (MG4)  Central Area of Sendai Bay (MG5)	Seawater	Upper part (Cs detail) Middle part (Cs detail) Lower part (Cs detail) Upper part (Cs detail) Middle part (Cs detail) Middle part (Cs detail) Lower part (Cs detail) Upper part (Cs detail) Middle part (Cs detail) Lower part (Cs detail) Lower part (Cs detail) Upper part (Cs detail) Middle part (Cs detail) Lower part (Cs detail) Upper part (Cs detail) Upper part (Cs detail) Upper part (Cs detail) Lower part (Cs detail) Lower part (Cs detail) Upper part (Cs detail) Lower part (Cs detail) Middle part (Cs detail)		(1) Upper part (Cs detail), Middle part (Cs detail), Lower part (Cs detail): Approx. 0.001Bq/L (Cs- 134, 137) (2) Upper part (Sr): Approx. 0.01Bq/L (Sr-90)	(1) Upper part (Cs detail), Middle part (Cs detail), Lower part (Cs detail): Cs detail analysis of seawater at upper layer, middle layer and lower layer by AMP precipitation method.  (2) Upper part (Sr): Analysis of Sr-90 at upper layer of the sea.	
•		Upper part (Sr)	1/2 Months			
Offshore of Abukuma River (MG6)		Upper part (Cs detail) Middle part (Cs detail) Lower part (Cs detail)	2/Month			

3. Offshore of Ibaraki Prefecture

3. Olishole of Ibaraki Freecture						
Place of Sampling (Place No. T-)	Sampling Content	Analysis Items	Analysis Frequency	Detection limit value (Bq/L)	Note	
3km Offshore of Isohara Shore (Z) 3km Offshore of Takadokobama Shore (A) 3km Offshore of Kujihama Shore (B) 3km Offshore of Oarai Shore (C)	Seawater	Upper part (y) Lower part (y) Upper part (y) Lower part (y) Upper part (y) Lower part (y) Lower part (y) Upper part (y) Lower part (y) Lower part (y)	1/Month	part (y): Approx. 1Bq/L (Cs-134, 137) (2) Upper part (Sr): Approx. 0.01Bq/L (Sr-90)	<ol> <li>(1) Upper part (γ), Lower part (γ): Nuclide analysis of γ in the seawater at upper layer and lower layer.</li> <li>(2) Upper part (Sr): Analysis of Sr-90 at upper layer of the sea.</li> </ol>	
(C)		Upper part (Sr)	1/2 Months			
3km Offshore of Hirai Shore (D) 3km Offshore of Hasaki Shore		Upper part (y) Lower part (y) Upper part (y)	1/Month			
(E)		Lower part (γ)				

# Sampling Locations of the Sea Area Monitoring Conducted by Tokyo Electric Power Company (FY 2013, Revision 02)

Place of Sampling		Place No.	Latitude	Longitude (East Longitude)	
North of Discharge Channel of 5-6 Units of 1F			T-1	` '	141°02' 04"
		North of Discharge Channel of 5-6 Units of 1F	T-2 <sup>*3</sup>	37°25' 52" 37°24' 55"	141°02'04" 141°02' 02"
		Around South Discharge Channel of 1F	T-2-1 <sup>*3</sup>	37°24' 22"	141°02' 01"
Cocot		1F Port Entrance*5	T-0	37°25' 24"	141°02' 29"
		0.5km Offshore of 1F North*5	T-0-1	37°25' 50"	141°02' 25"
		Northeast of 1F Port Entrance*6	T-0-1A	37°25' 50"	141°02' 48"
		1km Offshore of 1F <sup>*5</sup>	T-0-2	37°25' 24"	141°02' 48"
Coas	SI	0.5km Offshore of 1F South*5	T-0-3	37°24' 58"	141°02' 25"
		Southeast of 1F Port Entrance*6	T-0-3A	37°24' 58"	141°02' 48"
		Around North Discharge Channel of 2F	T-3	37°19' 20"	141°01' 35"
		2F Around Iwasawa Shore*2*7	T-4	37°14' 30"	141°00' 50"
		Around the North Side of Asamigawa*2*4	T-4-1	37°12' 37"	141°00' 20"
		Around the South Side of Kitasakogawa <sup>*4</sup> * <sup>7</sup>	T-4-2	37°12' 51"	141°00' 25"
		South side of Ukedo Port*5	T-6	37°28' 44"	141°02' 26"
		3km Offshore of Odaka Ward	T-14	37°33' 10"	141°3' 45"
		3km Offshore of Illeada Diver	T-11	37°14' 30"	141°2' 50"
		3km Offshore of Ukedo River 3km Offshore of 1F	T-D1 T-D5	37°30' 00"	141°4' 20"
		3km Offshore of 2F	T-D9	37°25' 00" 37°20' 00"	141°4' 20" 141°4' 20"
		15km Offshore of 1F	T-5	37°25'	141 4 20 141°12'
		1km Offshore of Murakami, Odaka Ward	T-①	37°33' 6"	141°2' 30"
		2km Offshore of Murakami, Odaka Ward	T-2	37°33' 6"	141°3' 00"
		1km Offshore of Ukedo, Namie Town	T-3	37°27' 30"	141°2' 30"
		2km Offshore of Ukedo, Namie Town	T-4	37°27' 30"	141°3' 00"
		3km Offshore of Ukedo, Namie Town	T-⑤	37°27' 30"	141°3' 30"
		1km Offshore of Kumagawa, Okuma Town	T-⑥	37°23' 00"	141°2' 30"
		2km Offshore of Kumagawa, Okuma Town	T-⑦	37°23' 00"	141°3' 00"
		3km Offshore of Kumagawa, Okuma Town	T-®	37°23' 00"	141°3' 30"
Within 20km	•	5km Offshore of Kumagawa, Okuma Town	T-9	37°23' 00"	141°5' 30"
Fukushima Da	aiichi NPS	10km Offshore of Kumagawa, Okuma Town	T-10	37°23' 00"	141°10' 00"
		15km Offshore of Kumagawa, Okuma Town	T-①	37°23' 00"	141°12' 00"
		20km Offshore of Kumagawa, Okuma Town	T-12 T-13	37°23' 00" 37°14' 18"	141°15' 00" 141°1' 30"
		1km Offshore of Yamadahama, Naraha Town Around 1km Offshore of Ota River	T-(3)	37°35' 05"	141°1'30" 141°2'32"
		Around 3km Offshore of Odaka Ward	T-S2	37°33' 10"	141°3' 45"
		Around 3km Offshore of Ukedo River	T-S3	37°27' 30"	141°04' 44"
		Around 3km Offshore of 1F	T-S4	37°25' 43"	141°04' 57"
		Around 2km Offshore of Kido River	T-S5	37°15' 54"	141°02' 22"
		Around 2km Offshore of 2F <sup>*1</sup>	T-S7	37°18' 40"	141°02' 50"
		Around 4km Offshore of Kumagawa <sup>*1</sup>	T-S8	37°23' 00"	141°04' 44"
		Around 15km Offshore of Odaka Ward	T-B1	37°32'	141°13'
		Around 18km Offshore of Ukedo River	T-B2	37°31'	141°14'
		Around 10km Offshore of 1F	T-B3	37°24' 28"	141°09' 15"
		Around 10km Offshore of 2F	T-B4	37°20' 54"	141°08' 55"
Within 30km	-	1km Offshore of Nida River	T-13-1	37°38' 27"	141°02' 33"
Fukushima Da	alichi NPS	15km Offshore of Iwasawa Shore	T-7	37°14'	141°12'
		3km Offshore of Onahama Port	T-18	36°54' 20"	140°55' 20"
	Offshore of	3km offshore of North of Iwaki City	T-12 T-17-1	37°09' 00" 37°03' 20"	141°2' 15" 141°00' 25"
	Fukushima	1km Offshore of Natsui River 3km Offshore of Toyoma	T-20	36°58' 00"	141°00' 25" 141°00' 00"
	Prefecture	3km Offshore of Soma	T-20	37°49' 28"	141°0' 00' 141°1' 21"
	1 Tolootale	5km Offshore of Kashima	T-MA	37°45'	141°5'
		5km Offshore of Numanouchi	T-M10	37°00'	141°5'
		3km Offshore of Isohara Shore	T-Z	36°47' 30"	140°47' 21"
Out of 30km	Officharass	3km Offshore of Takadokobama Shore	T-A	36°42' 50"	140°45' 50"
Range of	Offshore of Ibaraki	3km Offshore of Kujihama Shore	T-B	36°30' 23"	140°39' 56"
Fukushima	Prefecture	3km Offshore of Oarai Shore	T-C	36°17' 59"	140°36' 14"
Daiichi NPS	i idicolule	3km Offshore of Hirai Shore	T-D	35°59' 15"	140°42' 08"
		3km Offshore of Hasaki Shore	T-E	35°47' 46"	140°50' 14"
		Offshore of Minamisanriku	T-MG0	38°38'	141°35'
	Officharia	Ishinomaki Bay	T-MG1	38°20'	141°17'
	Miyagi Prefecture	Offshore of Kinkasan East	T-MG2	38°18'	141°40'
		Offshore of Shiphigahama	T-MG3	38°14' 38°15'	141°35' 141°08'
		Offshore of Shichigahama Central Area of Sendai Bay	T-MG4 T-MG5	38°10'	141°08'
		Offshore of Abukuma River	T-MG6	38°05'	141 15 141°00'
* 15: Eukushima Dajishi Nuslaar Ba				JO 00	141 00

<sup>\* 1</sup>F: Fukushima Daiichi Nuclear Power Station, 2F: Fukushima Daini Nuclear Power Station
\*1 Place No. "T-S6" was changed to "T-S7" in May 2012. "T-S8" was added in July 2012.
\*2 "T-4-1" was newly set to substitute for "T-4" in October 2012 as the road to access "T-4" has been closed since mid-September 2012.
\*3 "T-2-1" was newly set to substitute for "T-2", since it is impossible to conduct marine soil (sand) sampling due to erosion.
\*4 "T-4-2" was newly set to substitute for "T-4-1" in March 2013 as the road to access "T-4-1" has been closed since mid-March 2013.

<sup>\*5</sup> Place of sampling was added from August 2013. \*6 Place of sampling was added from November 2013.

<sup>\*7</sup> Place No. "T-4-2" was changed to "T-4" as the road to access "T-4" has completed.




Figure 1. Sampling Locations (Seawater, etc.) (Fukushima Coast, As of November 2013)



Figure 2. Sampling Locations (Seawater) (Ibaraki Coast, as of November 2013)



Figure 3. Sampling Locations (Seawater) (Miyagi Coast, as of November 2013)