Results of Nuclide Analysis of Seawater <Coast>

Reference

(Data summerized on August 4)

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5- 6u discharge channel)		Around S (appox. 330r	South Discha n south of 1	rge Channel o -4u Discharge	of 1F e Channel)	Around North Channel (Around 3,4u Channe (approx. 10 k	of 2F Discharge	Around Iwasawa (appox. 7 k 1,2u Discharg (appox. 16 k	m south of pe Channel)	Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit
Time and Date of Sample Collection	10:35am August 3,2011		9:55am August 3,2011		3:45pm August 3,2011		8:25am August 3,2011		7:55am August 3,2011		in the water outside of surrounding
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	5.0	0.08	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	4.8	0.05	90

Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L

Data of other nuclides are under evaluation.

In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

In the case that the data is below measurable limit, "ND" is stated.

Detection limits of the three main nuclides are as follows: I-131: approx. 8Bq/L., Cs-134: approx. 22Bq/L.,Cs-137: approx. 24Bq/L., Please note that these nuclides are sometimes detected even when they are below the threshold, contingent on the detector or samples.

Results of Nuclide Analysis of Seawater < Offshore>

Reference

(Data summerized on August 4)

Place of Sampling	Upper layer		15 km offshore of MinamiSouma City Lower layer 8:25am		15 km offshore of Ukedo-gawa Upper layer 8:45am		15 km offshore of Ukedo-gawa Lower layer 8:45am		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in
Time and Date of Sample Collection			8:25am August 3, 2012		8:45am August 3, 2013		6.45am August 3, 2014		8:20am August 3, 2015		8:20am August 3, 2016		
Detected Nuclides (Half-life)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	the water outside of surrounding monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90

Place of Sampling	15 km offshore of G Fukushima Daini Upper layer		15 km offshore of Fukushima Daini Lower layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono- machi Upper layer		15 km offshore of Hirono- machi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in
Time and Date of Sample Collection	-		7:40 August 3,2011		7:05am August 3,2011		7:05am August 3,2012		6:40am August 3, 2011		6:40am August 3, 2012		
Detected Nuclides (Half-life)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	Density of Sample (Bq/cm3)	Scaling Factor (/)	the water outside of surrounding monitored areas in the section 6 of the appendix 2)
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90

Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L

Data of other nuclides are under evaluation.

In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

In the case that the data is below measurable limit (aproximately 6Bq/L for I-131), "ND" is stated.

Detection limits of the three main nuclides are as follows: I-131: approx. 3Bq/L, Cs-134: 5Bq/L, Cs-137: 5Bq/L

However, detection limits differs depending on the detectors and samples types, and therefore may be detected, under figures below.

Results of Nuclide Analysis of Seawater < Coast >

attachment

(Data summerized on August

	1			(= 0.10.	Janimor I Zoa on Magaot	
Place of Sampling	North of Discharge Channel (approx. 30m north of 5- channel)		Around South Discharge C (appox. 330m south of 1- Channel)	Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas		
Time and Date of Sample Collection	July 11,2011		July 11,2011			
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	in the section 6 of the appendix 2)	
I-131 (about 8 days)	ND		ND		40	
Cs-134 (about 2 years)	30	0.50	ND		60	
Cs-137 (about 30 years)	40	0.44	ND		90	
Sr-89 (about 51 days)	7.4	0.02	2.0	0.01	300	
Sr-90 (about 29 yeras)	2.9	0.10	0.78	0.03	30	

Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L

In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

The data of "I - 1 3 1 ""C s - 1 3 4" and "C s - 1 3 7" had released at July 12.

Analysis Agency: Japan Chemical Analysis Center (Sr-89,90), TEPCO (I-131,Cs-134,Cs-137)

(Evaluation)

As Sr-89 and 90 were detected at the coast, the influence of the accident is considered, but each density was below each density limit in the water.